# AUTHOR INDEX VOLUMES 144–147


A

**Aaronson, S.A.** *See* Fang, Lee, and Aaronson.

**Aboy, A.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.

**Abrami, L., and van der Goot, F.G.** Plasma membrane microdomains act as concentration platforms to facilitate intoxication by aerolysin. 147: 175.

**Abrams, J.M.** *See* Varkey, Chen, Jemmerson, and Abrams.

**Abrams, W.R.** *See* Yagami, Suh, Enomoto-Iwamoto, Koyama, Abrams, Shapiro, Pacifici, and Iwamoto.

**Acebes, A.** *See* Kronert, Acebes, Ferrús, and Bernstein.

**Adair-Kirk, T.L., Cox, K.H., and Cox, J.V.** Intracellular trafficking of variant chicken kidney AE1 anion exchangers: Role of alternative $NH_2$ termini in polarized sorting and Golgi recycling. 147:1237.

**Adames, N.R.** *See* Heil-Chapdelaine, Adames, and Cooper.

**Adamo, J.E.** *See* Lehman, Rossi, Adamo, and Brennwald.

**Adams, I.R., and Kilmartin, J.V.** Localization of core spindle pole body (SPB) components during SPB duplication in *Saccharomyces cerevisiae*. 145:809.

**Adams, M.T.** *See* Buchert, Schneider, Meskenaite, Adams, Canaani, Baechi, Moelling, and Hovens.

**Addicks, K.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.

**Adebanjo, O.A.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.

**Advani, R.J., Yang, B., Prekeris, R., Lee, K.C., Klumperman, J., and Scheller, R.H.** VAMP-7 mediates vesicular transport from endosomes to lysosomes. 146:765.

**Aguirre Ghiso, J.A., Kovalski, K., and Ossowski, L.** Tumor dormancy induced by downregulation of urokinase receptor in human carcinoma involves integrin and MAPK signaling. 147:89.

**Ahmad, F.J., Yu, W., McNally, F.J., and Baas, P.W.** An essential role for katanin in severing microtubules in the neuron. 145:305.

**Ahmed, S.** *See* O'Connell, Wheatley, Ahmed, and Wang.

**Ahting, U., Thun, C., Hegerl, R., Typke, D., Nargang, F.E., Neupert, W., and Nussberger, S.** The TOM core complex: The general protein import pore of the outer membrane of mitochondria. 147:959.

**Aidoudi, S.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.

**Aja, T.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.

**Akanbi, K.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.

**Akiyama, S.K.** *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.

**Al-Awqati, Q.** *See* Vijayakumar, Takito, Hikita, and Al-Awqati.

**Albar, J.P.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.

**Albayya, F.P.** *See* Michele, Albayya, and Metzger.

**Albus, A.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.

**Allen, T.** *See* Drummond, Ferrigno, Lyon, Murphy, Goldberg, Allen, Smythe, and Hutchison.

— *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.

**Allison, D.C., and Nestor, A.L.** Evidence for a relatively random array of human chromosomes on the mitotic ring. 145:1.

**Almeder, M.** *See* Weipoltshammer, Schöfer, Almeder, Philimonenko, Frei, Wachtler, and Hozák.

**Almeida, E.A.C.** *See* Chen, Almeida, Huovila, Takahashi, Shaw, Mercurio, and White.

**Almeida, F.** *See* Carvalho, Almeida, Calapez, Lafarga, Berciano, and Carmo-Fonseca.

**Almouzni, G.** *See* Taddei, Roche, Sibarita, Turner, and Almouzni.

**Alnemri, E.S.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.

**Alonso, J.L.** *See* Miao, Soker, Feiner, Alonso, Raper, and Klagsbrun.

**Alonso, M.A.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.

**Alonso, M.T., Barrero, M.J., Michelena, P., Carnicero, E., Cuchillo, I., García, A.G., García-Sancho, J., Montero, M., and Alvarez, J.** $Ca^{2+}$-induced $Ca^{2+}$ release in chromaffin cells seen from inside the ER with targeted aequorin. 144:241.

**Altman, S.** *See* Jarrous, Wolenski, Wesolowski, Lee, and Altman.

**Altschuler, Y., Liu, S.-H., Katz, L., Tang, K., Hardy, S., Brodsky, F., Apodaca, G., and Mostov, K.** ADP-ribosylation factor 6 and endocytosis at the apical surface of Madin-Darby canine kidney cells. 147:7.

**Alvarez, C., Fujita, H., Hubbard, A., and Sztul, E.** ER to Golgi transport: Requirement for p115 at a pre-Golgi VTC stage. 147:1205.

**Alvarez, J.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.

**Amachi, T.** *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.

**Amano, M.** *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.

**Amberg, D.C.** *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.

**Amigorena, S.** *See* Théry, Regnault, Garin, Wolfers, Zitvogel, Ricciardi-Castagnoli, Raposo, and Amigorena.

**Amores, A.D.** *See* Gönczy, Schnabel, Kaletta, Amores, Hyman, and Schnabel.

**Anandatheerthavarada, H.K.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.

**Anderson, H.J.** *See* Sauvé, Anderson, Ray, James, and Roberge.

**Anderson, J.M.** *See* Mitic, Schneeberger, Fanning, and Anderson.

**Anderson, P.** *See* Kedersha, Gupta, Li, Miller, and Anderson.

**Andjelkovic, A.V., Spencer, D.D., and Pachter, J.S.** Visualization of chemokine binding sites on human brain microvessels. 145:403.

**Ando, A.** *See* Mountain, Simerly, Howard, Ando, Schatten, and Compton.

**André, E.** *See* Martinou, Desagher, Eskes, Antonsson, André, Fakan, and Martinou.

**Andrews, K.M.** *See* Drees, Andrews, and Beckerle.

**Angel, P.** *See* Tuckermann, Reichardt, Arribas, Richter, Schütz, and Angel.

**Angers-Loustau, A., Côté, J.-F., Charest, A., Dowbenko, D., Spencer, S., Lasky, L.A., and Tremblay, M.L.** Protein tyrosine phosphatase-PEST regulates focal adhesion disassembly, migration, and cytokinesis in fibroblasts. 144:1019.

**Annaert, W.G., Levesque, L., Craessaerts, K., Dierinck, I., Snellings, G., Westaway, D., St. George-Hyslop, P., Cordell, B., Fraser, P., and De Strooper, B.** Presenilin 1 controls γ-secretase processing of amyloid precursor protein in pre-Golgi compartments of hippocampal neurons. 147:277.

**Antón, L.C., Schubert, U., Bacík, I., Princiotta, M.F., Wearsch, P.A., Gibbs, J., Day, P.M., Realini, C., Rechsteiner, M.C., Bennink, J.R., and Yewdell, J.W.** Intracellular localization of proteasomal degradation of a viral antigen. 146:113.

**Antonsson, B.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.

— *See* Martinou, Desagher, Eskes, Antonsson, André, Fakan, and Martinou.

**Antony, C.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.

— *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.

**Anver, M.** *See* Sullivan, Escalante-Alcalde, Bhatt, Anver, Bhat, Nagashima, Stewart, and Burke.

**Aoki, J.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.

**Aono, S., Nakagawa, S., Reynolds, A.B., and Takeichi, M.** $p120^{ctn}$ acts as an inhibitory regulator of cadherin function in colon carcinoma cells. 145:551.

**Aota, S.-i.** *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.
**Apodaca, G.** *See* Altschuler, Liu, Katz, Tang, Hardy, Brodsky, Apodaca, and Mostov.
**Arakawa, T.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Arellano, M.** *See* Katayama, Hirata, Arellano, Pérez, and Toda.
**Arikawa-Hirasawa, E.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**Arkowitz, R.A.** *See* Nern and Arkowitz.
**Armant, M.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Armitage, R.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Armold, A.D.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
**Armstrong, R.C.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Arribas, R.** *See* Tuckermann, Reichardt, Arribas, Richter, Schütz, and Angel.
**Artavanis-Tsakonas, S.** *See* Purcell and Artavanis-Tsakonas.
**Asakura, A.** *See* Sabourin, Girgis-Gabardo, Seale, Asakura, and Rudnicki.
**Assoian, R.K.** *See* Bottazzi, Zhu, Böhmer, and Assoian.
**Astier, M.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Astoul, E., Watton, S., and Cantrell, D.** The dynamics of protein kinase B regulation during B cell antigen receptor engagement. 145:1511.
**Aszódi, A.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.
**Athenstaedt, K.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Athman, R.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Ayscough, K.R., Stryker, J., Pokala, N., Sanders, M., Crews, P., and Drubin, D.G.** High rates of actin filament turnover in budding yeast and roles for actin in establishment and maintenance of cell polarity revealed using the actin inhibitor latrunculin-A [137(2):399]: Correction. 146:1203.

## B

**Baart, E.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Baas, A.** *See* McCartney, Dierick, Kirkpatrick, Moline, Baas, Peifer, Bejsovec.
**Baas, P.W.** *See* Ahmad, Yu, McNally, and Baas.
**Baba, M.** *See* Kirisako, Baba, Ishihara, Miyazawa, Ohsumi, Yoshimori, Noda, and Ohsumi.
**Babic, B.** *See* Martin, Fowlkes, Babic, and Khokha.
**Babinet, C.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Bachelder, R.E., Ribick, M.J., Marchetti, A., Falcioni, R., Soddu, S., Davis, K.R., and Mercurio, A.M.** p53 inhibits α6β4 integrin survival signaling by promoting the caspase 3–dependent cleavage of AKT/PKB. 147:1063.
**Bacher, G., Pool, M., and Dobberstein, B.** The ribosome regulates the GTPase of the β-subunit of the signal recognition particle receptor. 146:723.
**Bachorik, J.L.** *See* Kataoka, Bachorik, and Dreyfuss.
**Bacick, I.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Bacík, I.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Baechi, T.** *See* Buchert, Schneider, Meskenaite, Adams, Canaani, Baechi, Moelling, and Hovens.
**Bagrodia, S.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Baier, G.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Baier-Bitterlich, G.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Baillie, D.L.** *See* Ono, Baillie, and Benian.
**Bailly, M., Macaluso, F., Cammer, M., Chan, A., Segall, J.E., and Condeelis, J.S.** Relationship between Arp2/3 complex and the barbed ends of actin filaments at the leading edge of carcinoma cells after epidermal growth factor stimulation. 145:331.
**Baird, B.** *See* Sheets, Holowka, and Baird.
**Baker, S.M.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Bamford, D.H.** *See* Poranen, Daugelavičius, Ojala, Hess, and Bamford.
**Banerji, S., Ni, J., Wang, S.-X., Clasper, S., Su, J., Tammi, R., Jones, M., and Jackson, D.G.** LYVE-1, a new homologue of the CD44 glycoprotein, is a lymph-specific receptor for hyaluronan. 144:789.
**Barbarese, E.** *See* Kwon, Barbarese, and Carson.
**Barber, M.J.** *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
**Bargmann, C.I.** *See* Signor, Wedaman, Orozco, Dwyer, Bargmann, Rose, and Scholey.
**Barkan, A.** *See* Walker, Roy, Coleman, Voelker, and Barkan.
**Barlowe, C.** *See* VanRheenen, Cao, Sapperstein, Chiang, Lupashin, Barlowe, and Waters.
**Barnes, G.** *See* Goode, Wong, Butty, Peter, McCormack, Yates, Drubin, and Barnes.
**Baron, V.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.
**Barrero, M.J.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.
**Barres, B.A., and Raff, M.C.** Axonal control of oligodendrocyte development. 147:1123.
**Barrett, J.G.** *See* Manning, Barrett, Wallace, Granok, and Snyder.
**Barth, A.I.** *See* Robbins, Barth, Marquis, de Hostos, Nelson, and Theriot.
**Bassell, G.J.** *See* Zhang, Singer, and Bassell.
**Bastmeyer, M.** *See* Leppert, Diekmann, Paul, Laessing, Marx, Bastmeyer, and Stuermer.
**Basu, J., Bousbaa, H., Logarinho, E., Li, Z., Williams, B.C., Lopes, C., Sunkel, C.E., and Goldberg, M.L.** Mutations in the essential spindle checkpoint gene *bub1* cause chromosome missegregation and fail to block apoptosis in *Drosophila.* 146:13.
**Batelier, G.** *See* Diamantopoulos, Perez, Goodson, Batelier, Melki, Kreis, and Rickard.
**Bateman, K.E.** *See* Neale, Bowers, Jia, Bateman, and Williamson.
**Bates, R.L.** *See* Miller, Rowning, Larabell, Yang-Snyder, Bates, and Moon.
**Bauer, M.K.A., Schubert, A., Rocks, O., and Grimm, S.** Adenine nucleotide translocase-1, a component of the permeability transition pore, can dominantly induce apoptosis. 147:1493.
**Baumgartner, S.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Beachy, R.N.** *See* Más and Beachy.
**Beatty, W.L., Méresse, S., Gounon, P., Davoust, J., Mounier, J., Sansonetti, P.J., and Gorvel, J.-P.** Trafficking of *Shigella* lipopolysaccharide in polarized intestinal epithelial cells. 145:689.
**Beauchamp, J.R., Morgan, J.E., Pagel, C.N., and Partridge, T.A.** Dynamics of myoblast transplantation reveal a discrete minority of precursors with stem cell–like properties as the myogenic source. 144:1113.
**Beaulieu, J.-M., Nguyen, M.D., and Julien, J.-P.** Late onset death of motor neurons in mice overexpressing wild-type peripherin. 147:531.
**Beauvais-Jouneau, A.** *See* Dufour, Beauvais-Jouneau, Delouvée, and Thiery.
**Bebök, Z.** *See* García-Mata, Bebök, Sorscher, and Sztul.
**Beck, T., Schmidt, A., and Hall, M.N.** Starvation induces vacuolar targeting and degradation of the tryptophan permease in yeast. 146:1227.
**Becker, F., Block-Alper, L., Nakamura, G., Harada, J., Wittrup, K.D., and Meyer, D.I.** Expression of the 180-kD ribosome receptor induces membrane proliferation and increased secretory activity in yeast. 146:273.
**Beckerle, M.C.** *See* Drees, Andrews, and Beckerle.
— *See* Hobert, Moerman, Clark, Beckerle, and Ruvkun.
**Beesley, P.W.** *See* Blake, Hawkes, Benson, and Beesley.
**Bejsovec, A.** *See* McCartney, Dierick, Kirkpatrick, Moline, Baas, Peifer, Bejsovec.
**Beliën, A.T.J., Paganetti, P.A., and Schwab, M.E.** Membrane-type 1 matrix metalloprotease (MT1-MMP) enables invasive migration of glioma cells in central nervous system white matter. 144:373.
**Belmont, A.S.** *See* Tumbar, Sudlow, and Belmont.
**Belov, Y.Y.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Benashski, S.E.** *See* Bowman, Patel-King, Benashski, McCaffery, Goldstein, and King.
**Benian, G.M.** *See* Ono, Baillie, and Benian.
**Bennett, V.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
— *See* Tuvia, Buhusi, Davis, Reedy, and Bennett.
**Bennink, J.R.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
— *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.

**Benson, M.A.** *See* Blake, Hawkes, Benson, and Beesley.
**Benting, J.H., Rietveld, A.G., and Simons, K.** N-Glycans mediate the apical sorting of a GPI-anchored, raft-associated protein in Madin-Darby canine kidney cells. 146:313.
**Bentley, D.** *See* Lau, Zucker, and Bentley.
**Benz, E.J., Jr.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Beqaj, S.** *See* Relan, Yang, Beqaj, Miner, and Schuger.
**Berciano, M.T.** *See* Carvalho, Almeida, Calapez, Lafarga, Berciano, and Carmo-Fonseca.
**Berditchevski, F., and Odintsova, E.** Characterization of integrin–tetraspanin adhesion complexes: Role of tetraspanins in integrin signaling. 146:477.
— *See* Sugiura and Berditchevski.
**Berezney, R.** *See* Ma, Siegel, and Berezney.
— *See* Wei, Somanathan, Samarabandu, and Berezney.
**Berger, S.J.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
**Bergeron, J.J.M.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
— *See* Lavoie, Paiement, Dominguez, Roy, Dahan, Gushue, and Bergeron.
— *See* Lin, Love, Gushue, Bergeron, and Ostermann.
**Berghella, L.** *See* De Angelis, Berghella, Coletta, Lattanzi, Zanchi, Cusella-De Angelis, Ponzetto, and Cossu.
**Berissi, H.** *See* Cohen, Inbal, Kissil, Raveh, Berissi, Spivak-Kroizaman, Feinstein, and Kimchi.
**Bernadi, G.** *See* Sadoni, Langer, Fauth, Bernardi, Cremer, Turner, and Zink.
**Bernard, A.** *See* Vivinus-Nebot, Ticchioni, Mary, Hofman, Quaranta, Rousselle, and Bernard.
**Berndt, M.C.** *See* Gu, Xi, Englund, Berndt, and Du.
**Bernstein, S.I.** *See* Kronert, Acebes, Ferrús, and Bernstein.
**Berrueta, L.** *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.
**Berthold, C.-H.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Betsholtz, C.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Beug, H.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Bevis, B.J.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Bevis, P.J.R.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Beyaert, R.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Bhakta, S.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Bhat, N.** *See* Sullivan, Escalante-Alcalde, Bhatt, Anver, Bhat, Nagashima, Stewart, and Burke.
**Bhatt, H.** *See* Sullivan, Escalante-Alcalde, Bhatt, Anver, Bhat, Nagashima, Stewart, and Burke.
**Bickmore, W.A.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.
**Bierer, B.E.** *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.
**Bieri, C.** *See* Goder, Bieri, and Spiess.
**Biffo, S.** *See* Sanvito, Piatti, Villa, Bossi, Lucchini, Marchisio, and Biffo.
**Bijlmakers, M.-J.J.E., and Marsh, M.** Trafficking of an acylated cytosolic protein: Newly synthesized p56$^{lck}$ travels to the plasma membrane via the exocytic pathway. 145:457.
**Bingham, J.B.** *See* Eckley, Gill, Melkonian, Bingham, Goodson, Heuser, and Schroer.
**Birembaut, P.** *See* Legrand, Gilles, Zahm, Polette, Buisson, Kaplan, Birembaut, and Tournier.
**Birge, R.B.** *See* Oktay, Wary, Dans, Birge, and Giancotti.
**Bischoff, F.R.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
**Bistrup, A., Bhakta, S., Lee, J.K., Belov, Y.Y., Gunn, M.D., Zuo, F.-R., Huang, C.-C., Kannagi, R., Rosen, S.D., and Hemmerich, S.** Sulfotransferases of two specificities function in the reconstruction of high endothelial cell ligands for L-selectin. 145:899.
**Biswas, G.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Bixby, J.L.** *See* Ledig, Haj, Bixby, Stoker, and Mueller.
**Blackburn, E.H.** *See* Smith and Blackburn.
**Blagoveshchenskaya, A.D., Hewitt, E.W., and Cutler, D.F.** A complex web of signal-dependent trafficking underlies the triorganellar distribution of P-selectin in neuroendocrine PC12 cells. 145:1419. Correction. 146:695.
**Blake, D.J., Hawkes, R., Benson, M.A., and Beesley, P.W.** Different dystrophin-like complexes are expressed in neurons and glia. 147:645.
**Blanco-Aparicio, C., Torres, J., and Pulido, R.** A novel regulatory mechanism of MAP kinases activation and nuclear translocation mediated by PKA and the PTP-SL tyrosine phosphatase. 147:1129.
**Blank, L.** *See* Girzalsky, Rehling, Stein, Kipper, Blank, Kunau, and Erdmann.
**Blasco, M.A.** *See* Hande, Samper, Lansdorp, and Blasco.
**Blobel, G.** *See* Fontoura, Blobel, and Matunis.
— *See* Johnson and Blobel.
— *See* Pemberton, Rosenblum, and Blobel.
— *See* Strambio-de-Castillia, Blobel, and Rout.
— *See* Titov and Blobel.
**Bloch, R.J.** *See* Williams and Bloch.
**Bloch, W.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.
**Block-Alper, L.** *See* Becker, Block-Alper, Nakamura, Harada, Wittrup, and Meyer.
**Blocker, A., Gounon, P., Larquet, E., Niebuhr, K., Cabiaux, Parsot, C., and Sansonetti, P.** The tripartite type III secreton of *Shigella flexneri* inserts IpaB and IpaC into host membranes. 147:683.
**Bloom, K.** *See* Maddox, Chin, Mallavarapu, Yeh, Salmon, and Bloom.
— *See* Theesfeld, Irazoqui, Bloom, and Lew.
**Blumenthal, R.** *See* Tatsumoto, Xie, Blumenthal, Okamoto, and Miki.
**Blumer, K.J.** *See* Holly and Blumer.
**Blystone, S.D., Slater, S.E., Williams, M.P., Crow, M.T., and Brown, E.J.** A molecular mechanism of integrin crosstalk: $\alpha_v\beta_3$ Suppression of calcium/calmodulin-dependent protein kinase II regulates $\alpha_5\beta_1$ function. 145:889.
**Bogan, J.S., and Lodish, H.F.** Two compartments for insulin-stimulated exocytosis in 3T3-L1 adipocytes defined by endogenous ACRP30 and GLUT4. 146:609.
**Böhmer, R.M.** *See* Bottazzi, Zhu, Böhmer, and Assoian.
**Boitier, E., Rea, R., and Duchen, M.R.** Mitochondria exert a negative feedback on the propagation of intracellular $Ca^{2+}$ waves in rat cortical astrocytes. 145:795.
**Bokoch, G.M.** *See* Kiosses, Daniels, Otey, Bokoch, and Schwartz.
**Bonifacino, J.S., and Dell'Angelica, E.C.** Molecular bases for the recognition of tyrosine-based sorting signals. 145:923.
**Bonilha, V.L., Finnemann, S.C., and Rodriguez-Boulan, E.** Ezrin promotes morphogenesis of apical microvilli and basal infoldings in retinal pigment epithelium. 147:1533.
**Bonini, S.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Bonner, W.M.** *See* Rogakou, Boon, Redon, and Bonner.
**Boon, C.** *See* Rogakou, Boon, Redon, and Bonner.
**Boone, C.** *See* Lee, Klee, Evangelista, Boone, and Pellman.
**Boonstra, J.** *See* Keresztes and Boonstra.
**Borisy, G.G.** *See* Svitkina and Borisy.
**Bornens, M.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.
**Bortoletto, G.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Bossi, M.** *See* Sanvito, Piatti, Villa, Bossi, Lucchini, Marchisio, and Biffo.
**Bossy-Wetzel, E.** *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
**Bottazzi, M.E., Zhu, X., Böhmer R.M., and Assoian, R.K.** Regulation of p21$^{cip1}$ expression by growth factors and the extracellular matrix reveals a role for transient ERK activity in G1 phase. 146:1255.
**Boucher, R.C.** *See* Mohler, Kreda, Boucher, Sudol, Stutts, and Milgram.
**Boucke, K.** *See* Suomalainen, Nakano, Keller, Boucke, Stidwill, and Greber.
**Boudreau, M.** *See* Vaillant, Mazzoni, Tudan, Boudreau, Kaplan, and Miller.
**Boulouha, L.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Bousbaa, H.** *See* Basu, Bousbaa, Logarinho, Li, Williams, Lopes, Sunkel, and Goldberg.
**Bowerman, B.** *See* Shelton, Carter, Ellis, and Bowerman.
**Bowers, L.M.** *See* Neale, Bowers, Jia, Bateman, and Williamson.
**Bowman, A.B., Patel-King, R.S., Benashski, S.E., McCaffery, J.M., Goldstein, L.S.B., and King, S.M.** *Drosophila roadblock* and *Chlamydomonas* LC7: A conserved family of dynein-associated proteins involved in axonal transport, flagellar motility, and mitosis. 146: 165.
**Boyd, J.T.** *See* Sells, Boyd, and Chernoff.
**Boyle, S.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.
**Boyle, W.J.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Brady-Kalnay, S.M.** *See* Burden-Gulley and Brady-Kalnay.
**Braga, V.M.M.** *See* Espada, Pérez-Moreno, Braga, Rodriguez-Viciana, and Cano.

**Brakebusch, C.** *See* Gimond, van der Flier, van Delft, Brakebusch, Kuikman, Collard, Fässler, and Sonnenberg.
**Brandt, U.** *See* Klages, Brandt, Simon, Schultz, and Offermanns.
**Bray, P.F.** *See* Pabla, Weyrich, Dixon, Bray, McIntyre, Prescott, and Zimmerman.
**Bray, P.G., Janneh, O., Raynes, K.J., Mungthin, M., Ginsburg, H., and Ward, S.A.** Cellular uptake of chloroquine is dependent on binding to ferriprotoporphyrin IX and is independent of NHE activity in *Plasmodium falciparum.* 145:363.
**Brennwald, P.** *See* Lehman, Rossi, Adamo, and Brennwald.
**Bretscher, A.** *See* Schott, Ho, Pruyne, and Bretscher.
**Bridger, J.M.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.
**Bridgman, P.C.** Myosin Va movements in normal and *dilute-lethal* axons provide support for a dual filament motor complex. 146:1045.
**Brieher, W.M.** *See* Zhong, Brieher, and Gumbiner.
**Brockdorff, N.** *See* Mermoud, Costanzi, Pehrson, and Brockdorff.
**Brodsky, F.** *See* Altschuler, Liu, Katz, Tang, Hardy, Brodsky, Apodaca, and Mostov.
**Brown, A.** *See* Koehnle and Brown.
**Brown, E.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Brown, E.J.** *See* Blystone, Slater, Williams, Crow, and Brown.
— *See* Green, Zhelesnyak, Chung, Lindberg, Sarfati, Frazier, and Brown.
**Brown, H.M.** *See* Sharp, McDonald, Brown, Matthies, Walczak, Vale, Mitchison, and Scholey.
**Brown, M.C.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Bruderer, T.** *See* Kappe, Bruderer, Gantt, Fujioka, Nussenzweig, and Ménard.
**Brügger, B.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Brümmendorf, T.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Brunet, S., Santa Maria, A., Guillaud, P., Dujardin, D., Kubiak, J.Z., and Maro, B.** Kinetochore fibers are not involved in the formation of the first meiotic spindle in mouse oocytes, but control the exit from the first meiotic M phase. 146:1.
**Brunger, A.T.** *See* Sutton, Ernst, and Brunger.
**Brunken, W.J.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Bryant, P.W.** *See* Driessen, Bryant, Lennon-Duménil, Villadangos, Bryant, Shi, Chapman, and Ploegh.
**Bryant, R.A.R.** *See* Driessen, Bryant, Lennon-Duménil, Villadangos, Bryant, Shi, Chapman, and Ploegh.
**Buchert, M., Schneider, S., Meskenaite, V., Adams, M.T., Canaani, E., Baechi, T., Moelling, K., and Hovens, C.M.** The junction-associated protein AF-6 interacts and clusters with specific Eph receptor tyrosine kinases at specialized sites of cell–cell contact in the brain. 144:361.
**Buck, F.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Budhu, S.** *See* Loike, Cao, Budhu, Marcantonio, El Khoury, Hoffman, Yednock, and Silverstein.
**Buhusi, M.** *See* Tuvia, Buhusi, Davis, Reedy, and Bennett.
**Buisson, A.-C.** *See* Legrand, Gilles, Zahm, Polette, Buisson, Kaplan, Birembaut, and Tournier.
**Burakov, D.** *See* Soussan, Burakov, Daniels, Toister-Achituv, Porat, Yarden, and Elazar.
**Burden-Gulley, S.M., and Brady-Kalnay, S.M.** PTPμ regulates N-cadherin–dependent neurite outgrowth. 144:1323.
**Burgeson, R.E.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Burgess, D.R.** *See* Shuster and Burgess.
**Burgess, T.L., Qian, Y.-x., Kaufman, S., Ring, B.D., Van, G., Capparelli, C., Kelley, M., Hsu, H., Boyle, W.J., Dunstan, C.R., Hu, S., and Lacey, D.L.** The ligand for osteoprotegerin (OPGL) directly activates mature osteoclasts. 145:527.
**Burke, B.** *See* Sullivan, Escalante-Alcalde, Bhatt, Anver, Bhat, Nagashima, Stewart, and Burke.
**Butcher, E.C.** *See* Foxman, Kunkel, and Butcher.
**Butty, A.-C.** *See* Goode, Wong, Butty, Peter, McCormack, Yates, Drubin, and Barnes.
**Buxbaum, R.E.** *See* Heidemann, Kaech, Buxbaum, and Matus.
**Byers, S.W.** *See* Orford, Orford, and Byers.

## C

**Cabiaux, V.** *See* Blocker, Gounon, Larquet, Niebuhr, Cabiaux, Parsot, and Sansonetti.
**Cabib, E.** *See* Drgonova, Drgon, Roh, and Cabib.
**Cachot, D.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Cai, M.** *See* Zeng and Cai.
**Calapez, A.** *See* Carvalho, Almeida, Calapez, Lafarga, Berciano, and Carmo-Fonseca.
**Caldwell, H.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Camier, S.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Cammer, M.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Campbell, K.P.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Canaani, E.** *See* Buchert, Schneider, Meskenaite, Adams, Canaani, Baechi, Moelling, and Hovens.
**Cano, A.** *See* Espada, Pérez-Moreno, Braga, Rodriguez-Viciana, and Cano.
**Cano-Gauci, D.F., Song, H.H., Yang, H., McKerlie, C., Choo, B., Shi, W., Pullano, R., Piscione, T.D., Grisaru, S., Soon, S., Sedlackova, L., Tanswell, A.K., Mak, T.W., Yeger, H., Lockwood, G.A., Rosenblum, N.D., and Filmus, J.** Glypican-3–deficient mice exhibit developmental overgrowth and some of the abnormalities typical of Simpson-Golabi-Behmel syndrome. 146:255.
**Cantrell, D.** *See* Astoul, Watton, and Cantrell.
**Cao, L.** *See* Loike, Cao, Budhu, Marcantonio, El Khoury, Hoffman, Yednock, and Silverstein.
**Cao, X.** *See* Van Rheenen, Cao, Sapperstein, Chiang, Lupashin, Barlowe, and Waters.
**Capparelli, C.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Carbon, J.** *See* Zeng, Kahana, Silver, Morphew, McIntosh, Fitch, Carbon, and Saunders.
**Carbonetto, S.** *See* Montanaro, Lindenbaum, and Carbonetto.
**Cardoso, M.C., and Leonhardt, H.** DNA methyltransferase is actively retained in the cytoplasm during early development. 147:25.
**Carlier, M.-F.** *See* Egile, Loisel, Laurent, Li, Pantaloni, Sansonetti, and Carlier.
— *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Carmo-Fonseca, M.** *See* Carvalho, Almeida, Calapez, Lafarga, Berciano, and Carmo-Fonseca.
**Carnicero, E.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.
**Carozzi, A.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Carpenter, C.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Carpenter, G.** Employment of the epidermal growth factor receptor in growth factor–independent signaling pathways. 146:697.
**Carr, C.M., Grote, E., Munson, M., Hughson, F.M., and Novick, P.J.** Sec1p binds to SNARE complexes and concentrates at sites of secretion. 146:333.
**Carragher, N.O., Levkau, B., Ross, R., and Raines, E.W.** Degraded collagen fragments promote rapid disassembly of smooth muscle focal adhesions that correlates with cleavage of $pp125^{FAK}$, paxillin, and talin. 147:619.
**Carson, D.D.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Carson, J.H.** *See* Kwon, Barbarese, and Carson.
**Carter, J.C.** *See* Shelton, Carter, Ellis, and Bowerman.
**Carter, W.G.** *See* Ryan, Lee, Miyashita, and Carter.
**Carvalho, T., Almeida, F., Calapez, A., Lafarga, M., Berciano, M.T., and Carmo-Fonseca, M.** The spinal muscular atrophy disease gene product, SMN: A link between snRNP biogenesis and the Cajal (coiled) body. 147:715.
**Casiano, C.A.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Caspary, R.G.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Cassimeris, L.** *See* Larsson, Segerman, Howell, Fridell, Cassimeris, and Gullberg.
**Catling, A.D.** *See* Nguyen, Catling, Webb, Sankovic, Walker, Somlyo, Weber, and Gonias.
**Cato, A.C.B.** *See* Schneikert, Hübner, Martin, and Cato.
**Cavallo, R.** *See* Lu, Paredes, Medina, Zhou, Cavallo, Peifer, Orecchio, and Kosik.
**Centner, T.** *See* Linke, Rudy, Centner, Gautel, Witt, Labeit, and Gregorio.
**Chamberlain, J.S.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Champliaud, M.-F.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Chan, A.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.

**Chan, C.S.M.** *See* Kim, Kang, and Chan.
**Chan, G.K.T., Jablonski, S.A., Sudakin, V., Hittle, J.C., and Yen, T.J.** Human BUBR1 is a mitotic checkpoint kinase that monitors CENP-E functions at kinetochores and binds the cyclosome/APC. 146:941.
**Chang, C.-C., Warren, D.S., Sacksteder, K.A., and Gould, S.J.** PEX12 interacts with PEX5 and PEX10 and acts downstream of receptor docking in peroxisomal matrix protein import. 147:761.
**Chang, S.** *See* Zakharenko, Chang, O'Donoghue, and Popov.
**Chao, D.S., Hay, J.C., Winnick, S., Prekeris, R., Klumperman, J., and Scheller, R.H.** SNARE membrane trafficking dynamics in vivo. 144: 869.
**Chao, M.V.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
**Chapkin, R.S.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Chapman, H.A.** *See* Driessen, Bryant, Lennon-Duménil, Villadangos, Bryant, Shi, Chapman, and Ploegh.
— *See* Wei, Yang, Liu, Wilkins, and Chapman.
**Charest, A.** *See* Angers-Loustau, Côté, Charest, Dowbenko, Spencer, Lasky, and Tremblay.
**Charroux, B., Pellizzoni, L., Perkinson, R.A., Shevchenko, A., Mann, M., and Dreyfuss, G.** Gemin3: A novel DEAD box protein that interacts with SMN, the spinal muscular atrophy gene product, and is a component of gems. 147:1181.
**Chen, C.-Y., Ingram, M.F., Rosal, P.H., and Graham, T.R.** Role for Drs2p, a P-type ATPase and potential aminophospholipid translocase, in yeast late Golgi function. 147:1223.
**Chen, J.** *See* Taooka, Chen, Yednock, and Sheppard.
**Chen, M.S., Almeida, E.A.C., Huovila, A.-P.J., Takahashi, Y., Shaw, L.M., Mercurio, A.M., and White, J.M.** Evidence that distinct states of the integrin α6β1 interact with laminin and an ADAM. 144:549.
**Chen, P.** *See* Varkey, Chen, Jemmerson, and Abrams.
**Chen, S., and Springer, T.A.** An automatic braking system that stabilizes leukocyte rolling by an increase in selectin bond number with shear. 144:185.
**Chen, Y.-T., Stewart, D.B., and Nelson, W.J.** Coupling assembly of the E-cadherin/β-catenin complex to efficient endoplasmic reticulum exit and basal-lateral membrane targeting of E-cadherin in polarized MDCK cells. 144:687.
**Cheresh, D.** *See* Collins, Ricketts, Yeh, and Cheresh.
**Cheresh, D.A., Leng, J., and Klemke, R.L.** Regulation of cell contraction and membrane ruffling by distinct signals in migratory cells. 146:1107.
— *See* Stupack, Li, Silletti, Kehler, Geahlen, Hahn, Nemerow, and Cheresh.
**Chernoff, J.** *See* Sells, Boyd, and Chernoff.
**Chi, M.M.-Y.** *See* Hughes, Chi, Lowry, and Gundersen.
**Chiang, E.C.** *See* VanRheenen, Cao, Sapperstein, Chiang, Lupashin, Barlowe, and Waters.
**Chin, E.** *See* Maddox, Chin, Mallavarapu, Yeh, Salmon, and Bloom.
**Chiquet-Ehrismann, R.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
— *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Chisholm, R.L.** *See* Ma, Triviños-Lagos, Gräf, and Chisholm.
**Choo, B.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Chopra, V.S.** *See* Engqvist-Goldstein, Kessels, Chopra, Hayden, and Drubin.
**Chou, Y.-H.** *See* Correia, Chu, Chou, Goldman, and Matsudaira.
**Christofori, G.** *See* Esni, Täljedal, Perl, Cremer, Christofori, and Semb.
**Chu, D.** *See* Correia, Chu, Chou, Goldman, and Matsudaira.
**Chua, N.-H.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Chun, J.** *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
**Chung, C.Y., and Firtel, R.A.** PAKa, a putative PAK family member, is required for cytokinesis and the regulation of the cytoskeleton in *Dictyostelium discoideum* cells during chemotaxis. 147:559.
**Chung, J.** *See* Green, Zhelesnyak, Chung, Lindberg, Sarfati, Frazier, and Brown.
**Ciccotosto, G.D., Schiller, M.R., Eipper, B.A., and Mains, R.E.** Induction of integral membrane PAM expression in AtT-20 cells alters the storage and trafficking of POMC and PC1. 144:459.
**Citi, S.** *See* Cordenonsi, D'Atri, Hammar, Parry, Kendrick-Jones, Shore, and Citi.
**Clark, K.A.** *See* Hobert, Moerman, Clark, Beckerle, and Ruvkun.
**Clasper, S.** *See* Banerji, Ni, Wang, Clasper, Su, Tammi, Jones, and Jackson.
**Claude, A., Zhao, B.-P., Kuziemsky, C.E., Dahan, S., Berger, S.J., Yan, J.-P., Armold, A.D., Sullivan, E.M., and Melançon, P.** GBF1: A novel Golgi-associated BFA-resistant guanine nucleotide exchange factor that displays specificity for ADP-ribosylation factor 5. 146:71.
— *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Cleveland, D.W.** *See* Kahana and Cleveland.
**Cline, K.** *See* Mori, Summer, Ma, and Cline.
**Cohen, O., Inbal, B., Kissil, J.L., Raveh, T., Berissi, H., Spivak-Kroizaman, T., Feinstein, E., and Kimchi, A.** DAP-Kinase participates in TNF-α– and Fas-induced apoptosis and its function requires the death domain. 146:141.
**Cohen-Tannoudji, M.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Cole, D.G.** Kinesin-II, coming and going. 147:463.
— *See* Rosenbaum, Cole, and Diener.
**Coleman, E.** *See* Walker, Roy, Coleman, Voelker, and Barkan.
**Coleman, J.R.** *See* Smith, Moen, Wydner, Coleman, and Lawrence.
**Coletta, M.** *See* De Angelis, Berghella, Coletta, Lattanzi, Zanchi, Cusella-De Angelis, Ponzetto, and Cossu.
**Collard, J.G.** *See* Gimond, van der Flier, van Delft, Brakebusch, Kuikman, Collard, Fässler, and Sonnenberg.
— *See* Sander, ten Klooster, van Delft, van der Kammen, and Collard.
**Collas, P., Le Guellec, K., and Taskén, K.** The A-kinase–anchoring protein AKAP95 is a multivalent protein with a key role in chromatin condensation at mitosis. 147:1167.
**Colley, N.J.** *See* Haug-Collet, Pearson, Webel, Szerencsei, Winkfein, Schnetkamp, and Colley.
**Collins, L.R., Ricketts, W.A., Yeh, L., and Cheresh, D.** Bifurcation of cell migratory and proliferative signaling by the adaptor protein Shc. 147:1561.
**Colognato, H., Winkelmann, D.A., and Yurchenco, P.D.** Laminin polymerization induces a receptor–cytoskeleton network. 145:619.
**Colombo, E.** *See* Doria, Salcini, Colombo, Parslow, Pelicci, and Di Fiore.
**Comelli, A.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Compton, D.A.** *See* Mountain, Simerly, Howard, Ando, Schatten, and Compton.
— *See* Quintyne, Gill, Eckley, Crego, Compton, and Schroer.
**Condeelis, J.S.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Constam, D.B, and Robertson, E.J.** Regulation of bone morphogenetic protein activity by pro domains and proprotein convertases. 144:139.
**Conti, A.** *See* Flucher, Conti, Takeshima, and Sorrentino.
**Contreras, R.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Cook, P.R.** *See* Manders, Kimura, and Cook.
**Cooper, J.A.** *See* Hart and Cooper.
— *See* Heil-Chapdelaine, Adames, and Cooper.
**Cope, M.J.T.V., Yang, S., Shang, C., and Drubin, D.G.** Novel protein kinases Ark1p and Prk1p associate with and regulate the cortical actin cytoskeleton in budding yeast. 144:1203.
**Cordell, B.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.
**Cordenonsi, M., D'Atri, F., Hammar, E., Parry, D.A.D., Kendrick-Jones, J., Shore, D., and Citi, S.** Cingulin contains globular and coiled-coil domains and interacts with ZO-1, ZO-2, ZO-3, and myosin. 147:1569.
**Corfe, B.M.** *See* Griffiths, Dubrez, Morgan, Jones, Whitehouse, Corfe, Dive, and Hickman.
**Corisdeo, S.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Correia, I., Chu, D., Chou, Y.-H., Goldman, R.D., and Matsudaira, P.** Integrating the actin and vimentin cytoskeletons: Adhesion-dependent formation of fimbrin–vimentin complexes in macrophages. 146:831.
**Cossu, G.** *See* De Angelis, Berghella, Coletta, Lattanzi, Zanchi, Cusella-De Angelis, Ponzetto, and Cossu.
**Costantini, F.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Costanzi, C.** *See* Mermoud, Costanzi, Pehrson, and Brockdorff.
**Costell, M., Gustafsson, E., Aszódi, A., Mörgelin, M., Bloch, W., Hunziker, E., Addicks, K., Timpl, R., and Fässler, R.** Perlecan maintains the integrity of cartilage and some basement membranes. 147:1109.
**Côté, J.-F.** *See* Angers-Loustau, Côté, Charest, Dowbenko, Spencer, Lasky, and Tremblay.
**Cottingham, F.R., Gheber, L., Miller, D.L., and Hoyt, M.A.** Novel roles for *Saccharomyces cerevisiae* mitotic spindle motors. 147:335.
**Coulombe, P.A.** *See* Paladini and Coulombe.
**Cowan, N.J.** *See* Hansen, Cowan, and Welch.
**Cox, A.D.** *See* Keely, Rusyn, Cox, and Parise.
**Cox, J.V.** *See* Adair-Kirk, Cox, and Cox.
**Cox, K.H.** *See* Adair-Kirk, Cox, and Cox.

**Craessaerts, K.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.
**Crego, C.L.** *See* Quintyne, Gill, Eckley, Crego, Compton, and Schroer.
**Cremer, H.** *See* Esni, Täljedal, Perl, Cremer, Christofori, and Semb.
**Cremer, T.** *See* Sadoni, Langer, Fauth, Bernardi, Cremer, Turner, and Zink.
**Crews, P.** *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
**Croft, J.A., Bridger, J.M., Boyle, S., Perry, P., Teague, P., and Bickmore, W.A.** Differences in the localization and morphology of chromosomes in the human nucleus. 145:1119.
**Crosbie, R.H., Lebakken, C.S., Holt, K.H., Venzke, D.P., Straub, V., Lee, J.C., Grady, R.M., Chamberlain, J.S., Sanes, J.R., and Campbell, K.P.** Membrane targeting and stabilization of sarcospan is mediated by the sarcoglycan subcomplex. 145:153.
**Crotwell, M.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.
**Crow, M.T.** *See* Blystone, Slater, Williams, Crow, and Brown.
**Cuchillo, I.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.
**Cullen, C.F., Deák, P., Glover, D.M., and Ohkura, H.** *mini spindles*: A gene encoding a conserved microtubule-associated protein required for the integrity of the mitotic spindle in *Drosophila*. 146:1005.
**Cunningham, J.M.** *See* Feng, Krejci, Molgo, Cunningham, Massoulié, and Sanes.
**Cusella-De Angelis, M.G.** *See* De Angelis, Berghella, Coletta, Lattanzi, Zanchi, Cusella-De Angelis, Ponzetto, and Cossu.
**Cutler, D.F.** *See* Blagoveshchenskaya, Hewitt, and Cutler.
**Cuvillier, O.** *See* Olivera, Kohama, Edsall, Nava, Cuvillier, Poulton, and Spiegel.

## D

**Dahan, S.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
— *See* Dominguez, Faz.!, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
— *See* Lavoie, Paiement, Dominguez, Roy, Dahan, Gushue, and Bergeron.
**Dahlin, K.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**D'Alessandri, L.** *See* Zeng, D'Alessandri, Kalousek, Vaughan, and Pallen.
**Danen, E.H.J.** *See* Gu, Tamura, Pankov, Danen, Takino, Matsumoto, and Yamada.
**Daniels, M.P.** *See* Soussan, Burakov, Daniels, Toister-Achituv, Porat, Yarden, and Elazar.
**Daniels, R.H.** *See* Kiosses, Daniels, Otey, Bokoch, and Schwartz.
**Dans, M.** *See* Oktay, Wary, Dans, Birge, and Giancotti.
**Daro, E.A.** *See* Sheff, Daro, Hull, and Mellman.
**DaRocha, S.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**D'Atri, F.** *See* Cordenonsi, D'Atri, Hammar, Parry, Kendrick-Jones, Shore, and Citi.
**Daugelavičius, R.** *See* Poranen, Daugelavičius, Ojala, Hess, and Bamford.
**Daum, G.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Davidson, L.A.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Davis, K.R.** *See* Bachelder, Ribick, Marchetti, Falcioni, Soddu, Davis, and Mercurio.
**Davis, L.** *See* Tuvia, Buhusi, Davis, Reedy, and Bennett.
**Davoust, J.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Dawe, R.K.** *See* Yu, Muszynski, and Dawe.
**Day, P.M.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Deák, P.** *See* Cullen, Deák, Glover, and Ohkura.
**De Angelis, L., Berghella, L., Coletta, M., Lattanzi, L., Zanchi, M., Cusella-De Angelis, M.G., Ponzetto, C., and Cossu, G.** Skeletal myogenic progenitors originating from embryonic dorsal aorta coexpress endothelial and myogenic markers and contribute to postnatal muscle growth and regeneration. 147:869.
**Dechampesme, A.-M., Koroleva, O., Leger-Silvestre, I., Gas, N., and Camier, S.** Assembly of 5S ribosomal RNA is required at a specific step of the pre-rRNA processing pathway. 145:1369.
**Deerinck, T.J.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Degli Esposti, M.** *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
**de Hostos, E.L.** *See* Pollock, de Hostos, Turck, and Vale.
— *See* Robbins, Barth, Marquis, de Hostos, Nelson, and Theriot.
**de la Cruz, F.J.** *See* Gillece, Luz, Lennarz, de la Cruz, and Römisch.
**Delamarre, L.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**del Carmen de Marco, M.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Delespesse, G.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Dell'Angelica, E.C.** *See* Bonifacino and Dell'Angelica.
**Delley, P.-A., and Hall, M.N.** Cell wall stress depolarizes cell growth via hyperactivation of RHO1. 147:163.
**Delouvée, A.** *See* Dufour, Beauvais-Jouneau, Delouvée, and Thiery.
**De Luca, M.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**DeMartino, G.N.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Dembo, M.** *See* Oliver, Dembo, and Jacobson.
**den Elzen, N.** *See* Furuno, den Elzen, and Pines.
**Desagher, S., Osen-Sand, A., Nichols, A., Eskes, R., Montessuit, S., Lauper, S., Maundrell, K., Antonsson, B., and Martinou, J.-C.** Bid-induced conformational change of Bax is responsible for mitochondrial cytochrome c release during apoptosis. 144:891.
— *See* Martinou, Desagher, Eskes, Antonsson, André, Fakan, and Martinou.
**De Strooper, B.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.
**De Valck, D.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Diamantopoulos, G.S., Perez, F., Goodson, H.V., Batelier, G., Melki, R., Kreis, T.E., and Rickard, J.E.** Dynamic localization of CLIP-170 to microtubule plus ends is coupled to microtubule assembly. 144:99.
**Dickert, B.L.** *See* Pazour, Dickert, and Witman.
**Dickie, P.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.
**Dickmanns, A.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Diekmann, H.** *See* Leppert, Diekmann, Paul, Laessing, Marx, Bastmeyer, and Stuermer.
**Diener, D.R.** *See* Rosenbaum, Cole, and Diener.
**Dierick, H.A.** *See* McCartney, Dierick, Kirkpatrick, Moline, Baas, Peifer, Bejsovec.
**Dierinck, I.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.
**Di Fiore, P.P.** *See* Doria, Salcini, Colombo, Parslow, Pelicci, and Di Fiore.
**Dimitrov, S.** *See* Houchmandzadeh and Dimitrov.
**Dimitrova, D.S., Todorov, I.T., Melendy, T., and Gilbert, D.M.** Mcm2, but not RPA, is a component of the mammalian early G1-phase prereplication complex. 146:709.
**Dive, C.** *See* Farrelly, Lee, Oliver, Dive, and Streuli.
— *See* Griffiths, Dubrez, Morgan, Jones, Whitehouse, Corfe, Dive, and Hickman.
**Dixon, D.A.** *See* Pabla, Weyrich, Dixon, Bray, McIntyre, Prescott, and Zimmerman.
**Dobberstein, B.** *See* Bacher, Pool, and Dobberstein.
**Doi, S.** *See* Terami, Williams, Kitamura, Sakube, Matsumoto, Doi, Obinata, and Kagawa.
**Dokhélar, M.-C.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Dominguez, M., Fazel, A., Dahan, S., Lovell, J., Hermo, L., Claude, A., Melançon, P., and Bergeron, J.J.M.** Fusogenic domains of Golgi membranes are sequestered into specialized regions of the stack that can be released by mechanical fragmentation. 145:673.
— *See* Lavoie, Paiement, Dominguez, Roy, Dahan, Gushue, and Bergeron.
**Doria, M., Salcini, A.E., Colombo, E., Parslow, T.G., Pelicci, P.G., and Di Fiore, P.P.** The Eps15 Homology (EH) domain-based interaction between Eps15 and Hrb connects the molecular machinery of endocytosis to that of nucleocytosolic transport. 147:1379.
**Dowbenko, D.** *See* Angers-Loustau, Côté, Charest, Dowbenko, Spencer, Lasky, and Tremblay.
**Downing, K.H.** *See* Feierbach, Nogales, Downing, and Stearns.
**Doxsey, S.J.** *See* Purohit, Tynan, Vallee, and Doxsey.
**Doye, A.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Drees, B.E., Andrews, K.M., and Beckerle, M.C.** Molecular dissection of zyxin function reveals its involvement in cell motility. 147:1549.
**Dreyfuss, G.** *See* Charroux, Pellizzoni, Perkinson, Shevchenko, Mann, and Dreyfuss.
— *See* Kataoka, Bachorik, and Dreyfuss.
**Drgon, T.** *See* Drgonova, Drgon, Roh, and Cabib.
**Drgonova, J., Drgon, T., Roh, D.-H., and Cabib, E.** The GTP-binding protein Rho1p is required for cell cycle progression and polarization of the yeast cell. 146:373.

**Driessen, C., Bryant, R.A.R., Lennon-Duménil, A.-M., Villadangos, J.A., Bryant, P.W., Shi, G.-P., Chapman, H.A., and Ploegh, H.L.** Cathepsin S controls the trafficking and maturation of MHC class II molecules in dendritic cells. 147:775.
**Drisdel, R.C.** *See* Rakhilin, Drisdel, Sagher, McGehee, Vallejo, and Green.
**Drubin, D.G.** *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
— *See* Cope, Yang, Shang, and Drubin.
— *See* Engqvist-Goldstein, Kessels, Chopra, Hayden, and Drubin.
— *See* Goode, Wong, Butty, Peter, McCormack, Yates, Drubin, and Barnes.
— *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.
**Drummond, S., Ferrigno, P., Lyon, C., Murphy, J., Goldberg, M., Allen, T., Smythe, C., and Hutchison, C.J.** Temporal differences in the appearance of NEP-B78 and an LBR-like protein during *Xenopus* nuclear envelope reassembly reflect the ordered recruitment of functionally discrete vesicle types. 144:225.
**Du, X.** *See* Gu, Xi, Englund, Berndt, and Du.
**Dubrez, L.** *See* Griffiths, Dubrez, Morgan, Jones, Whitehouse, Corfe, Dive, and Hickman.
**Duchen, M.R.** *See* Boitier, Rea, and Duchen.
**Dufour, S., Beauvais-Jouneau, A., Delouvée, A., and Thiery, J.P.** Differential function of N-cadherin and cadherin-7 in the control of embryonic cell motility. 146:501.
**Dujardin, D.** *See* Brunet, Santa Maria, Guillaud, Dujardin, Kubiak, and Maro.
**Dunstan, C.R.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Dupree, J.L., Girault, J.-A., and Popko, B.** Axo-glial interactions regulate the localization of axonal paranodal proteins. 147:1145.
**Durán, A.** *See* Trilla, Durán, and Roncero.
**Durick, K.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Dwyer, N.D.** *See* Signor, Wedaman, Orozco, Dwyer, Bargmann, Rose, and Scholey.
**Dyck, J.A.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Dziak, E.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.

## E

**Echard, A.** *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Eckley, D.M., Gill, S.R., Melkonian, K.A., Bingham, J.B., Goodson, H.V., Heuser, J.E., and Schroer, T.A.** Analysis of dynactin subcomplexes reveals a novel actin-related protein associated with the Arp1 minifilament pointed end. 147:307.
— *See* Quintyne, Gill, Eckley, Crego, Compton, and Schroer.
**Eckmann, C.R., and Jantsch, M.F.** The RNA-editing enzyme ADAR1 is localized to the nascent ribonucleoprotein matrix on *Xenopus* lampbrush chromosomes but specifically associates with an atypical loop. 144:603.
**Eder, S.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Edgar, D.** *See* Smyth, Vatansever, Murray, Meyer, Frie, Paulsson, and Edgar.
**Edsall, L.** *See* Olivera, Kohama, Edsall, Nava, Cuvillier, Poulton, and Spiegel.
**Edwards, K.** *See* Li, Serr, Edwards, Ludmann, Yamamoto, Tilney, Field, and Hays.
**Eferl, R., Sibilia, M., Hilberg, F., Fuchsbichler, A., Kufferath, I., Guertl, B., Zenz, R., Wagner, E.F., and Zatloukal, K.** Functions of c-Jun in liver and heart development. 145:1049.
**Egile, C., Loisel, T.P., Laurent, V., Li, R., Pantaloni, D., Sansonetti, P.J., and Carlier, M.-F.** Activation of the CDC42 effector N-WASP by the *Shigella flexneri* IcsA protein promotes actin nucleation by Arp2/3 complex and bacterial actin-based motility. 146:1319.
**Eichinger, L.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Eipper, B.A.** *See* Ciccotosto, Schiller, Eipper, and Mains.
**Elazar, Z.** *See* Soussan, Burakov, Daniels, Toister-Achituv, Porat, Yarden, and Elazar.
**Elder, G.A., Friedrich, V.L., Jr., Margita, A., and Lazzarini, R.A.** Age-related atrophy of motor axons in mice deficient in the mid-sized neurofilament subunit. 146:181.
**Eliasson, C.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**El Khoury, J.** *See* Loike, Cao, Budhu, Marcantonio, El Khoury, Hoffman, Yednock, and Silverstein.
**Ellis, G.C.** *See* Shelton, Carter, Ellis, and Bowerman.
**Ellisman, M.H.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**El Marjou, F.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Englund, G.D.** *See* Gu, Xi, Englund, Berndt, and Du.
**Engqvist-Goldstein, Å.E.Y., Kessels, M.M., Chopra, V.S., Hayden, M.R., and Drubin, D.G.** An actin-binding protein of the Sla2/Huntingtin interacting protein 1 family is a novel component of clathrin-coated pits and vesicles. 147:1503.
**Enomoto, T.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Enomoto-Iwamoto, M.** *See* Yagami, Suh, Enomoto-Iwamoto, Koyama, Abrams, Shapiro, Pacifici, and Iwamoto.
**Epstein, B.R.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Erdmann, R.** *See* Girzalsky, Rehling, Stein, Kipper, Blank, Kunau, and Erdmann.
**Ernst, J.A.** *See* Sutton, Ernst, and Brunger.
**Escalante-Alcalde, D.** *See* Sullivan, Escalante-Alcalde, Bhatt, Anver, Bhat, Nagashima, Stewart, and Burke.
**Eskes, R.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.
— *See* Martinou, Desagher, Eskes, Antonsson, André, Fakan, and Martinou.
**Esni, F., Täljedal, I.-B., Perl, A.-K., Cremer, H., Christofori, G., and Semb, H.** Neural cell adhesion molecule (N-CAM) is required for cell type segregation and normal ultrastructure in pancreatic islets. 144:325.
**Espada, J., Pérez-Moreno, M., Braga, V.M.M., Rodriguez-Viciana, P., and Cano, A.** H-Ras activation promotes cytoplasmic accumulation and phosphoinositide 3-OH kinase association of β-catenin in epidermal keratinocytes. 146:967.
**Espenshade, P.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.
**Ethell, I.M., and Yamaguchi, Y.** Cell surface heparan sulfate proteoglycan syndecan-2 induces the maturation of dendritic spines in rat hippocampal neurons. 144:575.
**Evangelista, M.** *See* Lee, Klee, Evangelista, Boone, and Pellman.

## F

**Faber, K.N.** *See* Koller, Snyder, Faber, Wenzel, Rangell, Keller, and Subramani.
**Fabunmi, R.P.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Fagotto, F., Jho, E.-h., Zeng, L., Kurth, T., Joos, T., Kaufmann, C., and Costantini, F.** Domains of Axin involved in protein–protein interactions, Wnt pathway inhibition, and intracellular localization. 145:741.
**Fakan, S.** *See* Martinou, Desagher, Eskes, Antonsson, André, Fakan, and Martinou.
**Falcioni, R.** *See* Bachelder, Ribick, Marchetti, Falcioni, Soddu, Davis, and Mercurio.
**Fan, H., and Khavari, P.A.** Sonic hedgehog opposes epithelial cell cycle arrest. 147:71.
**Fang, L., Lee, S.W., and Aaronson, S.A.** Comparative analysis of p73 and p53 regulation and effector functions. 147:823.
**Fanning, A.S.** *See* Mitic, Schneeberger, Fanning, and Anderson.
**Farach-Carson, M.C.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Farlow, S.J.** *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
**Farquhar, M.G.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Farrelly, N., Lee, Y.-J., Oliver, J., Dive, C., and Streuli, C.H.** Extracellular matrix regulates apoptosis in mammary epithelium through a control on insulin signaling. 144:1337.
**Fässler, R.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.
— *See* Gimond, van der Flier, van Delft, Brakebusch, Kuikman, Collard, Fässler, and Sonnenberg.
— *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Faulkner, G., Pallavicini, A., Formentin, E., Comelli, A., Ievolella, C., Trevisan, S., Bortoletto, G., Scannapieco, P., Salamon, M., Mouly, V., Valle, G., and Lanfranchi, G.** ZASP: A new Z-band alternatively spliced PDZ-motif protein. 146:465.
**Fauth, C.** *See* Sadoni, Langer, Fauth, Bernardi, Cremer, Turner, and Zink.

**Fava, F., Raynaud-Messina, B., Leung-Tack, J., Mazzolini, L., Li, M., Guillemot, J.C., Cachot, D., Tollon, Y., Ferrara, P., and Wright, M.** Human 76p: A new member of the γ-tubulin–associated protein family. 147:857.

**Fazel, A.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.

**Fedriani, C.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.

**Feierbach, B., Nogales, E., Downing, K.H., and Stearns, T.** Alf1p, a CLIP-170 domain-containing protein, is functionally and physically associated with α-tubulin. 144:113.

**Feijó, J.A., Sainhas, J., Hackett, G.R., Kunkel, J.G., and Hepler, P.K.** Growing pollen tubes possess a constitutive alkaline band in the clear zone and a growth-dependent acidic tip. 144:483.

**Feiner, L.** *See* Miao, Soker, Feiner, Alonso, Raper, and Klagsbrun.

**Feinstein, E.** *See* Cohen, Inbal, Kissil, Raveh, Berissi, Spivak-Kroizaman, Feinstein, and Kimchi.

**Feng, G., Krejci, E., Molgo, J., Cunningham, J.M., Massoulié, J., and Sanes, J.R.** Genetic analysis of collagen Q: Roles in acetylcholinesterase and butyrylcholinesterase assembly and in synaptic structure and function. 144:1360.

**Feng, K.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.

**Ferrara, P.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.

**Ferrary, E., Cohen-Tannoudji, M., Pehau-Arnaudet, G., Lapillonne, A., Athman, R., Ruiz, T., Boulouha, L., El Marjou, F., Doye, A., Fontaine, J.-J., Antony, C., Babinet, C., Louvard, D., Jaisser, F., and Robine, S.** In vivo, villin is required for $Ca^{2+}$-dependent F-actin disruption in intestinal brush borders. 146:819.

**Ferrigno, P.** *See* Drummond, Ferrigno, Lyon, Murphy, Goldberg, Allen, Smythe, and Hutchison.

**Ferrús, A.** *See* Kronert, Acebes, Ferrús, and Bernstein.

**Field, C.M.** *See* Li, Serr, Edwards, Ludmann, Yamamoto, Tilney, Field, and Hays.

**Fields, A.P.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.

**Fiers, W.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.

**Filippini, A.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.

**Filmus, J.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.

**Fink, C.C., Slepchenko, B., Moraru, I.I., Schaff, J., Watras, J., and Loew, L.M.** Morphological control of inositol-1,4,5,-trisphosphate-dependent signals. 147:929.

**Finnegan, C.M.** *See* Tuma, Finnegan, Yi, and Hubbard.

**Finnemann, S.C.** *See* Bonilha, Finnemann, and Rodriguez-Boulan.

**Firtel, R.A.** *See* Chung and Firtel.

**Fischer von Mollard, G.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.

**Fisk, H.A., and Yaffe, M.P.** A role for ubiquitination in mitochondrial inheritance in *Saccharomyces cerevisiae.* 145:1199.

**Fitch, I.T.** *See* Zeng, Kahana, Silver, Morphew, McIntosh, Fitch, Carbon, and Saunders.

**Flucher, B.E., Conti, A., Takeshima, H., and Sorrentino, V.** Type 3 and type 1 ryanodine receptors are localized in triads of the same mammalian skeletal muscle fibers. 146:621.

**Fontaine, J.-J.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.

**Fontao, L.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.

**Fontoura, B.M.A., Blobel, G., and Matunis, M.J.** A conserved biogenesis pathway for nucleoporins: Proteolytic processing of a 186-kilodalton precursor generates Nup98 and the novel nucleoporin, Nup96. 144:1097.

**Formenti, E.** *See* Fraschini, Formenti, Lucchini, and Piatti.

**Formentin, E.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.

**Fornerod, M.** *See* Pritchard, Fornerod, Kasper, and van Deursen.

**Fortini, M.E.** *See* Ye and Fortini.

**Fowlkes, J.L.** *See* Martin, Fowlkes, Babic, and Khokha.

**Foxman, E.F., Kunkel, E.J., and Butcher, E.C.** Integrating conflicting chemotactic signals: The role of memory in leukocyte navigation. 147:577.

**Fraschini, R., Formenti, E., Lucchini, G., and Piatti, S.** Budding yeast Bub2 is localized at spindle pole bodies and activates the mitotic checkpoint via a different pathway from Mad2. 145:979.

**Fraser, I.D.C.** *See* Trotter, Fraser, Scott, Stutts, Scott, and Milgram.

**Fraser, P.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.

**Frazier, W.A.** *See* Green, Zhelesnyak, Chung, Lindberg, Sarfati, Frazier, and Brown.

— *See* Wang, Lindberg, and Frazier.

**Frei, K.** *See* Weipoltshammer, Schöfer, Almeder, Philimonenko, Frei, Wachtler, and Hozák.

**Frémion, F., Astier, M., Zaffran, S., Guillèn, A., Homburger, V., and Sémériva, M.** The heterotrimeric protein $G_o$ is required for the formation of heart epithelium in *Drosophila.* 145:1063.

**French, M.M., Smith, S.E., Akanbi, K., Sanford, T., Hecht, J., Farach-Carson, M.C., and Carson, D.D.** Expression of the heparan sulfate proteoglycan perlecan, during mouse embryogenesis and perlecan chondrogenic activity in vitro. 145:1103.

**Fridell, K.** *See* Larsson, Segerman, Howell, Fridell, Cassimeris, and Gullberg.

**Frie, C.** *See* Smyth, Vatansever, Murray, Meyer, Frie, Paulsson, and Edgar.

**Friedrich, V.L., Jr.** *See* Elder, Friedrich, Margita, and Lazzarini.

**Frisén, J.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.

**Fritz, L.C.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.

**Froehner, S.C.** *See* Kachinsky, Froehner, and Milgram.

**Fröhlich, E.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.

**Fröhlich, K.-U.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.

**Fry, D.** *See* Yamakita, Totsukawa, Yamashiro, Fry, Zhang, Hanks, and Matsumura.

**Fu, X.-D.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.

**Fu, X.-Y.** *See* Jones, Welte, Fu, and Stern.

**Fuchsbichler, A.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.

**Fujimoto, K.** *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.

**Fujioka, H.** *See* Kappe, Bruderer, Gantt, Fujioka, Nussenzweig, and Ménard.

**Fujita, H.** *See* Alvarez, Fujita, Hubbard, and Sztul.

**Fukasawa, M., Nishijima, M., and Hanada, K.** Genetic evidence for ATP-dependent endoplasmic reticulum-to-Golgi apparatus trafficking of ceramide for sphingomyelin synthesis in chinese hamster ovary cells. 144:673.

**Fukata, Y., Oshiro, N., Kinoshita, N., Kawano, Y., Matsuoka, Y., Bennett, V., Matsuura, Y., and Kaibuchi, K.** Phosphorylation of adducin by Rho-kinase plays a crucial role in cell motility. 145:347.

— *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.

**Fukuda, M., Hiraoka, N., and Yeh, J.-C.** C-Type lectins and sialyl Lewis X oligosaccharides: Versatile role in cell–cell interaction. 147:467.

**Furia, M.** *See* Giordano, Peluso, Senger, and Furia.

**Furuichi, Y.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.

**Furuno, N., den Elzen, N., and Pines, J.** Human cyclin A is required for mitosis until mid prophase. 147:295.

**Furuse, M., Sasaki, H., and Tsukita, S.** Manner of interaction of heterogeneous claudin species within and between tight junction strands. 147:891.

— *See* Itoh, Furuse, Morita, Kubota, Saitou, and Tsukita.

— *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.

— *See* Morita, Sasaki, Furuse, and Tsukita.

— *See* Sonoda, Furuse, Sasaki, Yonemura, Katahira, Horiguchi, and Tsukita.

## G

**Gaidarov, I., and Keen, J.H.** Phosphoinositide–AP-2 interactions required for targeting to plasma membrane clathrin-coated pits. 146: 755.

**Galbraith, C.G., and Sheetz, M.P.** Keratocytes pull with similar forces on their dorsal and ventral surfaces. 147:1313.

**Gant, T.M., Harris, C.A., and Wilson, K.L.** Roles of LAP2 proteins in nuclear assembly and DNA replication: Truncated LAP2β proteins alter lamina assembly, envelope formation, nuclear size, and DNA replication efficiency in *Xenopus laevis* extracts. 144:1083.

**Gantt, S.** *See* Kappe, Bruderer, Gantt, Fujioka, Nussenzweig, and Ménard.

**Gao, Y.** *See* Tang, Gao, and Ware.

**García, A.G.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.

**García-Mata, R., Bebök, Z., Sorscher, E.J., and Sztul, E.S.** Characterization and dynamics of aggresome formation by a cytosolic GFP-chimera.° 146:1239.
**García-Sancho, J.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.
**Garin, J.** *See* Théry, Regnault, Garin, Wolfers, Zitvogel, Ricciardi-Castagnoli, Raposo, and Amigorena.
**Gas, N.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Gautel, M.** *See* Linke, Rudy, Centner, Gautel, Witt, Labeit, and Gregorio.
**Geahlen, R.L.** *See* Stupack, Li, Silletti, Kehler, Geahlen, Hahn, Nemerow, and Cheresh.
**Geerts, D., Fontao, L., Nievers, M.G., Schaapveld, R.Q.J., Purkis, P.E., Wheeler, G.N., Lane, E.B., Leigh, I.M., and Sonnenberg, A.** Binding of integrin α6β4 to plectin prevents plectin association with F-actin but does not interfere with intermediate filament binding. 147:417.
**Gelfand, V.I.** *See* Rogers, Karcher, Roland, Minin, Steffen, and Gelfand.
**Gentzsch, L.** *See* Sanders, Gentzsch, Tanner, and Herskowitz.
**Gerace, L.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Gerhardt, B.** *See* Vida and Gerhardt.
**Gerke, V.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Gerlich, W.H.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.
**Gertler, F.B.** *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Gheber, L.** *See* Cottingham, Gheber, Miller, and Hoyt.
**Ghitescu, L.** *See* Stan, Ghitescu, Jacobson, and Palade.
**Giancotti, F.G.** *See* Oktay, Wary, Dans, Birge, and Giancotti.
**Gibbs, J.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Gijón, M.A., Spencer, D.M., Kaiser, A.L., and Leslie, C.C.** Role of phosphorylation sites and the C2 domain in regulation of cytosolic phospholipase $A_2$. 145:1219.
**Gilbert, D.M.** *See* Dimitrova, Todorov, Melendy, and Gilbert.
**Gill, S.R.** *See* Eckley, Gill, Melkonian, Bingham, Goodson, Heuser, and Schroer.
— *See* Quintyne, Gill, Eckley, Crego, Compton, and Schroer.
**Gillece, P., Luz, J.M., Lennarz, W.J., de la Cruz, F.J., and Römisch, K.** Export of a cysteine-free misfolded secretory protein from the endoplasmic reticulum for degradation requires interaction with protein disulfide isomerase. 147:1443.
**Gilles, C.** *See* Legrand, Gilles, Zahm, Polette, Buisson, Kaplan, Birembaut, and Tournier.
**Gillham, H., Golding, M.C.H.M., Pepperkok, R., and Gullick, W.J.** Intracellular movement of green fluorescent protein–tagged phosphatidylinositol 3-kinase in response to growth factor receptor signaling. 146:869.
**Gilula, N.B.** Remarks. 144:807.
**Gimeno, R.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.
**Gimond, C., van der Flier, A., van Delft, S., Brakebusch, C., Kuikman, I., Collard, J.G., Fässler, R., and Sonnenberg, A.** Induction of cell scattering by expression of β1 integrins in β1-deficient epithelial cells requires activation of members of the Rho family of GTPases and downregulation of cadherin and catenin function. 147:1325.
**Ginsburg, H.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Giordano, E., Peluso, I., Senger, S., and Furia, M.** *minifly*, A *Drosophila* gene required for ribosome biogenesis. 144:1123.
**Girault, J.-A.** *See* Dupree, Girault, and Popko.
**Girgis-Gabardo, A.** *See* Sabourin, Girgis-Gabardo, Seale, Asakura, and Rudnicki.
**Girod, A.** *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Girzalsky, W., Rehling, P., Stein, K., Kipper, J., Blank, L., Kunau, W.-H., and Erdmann, R.** Involvement of Pex13p in Pex14p localization and peroxisomal targeting signal 2–dependent protein import into peroxisomes. 144:1151.
**Glading, A.** *See* Shiraha, Glading, Gupta, and Wells.
**Glass, D.J.** *See* Zhou, Glass, Yancopoulos, and Sanes.
**Glick, B.S.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Glover, D.M.** *See* Cullen, Deák, Glover, and Ohkura.
**Goder, V., Bieri, C., and Spiess, M.** Glycosylation can influence topogenesis of membrane proteins and reveals dynamic reorientation of nascent polypeptides within the translocon. 147:257.
**Godt, D.** *See* Niewiadomska, Godt, and Tepass.
**Goldberg, M.** *See* Drummond, Ferrigno, Lyon, Murphy, Goldberg, Allen, Smythe, and Hutchison.
— *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
**Goldberg, M.L.** *See* Basu, Bousbaa, Logarinho, Li, Williams, Lopes, Sunkel, and Goldberg.
**Golding, M.C.H.M.** *See* Gillham, Golding, Pepperkok, and Gullick.
**Goldman, R.D.** *See* Correia, Chu, Chou, Goldman, and Matsudaira.
**Goldstein, L.S.B.** *See* Bowman, Patel-King, Benashski, McCaffery, Goldstein, and King.
— *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
— *See* Rahman, Kamal, Roberts, and Goldstein.
— *See* Ray, Perez, Yang, Xu, Ritchings, Steller, and Goldstein.
**Golisano, O.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Golkaramnay, E.** *See* Herrmann, Golkaramnay, Inman, Rome, and Volknandt.
**Golub, E.I.** *See* Haaf, Raderschall, Reddy, Ward, Radding, and Golub.
**Gönczy, P., Pichler, S., Kirkham, M., and Hyman, A.A.** Cytoplasmic dynein is required for distinct aspects of MTOC positioning, including centrosome separation, in the one cell stage *Caenorhabditis elegans* embryo. 147:135.
—, **Schnabel, H., Kaletta, T., Amores, A.D., Hyman, T., and Schnabel, R.** Dissection of cell division processes in the one cell stage *Caenorhabditis elegans* embryo by mutational analysis. 144:927.
**Gonias, S.L.** *See* Nguyen, Catling, Webb, Sankovic, Walker, Somlyo, Weber, and Gonias.
**Goode, B.L., Wong, J.J., Butty, A.-C., Peter, M., McCormack, A.L., Yates, J.R., Drubin, D.G., and Barnes, G.** Coronin promotes the rapid assembly and cross-linking of actin filaments and may link the actin and microtubule cytoskeletons in yeast. 144:83.
**Goodson, H.V.** *See* Diamantopoulos, Perez, Goodson, Batelier, Melki, Kreis, and Rickard.
— *See* Eckley, Gill, Melkonian, Bingham, Goodson, Heuser, and Schroer.
**Görlich, D.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
**Gorvel, J.-P.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Goto, M.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Gotoh, T., and Mori, M.** Arginase II downregulates nitric oxide (NO) production and prevents NO-mediated apoptosis in murine macrophage-derived RAW 264.7 cells. 144:427.
**Goud, B.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
— *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Gould, S.J.** *See* Chang, Warren, Sacksteder, and Gould.
— *See* South and Gould.
**Gounon, P.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
— *See* Blocker, Gounon, Larquet, Niebuhr, Cabiaux, Parsot, and Sansonetti.
**Grady, R.M.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Gräf, R.** *See* Ma, Triviños-Lagos, Gräf, and Chisholm.
**Graham, T.R.** *See* Chen, Ingram, Rosal, and Graham.
**Grancell, A.S.** *See* Russell, Grancell, and Sorger.
**Granok, H.** *See* Manning, Barrett, Wallace, Granok, and Snyder.
**Greber, U.F.** *See* Suomalainen, Nakano, Keller, Boucke, Stidwill, and Greber.
**Green, D.R.** *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
— *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Green, J.M., Zhelesnyak, A., Chung, J., Lindberg, F.P., Sarfati, M., Frazier, W.A., and Brown, E.J.** Role of cholesterol in formation and function of a signaling complex involving αvβ3, integrin-associated protein (CD47), and heterotrimeric G proteins. 146:673.
**Green, W.N.** *See* Rakhilin, Drisdel, Sagher, McGehee, Vallejo, and Green.
**Greenwald, I.** *See* Wen and Greenwald.
**Greer, K.J.** *See* Matthies, Messina, Namba, Greer, Walker, and Hawley.
**Gregorio, C.C.** *See* Linke, Rudy, Centner, Gautel, Witt, Labeit, and Gregorio.
**Grey, M.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Griffith, G.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Griffiths, G.** *See* Krijnse Locker and Griffiths.
**Griffiths, G.J., Dubrez, L., Morgan, C.P., Jones, N.A., Whitehouse, J., Corfe, B.M., Dive, C., and Hickman, J.A.** Cell damage-induced conformational changes of the pro-apoptotic protein Bak in vivo precede the onset of apoptosis. 144:903.
**Griffiths, G.M.** *See* Stinchcombe and Griffiths.
**Grill, S.** *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.

°The online version of this article contains supplemental material.

**Grimm, S.** *See* Bauer, Schubert, Rocks, and Grimm.
**Grisaru, S.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Gröbe, L.** *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Gröning, K.** *See* Krämer, Grüter, Gröning, and Kastner.
**Grote, E.** *See* Carr, Grote, Munson, Hughson, and Novick.
**Grunicke, H.H.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Grüter, P.** *See* Krämer, Grüter, Gröning, and Kastner.
**Gu, J., Tamura, M., Pankov, R., Danen, E.H.J., Takino, T., Matsumoto, K., and Yamada, K.M.** Shc and FAK differentially regulate cell motility and directionality modulated by PTEN. 146:389.
**Gu, M., Xi, X., Englund, G.D., Berndt, M.C., and Du, X.** Analysis of the roles of 14-3-3 in the platelet glycoprotein Ib-IX–mediated activation of integrin $\alpha_{IIb}\beta_3$ using a reconstituted mammalian cell expression model. 147:1085.
**Guan, T.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Guertl, B.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Guillaud, P.** *See* Brunet, Santa Maria, Guillaud, Dujardin, Kubiak, and Maro.
**Guillemot, J.C.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Guillèn, A.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Gullberg, M.** *See* Larsson, Segerman, Howell, Fridell, Cassimeris, and Gullberg.
**Gullick, W.J.** *See* Gillham, Golding, Pepperkok, and Gullick.
**Gumbiner, B.M.** *See* Nelson and Gumbiner.
— *See* Zhong, Brieher, and Gumbiner.
**Gundersen, K.** *See* Hughes, Chi, Lowry, and Gundersen.
**Gunn, M.D.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Günthert, U.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Gupta, K.** *See* Shiraha, Glading, Gupta, and Wells.
**Gupta, M.** *See* Kedersha, Gupta, Li, Miller, and Anderson.
**Gurrola, G.B.** *See* Samsó, Trujillo, Gurrola, Valdivia, and Wagenknecht.
**Gushue, J.N.** *See* Lavoie, Paiement, Dominguez, Roy, Dahan, Gushue, and Bergeron.
— *See* Lin, Love, Gushue, Bergeron, and Ostermann.
**Gustafson, W.C.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Gustafsson, E.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.
**Gutierrez, J.A., Yu, J., Rivera, S., and Wessling-Resnick, M.** Functional expression cloning and characterization of SFT, a Stimulator of Fc transport [139(4):895]: Correction. 147:205

## H

**Ha, E.** *See* Rolls, Stein, Taylor, Ha, McKeon, and Rapoport.
**Haaf, T., Raderschall, E., Reddy, G., Ward, D.C., Radding, C.M., and Golub, E.I.** Sequestration of mammalian Rad51-recombination protein into micronuclei. 144:11.
**Hacker, U.** *See* Konzok, Weber, Simmeth, Hacker, Maniak, and Müller-Taubenberger.
**Hackett, G.R.** *See* Feijó, Sainhas, Hackett, Kunkel, and Hepler.
**Haegeman, G.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Hagting, A.** *See* Karlsson, Katich, Hagting, Hoffmann, and Pines.
**Hahn, K.** *See* Stupack, Li, Silletti, Kehler, Geahlen, Hahn, Nemerow, and Cheresh.
**Haj, F.** *See* Ledig, Haj, Bixby, Stoker, and Mueller.
**Hakeda, Y.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Hall, A.** *See* Nobes and Hall.
**Hall, M.N.** *See* Beck, Schmidt, and Hall.
— *See* Delley and Hall.
**Hall, R.A., Premont, R.T., and Lefkowitz, R.J.** Heptahelical receptor signaling: Beyond the G protein paradigm. 145:927.
**Hammar, E.** *See* Cordenonsi, D'Atri, Hammar, Parry, Kendrick-Jones, Shore, and Citi.
**Hanada, K.** *See* Fukasawa, Nishijima, and Hanada.
**Hande, M.P., Samper, E., Lansdorp, P., and Blasco, M.A.** Telomere length dynamics and chromosomal instability in cells derived from telomerase null mice. 144:589.
**Haney, C.A., Sahenk, Z., Li, C., Lemmon, V.P., Roder, J., and Trapp, B.D.** Heterophilic binding of L1 on unmyelinated sensory axons mediates Schwann cell adhesion and is required for axonal survival. 146:1173.
**Hanks, S.K.** *See* Yamakita, Totsukawa, Yamashiro, Fry, Zhang, Hanks, and Matsumura.
**Hannun, Y.A.** *See* Zhang, Reedy, Hannun, and Obeid.
**Hannus, S.** *See* Hurt, Hannus, Schmelzl, Lau, Tollervey, and Simos.
**Hansen, W.J., Cowan, N.J., and Welch, W.J.** Prefolding–nascent chain complexes in the folding of cytoskeleton proteins. 145:265.
**Harada, H., Kettunen, P., Jung, H.-S., Mustonen, T., Wang, Y.A., and Thesleff, I.** Localization of putative stem cells in dental epithelium and their association with Notch and FGF signaling. 147:105.
**Harada, J.** *See* Becker, Block-Alper, Nakamura, Harada, Wittrup, and Meyer.
**Harbeck, B.** *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Harder, T.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Hardisson, C.** *See* Miguélez, Hardisson, and Manzanal.
**Hardy, S.** *See* Altschuler, Liu, Katz, Tang, Hardy, Brodsky, Apodaca, and Mostov.
**Harris, C.A.** *See* Gant, Harris, and Wilson.
**Hart, M.C., and Cooper, J.A.** Vertebrate isoforms of actin capping protein β have distinct functions in vivo. 147:1287.
**Harte, M.T.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Hartenstein, J.S.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Harter, K.** *See* Kircher, Wellmer, Nick, Rügner, Schäfer, and Harter.
**Hartmann, E.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
— *See* Yamaguchi, Hori, Stern, Hartmann, Ogawa, and Tohyama.
**Hartshorne, D.J.** *See* Totsukawa, Yamakita, Yamashiro, Hosoya, Hartshorne, and Matsumura.
**Hartwig, J.H.** *See* Italiano, Lecine, Shivdasani, and Hartwig.
**Haug-Collet, K., Pearson, B., Webel, R., Szerencsei, R.T., Winkfein, R.J., Schnetkamp, P.P.M., and Colley, N.J.** Cloning and characterization of a potassium-dependent sodium/calcium exchanger in *Drosophila*.
**Hawkes, R.** *See* Blake, Hawkes, Benson, and Beesley.
**Hawley, R.S.** *See* Matthies, Messina, Namba, Greer, Walker, and Hawley.
**Hay, J.C.** *See* Chao, Hay, Winnick, Prekeris, Klumperman, and Scheller.
**Hayashi, K., Takahashi, M., Kimura, K., Nishida, W., Saga, H., and Sobue, K.** Changes in the balance of phosphoinositide 3-kinase/protein kinase B (Akt) and the mitogen-activated protein kinases (ERK/p38MAPK) determine a phenotype of visceral and vascular smooth muscle cells. 145:727.
**Hayden, M.R.** *See* Engqvist-Goldstein, Kessels, Chopra, Hayden, and Drubin.
**Hays, T.S.** *See* Li, Serr, Edwards, Ludmann, Yamamoto, Tilney, Field, and Hays.
— *See* Robinson, Wojcik, Sanders, McGrail, and Hays.
**Hearst, J.E.** *See* Yokota, van den Engh, Hearst, Sachs, and Trask.
**Hecht, J.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Hegerl, R.** *See* Ahting, Thun, Hegerl, Typke, Nargang, Neupert, and Nussberger.
**Heidemann, S.R., Kaech, S., Buxbaum, R.E., and Matus, A.** Direct observations of the mechanical behaviors of the cytoskeleton in living fibroblasts. 145:109.
**Heil-Chapdelaine, R.A., Adames, N.R., and Cooper, J.A.** Formin' the connection between microtubules and the cell cortex. 144:809.
**Heino, J.** *See* Ivaska, Reunanen, Westermarck, Koivisto, Kähäri, and Heino.
**Helenius, A.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.
**Hellbert, K.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Hellman, R., Vanhove, M., Lejeune, A., Stevens, F.J., and Hendershot, L.M.** The in vivo association of BiP with newly synthesized proteins is dependent on the rate and stability of folding and not simply on the presence of sequences that can bind to BiP. 144:21.
**Hemler, M.E.** *See* Tachibana and Hemler.
**Hemmerich, S.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Hendershot, L.M.** *See* Hellman, Vanhove, Lejeune, Stevens, and Hendershot.
**Henderson, C.E.** *See* Raoul, Henderson, and Pettmann.

**Hepler, P.K.** *See* Feijó, Sainhas, Hackett, Kunkel, and Hepler.
**Hermann, P., Armant, M., Brown, E., Rubio, M., Ishihara, H., Ulrich, D., Caspary, R.G., Lindberg, F.P., Armitage, R., Maliszewski, C., Delespesse, G., and Sarfati, M.** The vitronectin receptor and its associated CD47 molecule mediates proinflammatory cytokine synthesis in human monocytes by interaction with soluble CD23. 144:767.
**Hermo, L.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Herrmann, C., Golkaramnay, E., Inman, E., Rome, L., and Volknandt, W.** Recombinant major vault protein is targeted to neuritic tips of PC12 cells. 144:1163.
**Herskowitz, I.** *See* Sanders, Gentzsch, Tanner, and Herskowitz.
**Hess, M.W.** *See* Poranen, Daugelavičius, Ojala, Hess, and Bamford.
**Heuser, J.E.** *See* Eckley, Gill, Melkonian, Bingham, Goodson, Heuser, and Schroer.
**Hewitt, E.W.** *See* Blagoveshchenskaya, Hewitt, and Cutler.
**Heyninck, K., De Valck, D., Vanden Berghe, W., Van Criekinge, W., Contreras, R., Fiers, W., Haegeman, G., and Beyaert, R.** The zinc finger protein A20 inhibits TNF-induced NF-κB–dependent gene expression by interfering with an RIP- or TRAF2-mediated transactivation signal and directly binds to a novel NF-κB–inhibiting protein ABIN. 145:1471.
**Hickman, J.A.** *See* Griffiths, Dubrez, Morgan, Jones, Whitehouse, Corfe, Dive, and Hickman.
**Hieda, M., Tachibana, T., Yokoya, F., Kose, S., Imamoto, N., and Yoneda, Y.** A monoclonal antibody to the COOH-terminal acidic portion of Ran inhibits both the recycling of Ran and nuclear protein import in living cells. 144:645.
**Hieter, P.** *See* Hyland, Kingsbury, Koshland, and Hieter.
**Hikita, C.** *See* Vijayakumar, Takito, Hikita, and Al-Awqati.
**Hilberg, F.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Hirai, S.-i.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Hiraoka, N.** *See* Fukuda, Hiraoka, and Yeh.
**Hiraoka, Y.** *See* Yamamoto, West, McIntosh, and Hiraoka.
**Hirata, D.** *See* Katayama, Hirata, Arellano, Pérez, and Toda.
**Hirokawa, N.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
— *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Hirota, Y.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Hittle, J.C.** *See* Chan, Jablonski, Sudakin, Hittle, and Yen.
**Ho, J.** *See* Schott, Ho, Pruyne, and Bretscher.
**Hoang, K.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Hobert, O., Moerman, D.G., Clark, K.A., Beckerle, M.C., and Ruvkun, G.** A conserved LIM protein that affects muscular adherens junction integrity and mechanosensory function in *Caenorhabditis elegans*. 144:45.
**Hodges, C.A.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Hoffman, S.** *See* Loike, Cao, Budhu, Marcantonio, El Khoury, Hoffman, Yednock, and Silverstein.
**Hoffmann, I.** *See* Karlsson, Katich, Hagting, Hoffmann, and Pines.
**Hofman, P.** *See* Vivinus-Nebot, Ticchioni, Mary, Hofman, Quaranta, Rousselle, and Bernard.
**Hofmeister, R.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Holly, S.P., and Blumer, K.J.** PAK-family kinases regulate cell and actin polarization throughout the cell cycle of *Saccharomyces cerevisiae*. 147:845.
**Holowka, D.** *See* Sheets, Holowka, and Baird.
**Holt, K.H.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Homburger, V.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Hong, Y.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Hori, O.** *See* Yamaguchi, Hori, Stern, Hartmann, Ogawa, and Tohyama.
**Horiguchi, Y.** *See* Sonoda, Furuse, Sasaki, Yonemura, Katahira, Horiguchi, and Tsukita.
**Horwitz, A.F.** *See* Sastry, Lakonishok, Wu, Truong, Huttenlocher, Turner, and Horwitz.
**Hosoya, H.** *See* Totsukawa, Yamakita, Yamashiro, Hosoya, Hartshorne, and Matsumura.
**Houchmandzadeh, B., and Dimitrov, S.** Elasticity measurements show the existence of thin rigid cores inside mitotic chromosomes. 145: 215.
**Hovens, C.M.** *See* Buchert, Schneider, Meskenaite, Adams, Canaani, Baechi, Moelling, and Hovens.
**Howard, L.** *See* Mountain, Simerly, Howard, Ando, Schatten, and Compton.
**Howell, B.** *See* Larsson, Segerman, Howell, Fridell, Cassimeris, and Gullberg.
**Howell, K.E.** *See* Ladinsky, Mastronarde, McIntosh, Howell, and Staehelin.
**Hoyt, M.A.** *See* Cottingham, Gheber, Miller, and Hoyt.
**Hozák, P.** *See* Weipoltshammer, Schöfer, Almeder, Philimonenko, Frei, Wachtler, and Hozák.
**Hrastnik, C.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Hresko, M.C., Schriefer, L.A., Shrimankar, P., and Waterston, R.H.** Myotactin, a novel hypodermal protein involved in muscle–cell adhesion in *Caenorhabditis elegans*. 146:659.
**Hsu, H.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Hu, S.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Huang, C.-C.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Huang, L.J., Wang, L., Ma, Y., Durick, K., Perkins, G., Deerinck, T.J., Ellisman, M.H., and Taylor, S.S.** $NH_2$-terminal targeting motifs direct dual specificity A-kinase–anchoring protein 1 (D-AKAP1) to either mitochondria or endoplasmic reticulum. 145:951.
**Huang, S.-C.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Hubbard, A.** *See* Alvarez, Fujita, Hubbard, and Sztul.
**Hubbard, A.L.** *See* Tuma, Finnegan, Yi, and Hubbard.
**Huber, J.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
**Huber, L.A.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Hübner, S.** *See* Schneikert, Hübner, Martin, and Cato.
**Hughes, S.M., Chi, M.M.-Y., Lowry, O.H., and Gundersen, K.** Myogenin induces a shift of enzyme activity from glycolytic to oxidative metabolism in muscles of transgenic mice. 145:633.
**Hughson, F.M.** *See* Carr, Grote, Munson, Hughson, and Novick.
**Hull, M.** *See* Sheff, Daro, Hull, and Mellman.
**Hunt, P.A.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Hunter, D.D.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Hunziker, E.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.
**Huovila, A.-P.J.** *See* Chen, Almeida, Huovila, Takahashi, Shaw, Mercurio, and White.
**Huppa, J.B.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Hurt, E., Hannus, S., Schmelzl, B., Lau, D., Tollervey, D., and Simos, G.** A novel in vivo assay reveals inhibition of ribosomal nuclear export in Ran-cycle and nucleoporin mutants. 144:389.
**Hutchison, C.J.** *See* Drummond, Ferrigno, Lyon, Murphy, Goldberg, Allen, Smythe, and Hutchison.
**Huttenlocher, A.** *See* Sastry, Lakonishok, Wu, Truong, Huttenlocher, Turner, and Horwitz.
**Hyland, K.M., Kingsbury, J., Koshland, D., and Hieter, P.** Ctf19p: A novel kinetochore protein in *Saccharomyces cerevisiae* and a potential link between the kinetochore and mitotic spindle. 145:15.
**Hyman, A.A.** *See* Gönczy, Pichler, Kirkham, and Hyman.
**Hyman, T.** *See* Gönczy, Schnabel, Kaletta, Amores, Hyman, and Schnabel.

## I

**Ievolella, C.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Iino, M.** *See* Nishi, Komazaki, Kurebayashi, Ogawa, Noda, Iino, and Takeshima.
**Ikeda, W., Nakanishi, H., Miyoshi, J., Mandai, K., Ishizaki, H., Tanaka, M., Togawa, A., Takahashi, K., Nishioka, H., Yoshida, H., Mizoguchi, A., Nishikawa, S.-i., and Takai, Y.** Afadin: A key molecule essential for structural organization of cell–cell junctions of polarized epithelia during embryogenesis. 146:1117.
**Imafuku, I., Masaki, T., Waragai, M., Takeuchi, S., Kawabata, M., Hirai, S.-i., Ohno, S., Nee, L.E., Lippa, C.F., Kanazawa, I., Imagawa, M., and Okazawa, H.** Presenilin 1 suppresses the function of c-Jun homodimers via interaction with QM/Jif-1. 147:121.
**Imagawa, M.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Imamoto, N.** *See* Hieda, Tachibana, Yokoya, Kose, Imamoto, and Yoneda.
**Imamura, Y., Itoh, M., Maeno, Y., Tsukita, S., and Nagafuchi, A.** Functional domains of α-catenin required for the strong state of cadherin-based cell adhesion. 144:1311.

**Inagaki, M.** *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.
**Inbal, B.** *See* Cohen, Inbal, Kissil, Raveh, Berissi, Spivak-Kroizaman, Feinstein, and Kimchi.
**Infante, C., Ramos-Morales, F., Fedriani, C., Bornens, M., and Rios, R.M.** GMAP-210, A cis-Golgi network-associated protein, is a minus end microtubule-binding protein. 145:83.
**Ingram, M.F.** *See* Chen, Ingram, Rosal, and Graham.
**Inman, E.** *See* Herrmann, Golkaramnay, Inman, Rome, and Volknandt.
**Inman, E.M.** *See* Kickhoefer, Siva, Kedersha, Inman, Ruland, Streuli, and Rome.
**Insall, R.H.** *See* Machesky and Insall.
**Irazoqui, J.E.** *See* Theesfeld, Irazoqui, Bloom, and Lew.
**Irminger-Finger, I., Soriano, J.V., Vaudan, G., Montesano, R., and Sappino, A.-P.** In vitro repression of Brca1-associated RING domain gene, *Bard1*, induces phenotypic changes in mammary epithelial cells: Correction. 144:1081.
**Ishihara, H.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Ishihara, N.** *See* Kirisako, Baba, Ishihara, Miyazawa, Ohsumi, Yoshimori, Noda, and Ohsumi.
**Ishizaki, H.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
**Ishov, A.M., Sotnikov, A.G., Negorev, D., Vladimirova, O.V., Neff, N., Kamitani, T., Yeh, E.T.H., Strauss, J.F., III, and Maul, G.G.** PML is critical for ND10 formation and recruits the PML-interacting protein Daxx to this nuclear structure when modified by SUMO-1. 147: 221.
**Italiano, J.E., Jr., Lecine, P., Shivdasani, R.A., and Hartwig, J.H.** Blood platelets are assembled principally at the ends of proplatelet processes produced by differentiated megakaryocytes. 147:1299.
**—, Stewart, M., and Roberts, T.M.** Localized depolymerization of the major sperm protein cytoskeleton correlates with the forward movement of the cell body in the amoeboid movement of nematode sperm. 146:1087.
**Ito, K., Miyashita, Y., and Kasai, H.** Kinetic control of multiple forms of $Ca^{2+}$ spikes by inositol trisphosphate in pancreatic acinar cells. 146: 405.
**Ito, M.** *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.
**Itoh, M., Furuse, M., Morita, K., Kubota, K., Saitou, M., and Tsukita, S.** Direct binding of three tight junction-associated MAGUKs, ZO-1, ZO-2, and ZO-3, with the COOH termini of claudins. 147:1351.
— *See* Imamura, Itoh, Maeno, Tsukita, and Nagafuchi.
**Ivaska, J., Reunanen, H., Westermarck, J., Koivisto, L., Kähäri, V.-M., and Heino, J.** Integrin $\alpha2\beta1$ mediates isoform-specific activation of p38 and upregulation of collagen gene transcription by a mechanism involving the $\alpha2$ cytoplasmic tail. 147:401.
**Iwamatsu, A.** *See* Oegema, Wiese, Martin, Milligan, Iwamatsu, Mitchison, and Zheng.
**Iwamoto, M.** *See* Yagami, Suh, Enomoto-Iwamoto, Koyama, Abrams, Shapiro, Pacifici, and Iwamoto.
**Izaurralde, E.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.

## J

**Jablonski, S.A.** *See* Chan, Jablonski, Sudakin, Hittle, and Yen.
**Jackson, D.G.** *See* Banerji, Ni, Wang, Clasper, Su, Tammi, Jones, and Jackson.
**Jacobson, B.S.** *See* Stan, Ghitescu, Jacobson, and Palade.
**Jacobson, K.** *See* Oliver, Dembo, and Jacobson.
**Jaisser, F.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**James, W.M.** *See* Sauvé, Anderson, Ray, James, and Roberge.
**Janes, P.W., Ley, S.C., and Magee, A.I.** Aggregation of lipid rafts accompanies signaling via the T cell antigen receptor. 147:447.
**Janicki, S.M.** *See* Stabler, Ostrowski, Janicki, and Monteiro.
**Janneh, O.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Janssen, K.-P.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Jantsch, M.F.** *See* Eckmann and Jantsch.
**Jarrous, N., Wolenski, J.S., Wesolowski, D., Lee, C., and Altman, S.** Localization in the nucleolus and coiled bodies of protein subunits of the ribonucleoprotein ribonuclease P. 146:559.
**Jemmerson, R.** *See* Varkey, Chen, Jemmerson, and Abrams.
**Jensen, O.N.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Jensen, R.E.** *See* Sesaki and Jensen.
**Jho, E.-h.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Jia, M.** *See* Neale, Bowers, Jia, Bateman, and Williamson.
**Jin, M.-h.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Jin, W.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Jockusch, B.M.** *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Johannes, L.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
— *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Johansson, C.B.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Johnson, E.S., and Blobel, G.** Cell cycle–regulated attachment of the ubiquitin-related protein SUMO to the yeast septins. 147:981.
**Johnson, K.R.** *See* Nieman, Prudoff, Johnson, Wheelock.
**Johnstone, S.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**Jolly, C., Vourc'h, C., Robert-Nicoud, M., and Morimoto, R.I.** Intron-independent association of splicing factors with active genes. 145: 1133.
**Jones, F.E., Welte, T., Fu, X.-Y., and Stern, D.F.** ErbB4 signaling in the mammary gland is required for lobuloalveolar development and Stat5 activation during lactation. 147:77.
**Jones, M.** *See* Banerji, Ni, Wang, Clasper, Su, Tammi, Jones, and Jackson.
**Jones, N.A.** *See* Griffiths, Dubrez, Morgan, Jones, Whitehouse, Corfe, Dive, and Hickman.
**Jones, T.R.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Joos, T.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Julien, J.-P.** *See* Beaulieu, Nguyen, and Julien.
**Jung, H.-S.** *See* Harada, Kettunen, Jung, Mustonen, Wang, and Thesleff.

## K

**Kachinsky, A.M., Froehner, S.C., and Milgram, S.L.** A PDZ-containing scaffold related to the dystrophin complex at the basolateral membrane of epithelial cells. 145:391.
**Kaech, S.** *See* Heidemann, Kaech, Buxbaum, and Matus.
**Kagawa, H.** *See* Terami, Williams, Kitamura, Sakube, Matsumoto, Doi, Obinata, and Kagawa.
**Kahana, J.A., and Cleveland, D.W.** Beyond nuclear transport: Ran-GPT as a determinant of spindle assembly. 146:1205.
— *See* Zeng, Kahana, Silver, Morphew, McIntosh, Fitch, Carbon, and Saunders.
**Kähäri, V.-M.** *See* Ivaska, Reunanen, Westermarck, Koivisto, Kähäri, and Heino.
**Kaibuchi, K.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
— *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.
**Kaiser, A.L.** *See* Gijón, Spencer, Kaiser, and Leslie.
**Kaiser, C.A.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.
**Kaletta, T.** *See* Gönczy, Schnabel, Kaletta, Amores, Hyman, and Schnabel.
**Kalousek, M.B.** *See* Zeng, D'Alessandri, Kalousek, Vaughan, and Pallen.
**Kamal, A.** *See* Rahman, Kamal, Roberts, and Goldstein.
**Kamitani, T.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.
**Kampfer, S.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Kanazawa, I.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Kang, J.-s.** *See* Kim, Kang, and Chan.
**Kann, M., Sodeik, B., Vlachou, A., Gerlich, W.H., and Helenius, A.** Phosphorylation-dependent binding of hepatitis B virus core particles to the nuclear pore complex. 145:45.
**Kannagi, R.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Kaplan, D.R.** *See* Vaillant, Mazzoni, Tudan, Boudreau, Kaplan, and Miller.
**Kaplan, H.** *See* Legrand, Gilles, Zahm, Polette, Buisson, Kaplan, Birembaut, and Tournier.
**Kappe, S., Bruderer, T., Gantt, S., Fujioka, H., Nussenzweig, V., and Ménard, R.** Conservation of a gliding motility and cell invasion machinery in Apicomplexan parasites. 147:937.

**Karakesisoglou, I., Janssen, K.-P., Eichinger, L., Noegel, A.A., and Schleicher, M.** Identification of a suppressor of the *Dictyostelium* profilin-minus phenotype as a CD36/LIMP-II homologue. 145:167.
**Karanewsky, D.S.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Karaplis, A.** *See* Serra, Karaplis, and Sohn.
**Karcher, R.L.** *See* Rogers, Karcher, Roland, Minin, Steffen, and Gelfand.
**Karlsson, C., Katich, S., Hagting, A., Hoffmann, I., and Pines, J.** Cdc25B and Cdc25C differ markedly in their properties as initiators of mitosis. 146:573.
**Kasai, H.** *See* Ito, Miyashita, and Kasai.
**Kasper, L.H.** *See* Pritchard, Fornerod, Kasper, and van Deursen.
**Kasperek, E.M.** *See* Zhou, Kasperek, and Nicholson.
**Kastner, B.** *See* Krämer, Grüter, Gröning, and Kastner.
**Katahira, J.** *See* Sonoda, Furuse, Sasaki, Yonemura, Katahira, Horiguchi, and Tsukita.
**Kataoka, N., Bachorik, J.L., and Dreyfuss, G.** Transportin-SR, A nuclear import receptor for SR proteins. 145:1145.
**Katayama, S., Hirata, D., Arellano, M., Pérez, P., and Toda, T.** Fission yeast α-glucan synthase Mok1 requires the actin cytoskeleton to localize the sites of growth and plays an essential role in cell morphogenesis downstream of protein kinase C function. 144:1173.
**Katich, S.** *See* Karlsson, Katich, Hagting, Hoffmann, and Pines.
**Katz, L.** *See* Altschuler, Liu, Katz, Tang, Hardy, Brodsky, Apodaca, and Mostov.
**Kaufman, S.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Kaufmann, C.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Kauselmann, G.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Kaverina, I., Krylyshkina, O., and Small, J.V.** Microtubule targeting of substrate contacts promotes their relaxation and dissociation.° 146: 1033.
**Kawabata, M.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Kawabe, Y.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Kawano, Y., Fukata, Y., Oshiro, N., Amano, M., Nakamura, T., Ito, M., Matsumura, F., Inagaki, M., and Kaibuchi, K.** Phosphorylation of myosin-binding subunit (MBS) of myosin phosphatase by Rho-kinase in vivo. 147:1023.
— *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Kawauchi, T.** *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.
**Kay, S.A.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.
**Kedersha, N.L., Gupta, M., Li, W., Miller, I., and Anderson, P.** RNA-binding proteins TIA-1 and TIAR link the phosphorylation of eIF-2α to the assembly of mammalian stress granules. 147:1431.
— *See* Kickhoefer, Siva, Kedersha, Inman, Ruland, Streuli, and Rome.
**Keely, P.J., Rusyn, E.V., Cox, A.D., and Parise, L.V.** R-Ras signals through specific integrin α cytoplasmic domains to promote migration and invasion of breast epithelial cells. 145:1077.
**Keen, J.H.** *See* Gaidarov and Keen.
**Keene, D.R.** *See* Zhu, Oganesian, Keene, and Sandell.
**Kehlenbach, A.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Kehlenbach, R.H, Dickmanns, A., Kehlenbach, A., Guan, T., and Gerace, L.** A role for RanBP1 in the release of CRM1 from the nuclear pore complex in a terminal step of nuclear export. 145:645.
**Kehler, J.A.** *See* Stupack, Li, Silletti, Kehler, Geahlen, Hahn, Nemerow, and Cheresh.
**Keller, G.A.** *See* Koller, Snyder, Faber, Wenzel, Rangell, Keller, and Subramani.
**Keller, P.** *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Keller, S.** *See* Suomalainen, Nakano, Keller, Boucke, Stidwill, and Greber.
**Kelley, M.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Kendrick-Jones, J.** *See* Cordenonsi, D'Atri, Hammar, Parry, Kendrick-Jones, Shore, and Citi.
**Keresztes, M., and Boonstra, J.** Import(ance) of growth factors in(to) the nucleus. 145:421.
**Kessels, M.M.** *See* Engqvist-Goldstein, Kessels, Chopra, Hayden, and Drubin.
**Kettunen, P.** *See* Harada, Kettunen, Jung, Mustonen, Wang, and Thesleff.
**Khare, N.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Khavari, P.A.** *See* Fan and Khavari.
**Khodjakov, A., and Rieder, C.L.** The sudden recruitment of γ-tubulin to the centrosome at the onset of mitosis and its dynamic exchange throughout the cell cycle, do not require microtubules. 146:585.
**Khokha, R.** *See* Martin, Fowlkes, Babic, and Khokha.
**Kibschull, M.** *See* Wang, Kibschull, Laue, Lichte, Petrasch-Parwez, and Kilimann.
**Kickhoefer, V.A., Siva, A.C., Kedersha, N.L., Inman, E.M., Ruland, C., Streuli, M., and Rome, L.H.** The 193-kD vault protein, VPARP, is a novel poly(ADP-ribose) polymerase. 146:917.
**Kikuchi, A.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Kilimann, M.W.** *See* Wang, Kibschull, Laue, Lichte, Petrasch-Parwez, and Kilimann.
**Kilmartin, J.V.** *See* Adams and Kilmartin.
**Kim, J.-h., Kang, J.-s., and Chan, C.S.M.** Sli15 associates with the Ipl1 protein kinase to promote proper chromosome segregation in *Saccharomyces cerevisiae*. 145:1381.
**Kimchi, A.** *See* Cohen, Inbal, Kissil, Raveh, Berissi, Spivak-Kroizaman, Feinstein, and Kimchi.
**Kimura, H.** *See* Manders, Kimura, and Cook.
**Kimura, K.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Kimura, T.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**King, S.M.** *See* Bowman, Patel-King, Benashski, McCaffery, Goldstein, and King.
**Kingsbury, J.** *See* Hyland, Kingsbury, Koshland, and Hieter.
**Kinoshita, N.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Kioka, N., Sakata, S., Kawauchi, T., Amachi, T., Akiyama, S.K., Okazaki, K., Yaen, C., Yamada, K.M., and Aota, S.-i.** Vinexin: A novel vinculin-binding protein with multiple SH3 domains enhances actin cytoskeletal organization. 144:59.
**Kiosses, W.B., Daniels, R.H., Otey, C., Bokoch, G.M., and Schwartz, M.A.** A role for p21-activated kinase in endothelial cell migration. 147:831.
**Kipper, J.** *See* Girzalsky, Rehling, Stein, Kipper, Blank, Kunau, and Erdmann.
**Kircher, S., Wellmer, F., Nick, P., Rügner, A., Schäfer, E., and Harter, K.** Nuclear import of the parsley bZIP transcription factor CPRF2 is regulated by phytochrome photoreceptors. 144:201.
**Kirisako, T., Baba, M., Ishihara, N., Miyazawa, K., Ohsumi, M., Yoshimori, T., Noda, T., and Ohsumi, Y.** Formation process of autophagosome is traced with Apg8/Aut7p in yeast. 147:435.
**Kirkham, M.** *See* Gönczy, Pichler, Kirkham, and Hyman.
**Kirkpatrick, C.** *See* McCartney, Dierick, Kirkpatrick, Moline, Baas, Peifer, Bejsovec.
**Kissil, J.L.** *See* Cohen, Inbal, Kissil, Raveh, Berissi, Spivak-Kroizaman, Feinstein, and Kimchi.
**Kitamura, S.-i.** *See* Terami, Williams, Kitamura, Sakube, Matsumoto, Doi, Obinata, and Kagawa.
**Klages, B., Brandt, U., Simon, M.I., Schultz, G., and Offermanns, S.** Activation of $G_{12}/G_{13}$ results in shape change and Rho/Rho-kinase–mediated myosin light chain phosphorylation in mouse platelets. 144: 745.
**Klagsbrun, M.** *See* Miao, Soker, Feiner, Alonso, Raper, and Klagsbrun.
**Klee, S.K.** *See* Lee, Klee, Evangelista, Boone, and Pellman.
**Klemke, R.L.** *See* Cheresh, Leng, and Klemke.
**Kluck, R.M., Degli Esposti, M., Perkins, G., Renken, C., Kuwana, T., Bossy-Wetzel, E., Goldberg, M., Allen, T., Barber, M.J., Green, D.R., and Newmeyer, D.D.** The pro-apoptotic proteins, Bid and Bax, cause a limited permeabilization of the mitochondrial outer membrane that is enhanced by cytosol. 147:809.
— *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Klumperman, J.** *See* Advani, Yang, Prekeris, Lee, Klumperman, and Scheller.
— *See* Chao, Hay, Winnick, Prekeris, Klumperman, and Scheller.
**Knott, J.A.** *See* Myster, Knott, Wysocki, O'Toole, and Porter.
**Knowles, D.R.** *See* Leung, Sun, Zheng, Knowles, and Liem.
**Koch, M., Olson, P.F., Albus, A., Jin, W., Hunter, D.D., Brunken, W.J., Burgeson, R.E., and Champliaud, M.-F.** Characterization and expression of the laminin γ3 chain: A novel, non-basement membrane–associated, laminin chain. 145:605.
**Koehnle, T.J., and Brown, A.** Slow axonal transport of neurofilament protein in cultured neurons. 144:447. Correction. 144:1361.
**Kohama, T.** *See* Olivera, Kohama, Edsall, Nava, Cuvillier, Poulton, and Spiegel.

°The online version of this article contains supplemental material.

**Kohlwein, S.D.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Koivisto, L.** *See* Ivaska, Reunanen, Westermarck, Koivisto, Kähäri, and Heino.
**Koller, A., Snyder, W.B., Faber, K.N., Wenzel, T.J., Rangell, L., Keller, G.A., and Subramani, S.** Pex22p of *Pichia pastoris*, essential for peroxisomal matrix protein import, anchors the ubiquitin-conjugating enzyme, Pex4p, on the peroxisomal membrane. 146:99.
**Komazaki, S.** *See* Nishi, Komazaki, Kurebayashi, Ogawa, Noda, Iino, and Takeshima.
**Konzok, A., Weber, I., Simmeth, E., Hacker, U., Maniak, M., and Müller-Taubenberger, A.** DAip1, a *Dictyostelium* homologue of the yeast actin-interacting protein 1, is involved in endocytosis, cytokinesis, and motility. 146:453.
**Kornbluth, S.** *See* Moore, Yang, Truant, and Kornbluth.
**Koroleva, O.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Kose, S.** *See* Hieda, Tachibana, Yokoya, Kose, Imamoto, and Yoneda.
**Koshland, D.** *See* Hyland, Kingsbury, Koshland, and Hieter.
**Kosik, K.S.** *See* Lu, Paredes, Medina, Zhou, Cavallo, Peifer, Orecchio, and Kosik.
**Kost, B., Lemichez, E., Spielhofer, P., Hong, Y., Tolias, K., Carpenter, C., and Chua, N.-H.** Rac homologues and compartmentalized phosphatidylinositol 4, 5-bisphosphate act in a common pathway to regulate polar pollen tube growth. 145:317.
**Kotani, S., Tanaka, H., Yasuda, H., and Todokoro, K.** Regulation of APC activity by phosphorylation and regulatory factors. 146:791.
**Koval, A.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Kovalski, K.** *See* Aguirre Ghiso, Kovalski, and Ossowski.
**Koyama, E.** *See* Yagami, Suh, Enomoto-Iwamoto, Koyama, Abrams, Shapiro, Pacifici, and Iwamoto.
**Koyama, S.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Krämer, A., Grüter, P., Gröning, K., and Kastner, B.** Combined biochemical and electron microscopic analyses reveal the architecture of the mammalian U2 snRNP. 145:1355.
**Krause, K.-H.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.
**Krebs, J.F., Armstrong, R.C., Srinivasan, A., Aja, T., Wong, A.M., Aboy, A., Sayers, R., Pham, B., Vu, T., Hoang, K., Karanewsky, D.S., Leist, C., Schmitz, A., Wu, J.C., Tomaselli, K.J., and Fritz, L.C.** Activation of membrane-associated procaspase-3 is regulated by Bcl-2. 144:915.
**Kreda, S.M.** *See* Mohler, Kreda, Boucher, Sudol, Stutts, and Milgram.
**Kreis, T.E.** *See* Diamantopoulos, Perez, Goodson, Batelier, Melki, Kreis, and Rickard.
**Krejci, E.** *See* Feng, Krejci, Molgo, Cunningham, Massoulié, and Sanes.
**Kremer, L.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Krijnse Locker, J., and Griffiths, G.** An unconventional role for cytoplasmic disulfide bonds in vaccinia virus proteins. 144:267.
**Kronert, W.A., Acebes, A., Ferrús, A., and Bernstein, S.I.** Specific myosin heavy chain mutations suppress troponin I defects in *Drosophila* muscles. 144:989.
**Krylyshkina, O.** *See* Kaverina, Krylyshkina, and Small.
**Kubiak, J.Z.** *See* Brunet, Santa Maria, Guillaud, Dujardin, Kubiak, and Maro.
**Kubo, A., Sasaki, H., Yuba-Kubo, A., Tsukita, S., and Shiina, N.** Centriolar satellites: Molecular characterization, ATP-dependent movement toward centrioles and possible involvement in ciliogenesis. 147: 969. Correction. 1585.
**Kubota, K.** *See* Itoh, Furuse, Morita, Kubota, Saitou, and Tsukita.
**Kufferath, I.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Kuikman, I.** *See* Gimond, van der Flier, van Delft, Brakebusch, Kuikman, Collard, Fässler, and Sonnenberg.
**Kumegawa, M.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Kunau, W.-H.** *See* Girzalsky, Rehling, Stein, Kipper, Blank, Kunau, and Erdmann.
**Kunkel, E.J.** *See* Foxman, Kunkel, and Butcher.
**Kunkel, J.G.** *See* Feijó, Sainhas, Hackett, Kunkel, and Hepler.
**Kurebayashi, N.** *See* Nishi, Komazaki, Kurebayashi, Ogawa, Noda, Iino, and Takeshima.
**Kuroda, S., Nakagawa, N., Tokunaga, C., Tatematsu, K., and Tanizawa, K.** Mammalian homologue of the *Caenorhabditis elegans* UNC-76 protein involved in axonal outgrowth is a protein kinase C ζ–interacting protein. 144:403.
**Kurth, T.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Kutay, U.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
**Kuwana, T.** *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
**Kuziemsky, C.E.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
**Kwon, S., Barbarese, and Carson, J.H.** The cis-acting RNA trafficking signal from myelin basic protein mRNA and its cognate trans-acting ligand hnRNP A2 enhance cap-dependent translation. 147:247.

## L

**Labeit, S.** *See* Linke, Rudy, Centner, Gautel, Witt, Labeit, and Gregorio.
**Lacey, D.L.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Ladinsky, M.S., Mastronarde, D.N., McIntosh, J.R., Howell, K.E., and Staehelin, L.A.** Golgi structure in three dimensions: Functional insights from the normal rat kidney cell. 144:1135.
**Laessing, U.** *See* Leppert, Diekmann, Paul, Laessing, Marx, Bastmeyer, and Stuermer.
**Lafarga, M.** *See* Carvalho, Almeida, Calapez, Lafarga, Berciano, and Carmo-Fonseca.
**Lai, F.A.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Lakonishok, M.** *See* Sastry, Lakonishok, Wu, Truong, Huttenlocher, Turner, and Horwitz.
**Lambiase, A.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Lampl, M.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Lamppa, G.K.** *See* Richter and Lamppa.
**Lane, E.B.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.
**Lanfranchi, G.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Langer, S.** *See* Sadoni, Langer, Fauth, Bernardi, Cremer, Turner, and Zink.
**Lansdorp, P.** *See* Hande, Samper, Lansdorp, and Blasco.
**Lapillonne, A.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Lappalainen, P.** *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.
**Larabell, C.A.** *See* Miller, Rowning, Larabell, Yang-Snyder, Bates, and Moon.
**Larquet, E.** *See* Blocker, Gounon, Larquet, Niebuhr, Cabiaux, Parsot, and Sansonetti.
**Larsson, C.** *See* Zeidman, Löfgren, Påhlman, and Larsson.
**Larsson, N., Segerman, B., Howell, B., Fridell, K., Cassimeris, L., and Gullberg, M.** Op18/stathmin mediates multiple region-specific tubulin and microtubule-regulating activities. 146:1289.
**Lasky, L.A.** *See* Angers-Loustau, Côté, Charest, Dowbenko, Spencer, Lasky, and Tremblay.
**Lattanzi, L.** *See* De Angelis, Berghella, Coletta, Lattanzi, Zanchi, Cusella-De Angelis, Ponzetto, and Cossu.
**Lau, D.** *See* Hurt, Hannus, Schmelzl, Lau, Tollervey, and Simos.
**Lau, P., Zucker, R.S., and Bentley, D.** Induction of filopodia by direct local elevation of intracellular calcium ion concentration. 145:1265.
**Laue, M.M.** *See* Wang, Kibschull, Laue, Lichte, Petrasch-Parwez, and Kilimann.
**Lauper, S.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.
**Laurent, V., Loisel, T.P., Harbeck, B., Wehman, A., Gröbe, L., Jockusch, B.M., Wehland, J., Gertler, F.B., and Carlier, M.-F.** Role of proteins of the Ena/VASP family in actin-based motility of *Listeria monocytogenes*. 144:1245.
— *See* Egile, Loisel, Laurent, Li, Pantaloni, Sansonetti, and Carlier.
**Lavoie, C., Paiement, J., Dominguez, M., Roy, L., Dahan, S., Gushue, J.N., and Bergeron, J.J.M.** Roles for $\alpha_2$p24 and COPI in endoplasmic reticulum cargo exit site formation. 146:285.
**Lawrence, J.B.** *See* Smith, Moen, Wydner, Coleman, and Lawrence.
**Lazzarini, R.A.** *See* Elder, Friedrich, Margita, and Lazzarini.
**Le, T.L., Yap, A.S., and Stow, J.L.** Recycling of E-cadherin: A potential mechanism for regulating cadherin dynamics. 146:219.
**Leavitt, A.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.

**Lebakken, C.S.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Leber, A.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Le Blanc, I.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Lecine, P.** *See* Italiano, Lecine, Shivdasani, and Hartwig.
**Ledig, M.M., Haj, F., Bixby, J.L., Stoker, A.W., and Mueller, B.K.** The receptor tyrosine phosphatase CRYPα promotes intraretinal axon growth. 147:375.
**Lee, C.** *See* Jarrous, Wolenski, Wesolowski, Lee, and Altman.
**Lee, H.-S.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Lee, J.C.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Lee, J.K.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Lee, K.** *See* Ryan, Lee, Miyashita, and Carter.
**Lee, K.C.** *See* Advani, Yang, Prekeris, Lee, Klumperman, and Scheller.
**Lee, L., Klee, S.K., Evangelista, M., Boone, C., and Pellman, D.** Control of mitotic spindle position by the *Saccharomyces cerevisiae* formin Bni1p. 144:947.
**Lee, M.G.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Lee, S.W.** *See* Fang, Lee, and Aaronson.
**Lee, Y.-J.** *See* Farrelly, Lee, Oliver, Dive, and Streuli.
**Lefkowitz, R.J.** *See* Hall, Premont, and Lefkowitz.
**Leger-Silvestre, I.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Legrand, C., Gilles, C., Zahm, J.-M., Polette, M., Buisson, A.-C., Kaplan, H., Birembaut, P., and Tournier, J.-M.** Airway epithelial cell migration dynamics: MMP-9 role in cell–extracellular matrix remodeling. 146:517.
**Le Guellec, K.** *See* Collas, Le Guellec, and Taskén.
**Lehman, K., Rossi, G., Adamo, J.E., and Brennwald, P.** Yeast homologues of tomosyn and *lethal giant larvae* function in exocytosis and are associated with the plasma membrane SNARE, Sec9. 146:125.
**Leigh, I.M.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.
**Leist, C.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Lejeune, A.** *See* Hellman, Vanhove, Lejeune, Stevens, and Hendershot.
**Lemichez, E.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Lemmon, V.P.** *See* Haney, Sahenk, Li, Lemmon, Roder, and Trapp.
**Lendahl, U.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Leng, J.** *See* Cheresh, Leng, and Klemke.
**Lennarz, W.J.** *See* Gillece, Luz, Lennarz, de la Cruz, and Römisch.
**Lennon-Duménil, A.-M.** *See* Driessen, Bryant, Lennon-Duménil, Villadangos, Bryant, Shi, Chapman, and Ploegh.
**Leonhardt, H.** *See* Cardoso and Leonhardt.
**Leppert, C.A., Diekmann, H., Paul, C., Laessing, U., Marx, M., Bastmeyer, M., and Stuermer, C.A.O.** Neurolin Ig domain 2 participates in retinal axon guidance and Ig domains 1 and 3 in fasciculation. 144:339.
**Leslie, C.C.** *See* Gijón, Spencer, Kaiser, and Leslie.
**Leung, C.L., Sun, D., and Liem, R.K.H.** The intermediate filament protein peripherin is the specific interaction partner of mouse BPAG1-n (dystonin) in neurons. 144:435.
**—, Sun, D., Zheng, M., Knowles, D.R., and Liem, R.K.H.** Microtubule actin cross-linking factor (MACF): A hybrid of dystonin and dystrophin that can interact with the actin and microtubule cytoskeletons. 147:1275.
**Leung-Tack, J.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Leventhal, P.S.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Levesque, L.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.
**Levine, J.M.** *See* Ueda, Levine, Miller, and Trapp.
**Levkau, B.** *See* Carragher, Levkau, Ross, and Raines.
**Lew, D.J.** *See* Theesfeld, Irazoqui, Bloom, and Lew.
**Ley, S.C.** *See* Janes, Ley, and Magee.
**Li, C.** *See* Haney, Sahenk, Li, Lemmon, Roder, and Trapp.
**Li, E.** *See* Stupack, Li, Silletti, Kehler, Geahlen, Hahn, Nemerow, and Cheresh.
**Li, J., Mayne, R., and Wu, C.** A novel muscle-specific β1 integrin binding protein (MIBP) that modulates myogenic differentiation. 147:1391.
**Li, M.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Li, M.-g., Serr, M., Edwards, K., Ludmann, S., Yamamoto, D., Tilney, L.G., Field, C.M., and Hays, T.S.** Filamin is required for ring canal assembly and actin organization during *Drosophila* oogenesis. 146: 1061.
**Li, R.** *See* Egile, Loisel, Laurent, Li, Pantaloni, Sansonetti, and Carlier.
**Li, W.** *See* Kedersha, Gupta, Li, Miller, and Anderson.
**Li, X.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Li, Z.** *See* Basu, Bousbaa, Logarinho, Li, Williams, Lopes, Sunkel, and Goldberg.
**Liang, W., Warrick, H.M., and Spudich, J.A.** A structural model for phosphorylation control of *Dictyostelium* myosin II thick filament assembly. 147:1039.
**Lichte, B.** *See* Wang, Kibschull, Laue, Lichte, Petrasch-Parwez, and Kilimann.
**Liem, R.K.H.** *See* Leung, Sun, and Liem.
— *See* Leung, Sun, Zheng, Knowles, and Liem.
**Ligr, M.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Lin, C.-C., Love, H.D., Gushue, J.N., Bergeron, J.J.M., and Ostermann, J.** ER/Golgi intermediates acquire Golgi enzymes by brefeldin A–sensitive retrograde transport in vitro. 147:1457.
**Lin, P., Yao, Y., Hofmeister, R., Tsien, R.Y., and Farquhar, M.G.** Overexpression of CALNUC (nucleobindin) increases agonist and thapsigargin releasable $Ca^{2+}$ storage in the Golgi. 145:279.
**Lindberg, F.P.** *See* Green, Zhelesnyak, Chung, Lindberg, Sarfati, Frazier, and Brown.
— *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
— *See* Wang, Lindberg, and Frazier.
**Lindenbaum, M.** *See* Montanaro, Lindenbaum, and Carbonetto.
**Linke, W.A., Rudy, D.E., Centner, T., Gautel, M., Witt, C., Labeit, S., and Gregorio, C.C.** I-Band titin in cardiac muscle is a three-element molecular spring and is critical for maintaining thin filament structure. 146:631.
**Lippa, C.F.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Liskay, M.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Lithgow, T.** *See* Verschoor and Lithgow
**Liu, Q.** *See* Wei, Yang, Liu, Wilkins, and Chapman.
**Liu, S.-H.** *See* Altschuler, Liu, Katz, Tang, Hardy, Brodsky, Apodaca, and Mostov.
**Lockwood, G.A.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Lodish, H.F.** *See* Bogan and Lodish.
**Loew, L.M.** *See* Fink, Slepchenko, Moraru, Schaff, Watras, and Loew.
**Löfgren, B.** *See* Zeidman, Löfgren, Påhlman, and Larsson.
**Logarinho, E.** *See* Basu, Bousbaa, Logarinho, Li, Williams, Lopes, Sunkel, and Goldberg.
**Loike, J.D., Cao, L., Budhu, S., Marcantonio, E.E., El Khoury, J., Hoffman, S., Yednock, T.A., and Silverstein, S.C.** Differential regulation of $\beta_1$ integrins by chemoattractants regulates neutrophil migration through fibrin. 144:1047.
**Loisel, T.P.** *See* Egile, Loisel, Laurent, Li, Pantaloni, Sansonetti, and Carlier.
— *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Lopes, C.** *See* Basu, Bousbaa, Logarinho, Li, Williams, Lopes, Sunkel, and Goldberg.
**Louvard, D.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Love, H.D.** *See* Lin, Love, Gushue, Bergeron, and Ostermann.
**Lovell, J.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Lowry, O.H.** *See* Hughes, Chi, Lowry, and Gundersen.
**Lu, Q., Paredes, M., Medina, M., Zhou, J., Cavallo, R., Peifer, M., Orecchio, L., and Kosik, K.S.** δ-catenin, an adhesive junction–associated protein which promotes cell scattering. 144:519.
**Lucchini, G.** *See* Fraschini, Formenti, Lucchini, and Piatti.
— *See* Sanvito, Piatti, Villa, Bossi, Lucchini, Marchisio, and Biffo.
**Ludmann, S.** *See* Li, Serr, Edwards, Ludmann, Yamamoto, Tilney, Field, and Hays.
**Luetterforst, R., Stang, E., Zorzi, N., Carozzi, A., Way, M., and Parton, R.G.** Molecular characterization of caveolin association with the Golgi complex: Identification of a cis-Golgi targeting domain in the caveolin molecule. 145:1443.
**Lührmann, R.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.

**Lui, W.W.Y.** *See* Page, Sowerby, Lui, and Robinson.
**Lupashin, V.V.** *See* VanRheenen, Cao, Sapperstein, Chiang, Lupashin, Barlowe, and Waters.
**Luyten, F.P.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**Luz, J.M.** *See* Gillece, Luz, Lennarz, de la Cruz, and Römisch.
**Lyon, C.** *See* Drummond, Ferrigno, Lyon, Murphy, Goldberg, Allen, Smythe, and Hutchison.

## M

**Ma, H., Siegel, A.J., and Berezney, R.** Association of chromosome territories with the nuclear matrix: Disruption of human chromosome territories correlates with the release of a subset of nuclear matrix proteins. 146:531.
**Ma, S., Triviños-Lagos, L., Gräf, R., and Chisholm, R.L.** Dynein intermediate chain mediated dynein–dynactin interaction is required for interphase microtubule organization and centrosome replication and separation in *Dictyostelium*. 147:1261.
**Ma, X.** *See* Mori, Summer, Ma, and Cline.
**Ma, Y.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Maarse, A.C.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Macaluso, F.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Machesky, L.M., and Insall, R.H.** Signaling to actin dynamics. 146:267.
**MacLennan, D.H.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.
**Maddox, P., Chin, E., Mallavarapu, A., Yeh, E., Salmon, E.D., and Bloom, K.** Microtubule dynamics from mating through the first zygotic division in the budding yeast *Saccharomyces cerevisiae*. 144: 977.
**Madeo, F., Fröhlich, E., Ligr, M., Grey, M., Sigrist, S.J., Wolf, D.H., and Fröhlich, K.-U.** Oxygen stress: A regulator of apoptosis in yeast. 145:757.
**Maeno, Y.** *See* Imamura, Itoh, Maeno, Tsukita, and Nagafuchi.
**Magee, A.I.** *See* Janes, Ley, and Magee.
**Mains, R.E.** *See* Ciccotosto, Schiller, Eipper, and Mains.
**Mak, T.W.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Maliszewski, C.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Mallard, F., Antony, C., Tenza, D., Salamero, J., Goud, B., and Johannes, L.** Direct pathway from early/recycling endosomes to the golgi apparatus revealed through the study of Shiga toxin B-fragment transport [143(4):973]: Correction. 145:1521.
— *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Mallavarapu, A., and Mitchison, T.** Regulated actin cytoskeleton assembly at filopodium tips controls their extension and retraction. 146: 1097.
— *See* Maddox, Chin, Mallavarapu, Yeh, Salmon, and Bloom.
**Mallet, W.G., and Maxfield, F.R.** Chimeric forms of furin and TGN38 are transported from the plasma membrane to the trans-Golgi network via distinct endosomal pathways. 146:345.
**Maly, K.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Mandai, K., Nakanishi, H., Satoh, A., Takahashi, K., Satoh, K., Nishioka, H., Mizoguchi, A., and Takai, Y.** Ponsin/SH3P12: An 1-afadin– and vinculin-binding protein localized at cell–cell and cell–matrix adherens junctions. 144:1001.
— *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
— *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Manders, E.M.M., Kimura, H., and Cook, P.R.** Direct imaging of DNA in living cells reveals the dynamics of chromosome formation. 144: 813.
— *See* Verschure, van der Kraan, Manders, and van Driel.
**Maniak, M.** *See* Konzok, Weber, Simmeth, Hacker, Maniak, and Müller-Taubenberger.
**Mann, M.** *See* Charroux, Pellizzoni, Perkinson, Shevchenko, Mann, and Dreyfuss.
**Manning, B.D., Barrett, J.G., Wallace, J.A., Granok, H., and Snyder, M.** Differential regulation of the Kar3p kinesin-related protein by two associated proteins, Cik1p and Vik1p. 144:1219.
**Manzanal, M.B.** *See* Miguélez, Hardisson, and Manzanal.
**Marcantonio, E.E.** *See* Loike, Cao, Budhu, Marcantonio, El Khoury, Hoffman, Yednock, and Silverstein.
**Marchesi, V.T.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Marchetti, A.** *See* Bachelder, Ribick, Marchetti, Falcioni, Soddu, Davis, and Mercurio.
**Marchisio, P.C.** *See* Sanvito, Piatti, Villa, Bossi, Lucchini, Marchisio, and Biffo.
**Marg, A., Sirim, P., Spaltmann, F., Plagge, A., Kauselmann, G., Buck, F., Rathjen, F.G., and Brümmendorf, T.** Neurotractin, A novel neurite outgrowth-promoting Ig-like protein that interacts with CEPU-1 and LAMP. 145:865.
**Margita, A.** *See* Elder, Friedrich, Margita, and Lazzarini.
**Margolis, N.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Marino, C.R.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Maro, B.** *See* Brunet, Santa Maria, Guillaud, Dujardin, Kubiak, and Maro.
**Marquis, H.** *See* Robbins, Barth, Marquis, de Hostos, Nelson, and Theriot.
**Marsh, M.** *See* Bijlmakers and Marsh.
**Marszalek, J.R., Weiner, J.A., Farlow, S.J., Chun, J., and Goldstein, L.S.B.** Novel dendritic kinesin sorting identified by different process targeting of two related kinesins: KIF21A and KIF21B. 145:469.
**Martín, A.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.
**Martin, D., Zusman, S., Li, X., Williams, E.L., Khare, N., DaRocha, S., Chiquet-Ehrismann, R., and Baumgartner, S.** *wing blister*, A new *Drosophila* laminin α chain required for cell adhesion and migration during embryonic and imaginal development. 145:191.
**Martin, D.C., Fowlkes, J.L., Babic, B., and Khokha, R.** Insulin-like growth factor II signaling in neoplastic proliferation is blocked by transgenic expression of the metalloproteinase inhibitor TIMP-1. 146: 881.
**Martin, E.** *See* Schneikert, Hübner, Martin, and Cato.
**Martin, O.C.** *See* Oegema, Wiese, Martin, Milligan, Iwamatsu, Mitchison, and Zheng.
**Martin, S.J.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Martín-Belmonte, F.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Martínez-A., C.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.
**Martinou, I., Desagher, S., Eskes, R., Antonsson, B., André, E., Fakan, S., and Martinou, J.-C.** The release of cytochrome c from mitochondria during apoptosis of NGF-deprived sympathetic neurons is a reversible event. 144:883.
**Martinou, J.-C.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.
— *See* Martinou, Desagher, Eskes, Antonsson, André, Fakan, and Martinou.
**Marx, M.** *See* Leppert, Diekmann, Paul, Laessing, Marx, Bastmeyer, and Stuermer.
**Mary, F.** *See* Vivinus-Nebot, Ticchioni, Mary, Hofman, Quaranta, Rousselle, and Bernard.
**Más, P., and Beachy, R.N.** Replication of tobacco mosaic virus on endoplasmic reticulum and role of the cytoskeleton and virus movement protein in intracellular distribution of viral RNA. 147:945.
**Masaki, T.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Massoulié, J.** *See* Feng, Krejci, Molgo, Cunningham, Massoulié, and Sanes.
**Mastronarde, D.N.** *See* Ladinsky, Mastronarde, McIntosh, Howell, and Staehelin.
**Matheos, D.** *See* Miller, Matheos, and Rose.
**Matsudaira, P.** *See* Correia, Chu, Chou, Goldman, and Matsudaira.
**Matsumoto, K.** *See* Gu, Tamura, Pankov, Danen, Takino, Matsumoto, and Yamada.
— *See* Sumi, Matsumoto, Takai, and Nakamura.
**Matsumoto, S.** *See* Terami, Williams, Kitamura, Sakube, Matsumoto, Doi, Obinata, and Kagawa.
**Matsumoto, T.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Matsumura, F.** *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.
— *See* Totsukawa, Yamakita, Yamashiro, Hosoya, Hartshorne, and Matsumura.
— *See* Yamakita, Totsukawa, Yamashiro, Fry, Zhang, Hanks, and Matsumura.
**Matsuoka, Y.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Matsuura, Y.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.

**Mattagajasingh, S.N., Huang, S.-C., Hartenstein, J.S., Snyder, M., Marchesi, V.T., and Benz, E.J., Jr.** A nonerythroid isoform of protein 4.1R interacts with the nuclear mitotic apparatus (NuMA) protein. 145:29.
**Matthies, H.J.** *See* Sharp, McDonald, Brown, Matthies, Walczak, Vale, Mitchison, and Scholey.
**Matthies, H.J.G., Messina, L.G., Namba, R., Greer, K.J., Walker, M.Y., and Hawley, R.S.** Mutations in the α-tubulin 67C gene specifically impair aschiasmate segregation in *Drosophila melanogaster*. 147:1137.
**Matunis, M.J.** *See* Fontoura, Blobel, and Matunis.
**Matus, A.** *See* Heidemann, Kaech, Buxbaum, and Matus.
**Maul, G.G.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.
**Maundrell, K.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.
**Maxfield, F.R.** *See* Mallet and Maxfield.
— *See* Mukherjee, Soe, and Maxfield.
**Mayne, R.** *See* Li, Mayne, and Wu.
**Mazzolini, L.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Mazzoni, I.** *See* Vaillant, Mazzoni, Tudan, Boudreau, Kaplan, and Miller.
**McCaffery, J.M.** *See* Bowman, Patel-King, Benashski, McCaffery, Goldstein, and King.
**McCartney, B.M., Dierick, H.A., Kirkpatrick, C., Moline, M.M., Baas, A., Peifer, M., and Bejsovec, A.** *Drosophila* APC2 is a cytoskeletally-associated protein that regulates Wingless signaling in the embryonic epidermis. 146:1303.
**McCollum, D.** *See* Sparks, Morphew, and McCollum.
**McCormack, A.L.** *See* Goode, Wong, Butty, Peter, McCormack, Yates, Drubin, and Barnes.
**McDonald, A.R.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**McDonald, K.L.** *See* Sharp, McDonald, Brown, Matthies, Walczak, Vale, Mitchison, and Scholey.
**McGehee, D.S.** *See* Rakhilin, Drisdel, Sagher, McGehee, Vallejo, and Green.
**McGrail, M.** *See* Robinson, Wojcik, Sanders, McGrail, and Hays.
**McIntosh, J.R.** *See* Ladinsky, Mastronarde, McIntosh, Howell, and Staehelin.
— *See* Yamamoto, West, McIntosh, and Hiraoka.
— *See* Zeng, Kahana, Silver, Morphew, McIntosh, Fitch, Carbon, and Saunders.
**McIntyre, T.M.** *See* Pabla, Weyrich, Dixon, Bray, McIntyre, Prescott, and Zimmerman.
**McKeon, F.** *See* Rolls, Stein, Taylor, Ha, McKeon, and Rapoport.
**McKerlie, C.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**McNally, F.J.** *See* Ahmad, Yu, McNally, and Baas.
**Medina, M.** *See* Lu, Paredes, Medina, Zhou, Cavallo, Peifer, Orecchio, and Kosik.
**Meeusen, S., Tieu, Q., Wong, E., Weiss, E., Schieltz, D., Yates, J.R., and Nunnari, J.** Mgm101p is a novel component of the mitochondrial nucleoid that binds DNA and is required for the repair of oxidatively damaged mitochondrial DNA. 145:291.
**Meijer, M.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Melançon, P.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
— *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Melendy, T.** *See* Dimitrova, Todorov, Melendy, and Gilbert.
**Melki, R.** *See* Diamantopoulos, Perez, Goodson, Batelier, Melki, Kreis, and Rickard.
**Melkonian, K.A.** See Eckley, Gill, Melkonian, Bingham, Goodson, Heuser, and Schroer.
**Mellado, M.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.
**Mellman, I.** *See* Sheff, Daro, Hull, and Mellman.
**Ménard, R.** *See* Kappe, Bruderer, Gantt, Fujioka, Nussenzweig, and Ménard.
**Mercurio, A.M.** *See* Bachelder, Ribick, Marchetti, Falcioni, Soddu, Davis, and Mercurio.
— *See* Chen, Almeida, Huovila, Takahashi, Shaw, Mercurio, and White.
— *See* Rabinovitz, Toker, and Mercurio.
**Méresse, S.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Merlin, A., Voos, W., Maarse, A.C., Meijer, M., Pfanner, N., and Rassow, J.** The J-related segment of Tim44 is essential for cell viability: A mutant Tim44 remains in the mitochondrial import site, but inefficiently recruits mtHsp70 and impairs protein translocation. 145:961.
**Mermoud, J.E., Costanzi, C., Pehrson, J.R., and Brockdorff, N.** Histone macroH2A1.2 relocates to the inactive X chromosome after initiation and propagation of X-inactivation. 147:1399.
**Mesaeli, N., Nakamura, K., Zvaritch, E., Dickie, P., Dziak, E., Krause, K.-H., Opas, M., MacLennan, D.H., and Michalak, M.** Calreticulin is essential for cardiac development. 144:857.
**Meskenaite, V.** *See* Buchert, Schneider, Meskenaite, Adams, Canaani, Baechi, Moelling, and Hovens.
**Messier, T.** *See* Wendt, Taylor, Messier, Trybus, and Taylor.
**Messina, L.G.** *See* Matthies, Messina, Namba, Greer, Walker, and Hawley.
**Metzger, J.M.** *See* Michele, Albayya, and Metzger.
**Meyer, D.I.** *See* Becker, Block-Alper, Nakamura, Harada, Wittrup, and Meyer.
**Meyer, M.** *See* Smyth, Vatansever, Murray, Meyer, Frie, Paulsson, and Edgar.
**Miao, H.-Q., Soker, S., Feiner, L., Alonso, J.L., Raper, J.A., and Klagsbrun, M.** Neuropilin-1 mediates collapsin-1/semaphorin III inhibition of endothelial cell motility: Functional competition of collapsin-1 and vascular endothelial growth factor-165. 146:233.
**Michalak, M.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.
**Michele, D.E., Albayya, F.P., and Metzger, J.M.** Thin filament protein dynamics in fully differentiated adult cardiac myocytes: Toward a model of sarcomere maintenance. 145:1483.
**Michelena, P.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.
**Miguélez, E.M., Hardisson, C., and Manzanal, M.B.** Hyphal death during colony development in *Streptomyces antibioticus*: Morphological evidence for the existence of a process of cell deletion in a multicellular prokaryote. 145:515.
**Miki, T.** *See* Tatsumoto, Xie, Blumenthal, Okamoto, and Miki.
**Milgram, S.L.** *See* Kachinsky, Froehner, and Milgram.
— *See* Mohler, Kreda, Boucher, Sudol, Stutts, and Milgram.
— *See* Trotter, Fraser, Scott, Stutts, Scott, and Milgram.
**Millán, J.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Miller, D.L.** *See* Cottingham, Gheber, Miller, and Hoyt.
**Miller, F.D.** *See* Vaillant, Mazzoni, Tudan, Boudreau, Kaplan, and Miller.
**Miller, I.** *See* Kedersha, Gupta, Li, Miller, and Anderson.
**Miller, J.R., Rowning, B.A., Larabell, C.A., Yang-Snyder, J.A., Bates, R.L., and Moon, R.T.** Establishment of the dorsal–ventral axis in *Xenopus* embryos coincides with the dorsal enrichment of Dishevelled that is dependent on cortical rotation. 146:427.
**Miller, R.H.** *See* Ueda, Levine, Miller, and Trapp.
**Miller, R.K., Matheos, D., and Rose, M.D.** The cortical localization of the microtubule orientation protein, Kar9p, is dependent upon actin and proteins required for polarization. 144:963.
**Milligan, R.A.** *See* Oegema, Wiese, Martin, Milligan, Iwamatsu, Mitchison, and Zheng.
**Mills, J.C., Stone, N.L., and Pittman, R.N.** Extranuclear apoptosis: The role of the cytoplasm in the execution phase. 146:703.
**Millward-Sadler, S.J., Wright, M.O., Lee, H.-S., Nishida, K., Caldwell, H., Nuki, G., and Salter, D.M.** Integrin-regulated secretion of interleukin 4: A novel pathway of mechanotransduction in human articular chondrocytes. 145:183.
**Miner, J.H.** *See* Relan, Yang, Beqaj, Miner, and Schuger.
**Minin, A.A.** *See* Rogers, Karcher, Roland, Minin, Steffen, and Gelfand.
**Mitchell, D.R., and Sale, W.S.** Characterization of a *Chlamydomonas* insertional mutant that disrupts flagellar central pair microtubule-associated structures. 144:293.
**Mitchison, T.** *See* Mallavarapu and Mitchison.
**Mitchison, T.J.** *See* Oegema, Wiese, Martin, Milligan, Iwamatsu, Mitchison, and Zheng.
— *See* Sharp, McDonald, Brown, Matthies, Walczak, Vale, Mitchison, and Scholey.
**Mitic, L.L., Schneeberger, E.E., Fanning, A.S., and Anderson, J.M.** Connexin-occludin chimeras containing the ZO-binding domain of occludin localize at MDCK tight junctions and NRK cell contacts. 146:683.
**Miyahara, M.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Miyao, S.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Miyashita, Y.** *See* Ito, Miyashita, and Kasai.
— *See* Ryan, Lee, Miyashita, and Carter.
**Miyazawa, K.** *See* Kirisako, Baba, Ishihara, Miyazawa, Ohsumi, Yoshimori, Noda, and Ohsumi.
**Miyoshi, J.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.

**Mizoguchi, A.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
— *See* Mandai, Nakanishi, Satoh, Takahashi, Satoh, Nishioka, Mizoguchi, and Takai.
— *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Mochizuki, N.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.
**Moelling, K.** *See* Buchert, Schneider, Meskenaite, Adams, Canaani, Baechi, Moelling, and Hovens.
**Moen, P.T., Jr.** *See* Smith, Moen, Wydner, Coleman, and Lawrence.
**Moens, P.B.** *See* Tarsounas, Morita, Pearlman, and Moens.
**Moerman, D.G.** *See* Hobert, Moerman, Clark, Beckerle, and Ruvkun.
**Mohler, P.J., Kreda, S.M., Boucher, R.C., Sudol, M., Stutts, M.J., and Milgram, S.L.** Yes-associated protein 65 localizes $p62^{c\text{-}Yes}$ to the apical compartment of airway epithelia by association with EBP50. 147:879.
**Molgo, J.** *See* Feng, Krejci, Molgo, Cunningham, Massoulié, and Sanes.
**Moline, M.M.** *See* McCartney, Dierick, Kirkpatrick, Moline, Baas, Peifer, Bejsovec.
**Montanaro, F., Lindenbaum, M., and Carbonetto, S.** α-Dystroglycan is a laminin receptor involved in extracellular matrix assembly on myotubes and muscle cell viability. 145:1325.
**Monteiro, M.J.** *See* Stabler, Ostrowski, Janicki, and Monteiro.
**Montell, D.J.** *See* Murphy and Montell.
**Montero, M.** *See* Alonso, Barrero, Michelena, Carnicero, Cuchillo, García, García-Sancho, Montero, and Alvarez.
**Montesano, R.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.
**Montessuit, S.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.
**Moon, R.T.** *See* Miller, Rowning, Larabell, Yang-Snyder, Bates, and Moon.
**Moonga, B.S.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Moore, J.D., Yang, J., Truant, R., and Kornbluth, S.** Nuclear import of Cdk/cyclin complexes: Identification of distinct mechanisms for import of Cdk2/cyclin E and Cdc2/cyclin B1. 144:213.
**Moore, L.L., Morrison, M., and Roth, M.B.** HCP-1, a protein involved in chromosome segregation, is localized to the centromere of mitotic chromosomes in *Caenorhabditis elegans*. 147:471.
**Moraru, I.I.** *See* Fink, Slepchenko, Moraru, Schaff, Watras, and Loew.
**Morena, A.R.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Morgan, C.P.** *See* Griffiths, Dubrez, Morgan, Jones, Whitehouse, Corfe, Dive, and Hickman.
**Morgan, J.E.** *See* Beauchamp, Morgan, Pagel, and Partridge.
**Mörgelin, M.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.
— *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Mori, H., Summer, E.J., Ma, X., and Cline, K.** Component specificity for the thylakoidal Sec and Delta pH–dependent protein transport pathways. 146:45.
**Mori, M.** *See* Gotoh and Mori.
**Morimoto, R.I.** *See* Jolly, Vourc'h, Robert-Nicoud, and Morimoto.
**Morita, K., Sasaki, H., Fujimoto, K., Furuse, M., and Tsukita, S.** Claudin-11/OSP-based tight junctions of myelin sheaths in brain and Sertoli cells in testis. 145:579.
—, **Sasaki, H., Furuse, M., and Tsukita, S.** Endothelial claudin: Claudin-5/TMVCF constitutes tight junction strands in endothelial cells. 147:185.
**Morita, K.** *See* Itoh, Furuse, Morita, Kubota, Saitou, and Tsukita.
**Morita, T.** *See* Tarsounas, Morita, Pearlman, and Moens.
**Morphew, M.** *See* Sparks, Morphew, and McCollum.
**Morphew, M.K.** *See* Zeng, Kahana, Silver, Morphew, McIntosh, Fitch, Carbon, and Saunders.
**Morrison, M.** *See* Moore, Morrison, and Roth.
**Moser, A.J.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Mostov, K.** *See* Altschuler, Liu, Katz, Tang, Hardy, Brodsky, Apodaca, and Mostov.
**Mouly, V.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Mounier, J.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Mountain, V., Simerly, C., Howard, L., Ando, A., Schatten, G., and Compton, D.A.** The kinesin-related protein, HSET, opposes the activity of Eg5 and cross-links microtubules in the mammalian mitotic spindle. 147:351.
**Muallem, S.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Mueller, B.K.** *See* Ledig, Haj, Bixby, Stoker, and Mueller.
**Mukherjee, S., Soe, T.T., and Maxfield, F.R.** Endocytic sorting of lipid analogues differing solely in the chemistry of their hydrophobic tails. 144:1271.
**Müller-Taubenberger, A.** *See* Konzok, Weber, Simmeth, Hacker, Maniak, and Müller-Taubenberger.
**Mungthin, M.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Munson, M.** *See* Carr, Grote, Munson, Hughson, and Novick.
**Murphy, A.M., and Montell, D.J.** Cell type-specific roles for Cdc42, Rac, and RhoL in *Drosophila* oogenesis: Correction. 144:587.
**Murphy, G.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.
**Murphy, J.** *See* Drummond, Ferrigno, Lyon, Murphy, Goldberg, Allen, Smythe, and Hutchison.
**Murray, N.R., Davidson, L.A., Chapkin, R.S., Gustafson, W.C., Schattenberg, D.G., and Fields, A.P.** Overexpression of protein kinase C $\beta_{II}$ induces colonic hyperproliferation and increased sensitivity to colon carcinogenesis. 145:699.
**Murray, P.** *See* Smyth, Vatansever, Murray, Meyer, Frie, Paulsson, and Edgar.
**Mustonen, T.** *See* Harada, Kettunen, Jung, Mustonen, Wang, and Thesleff.
**Muszynski, M.G.** *See* Yu, Muszynski, and Dawe.
**Mwanjewe, J.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Myster, S.H., Knott, J.A., Wysocki, K.M., O'Toole, E., and Porter, M.E.** Domains in the 1α dynein heavy chain required for inner arm assembly and flagellar motility in *Chlamydomonas*. 146:801.

## N

**Nagafuchi, A.** *See* Imamura, Itoh, Maeno, Tsukita, and Nagafuchi.
**Nagashima, K.** *See* Sullivan, Escalante-Alcalde, Bhatt, Anver, Bhat, Nagashima, Stewart, and Burke.
**Nagatani, A.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.
**Nakagawa, N.** *See* Kuroda, Nakagawa, Tokunaga, Tatematsu, and Tanizawa.
**Nakagawa, S.** *See* Aono, Nakagawa, Reynolds, and Takeichi.
**Nakamura, G.** *See* Becker, Block-Alper, Nakamura, Harada, Wittrup, and Meyer.
**Nakamura, K.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.
**Nakamura, M.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.
**Nakamura, T.** *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.
— *See* Sumi, Matsumoto, Takai, and Nakamura.
**Nakanishi, H.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
— *See* Mandai, Nakanishi, Satoh, Takahashi, Satoh, Nishioka, Mizoguchi, and Takai.
— *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Nakano, M.Y.** *See* Suomalainen, Nakano, Keller, Boucke, Stidwill, and Greber.
**Nakase, T.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**Namba, R.** *See* Matthies, Messina, Namba, Greer, Walker, and Hawley.
**Nargang, F.E.** *See* Ahting, Thun, Hegerl, Typke, Nargang, Neupert, and Nussberger.
**Nava, V.** *See* Olivera, Kohama, Edsall, Nava, Cuvillier, Poulton, and Spiegel.
**Neale, E.A., Bowers, L.M., Jia, M., Bateman, K.E., and Williamson, L.C.** Botulinum neurotoxin A blocks synaptic vesicle exocytosis but not endocytosis at the nerve terminal. 147:1249.
**Nee, L.E.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Neff, N.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.
**Negorev, D.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.
**Nelson, R.W., and Gumbiner, B.M.** A cell-free assay system for β-catenin signaling that recapitulates direct inductive events in the early *Xenopus laevis* embryo. 147:367.
**Nelson, W.J.** *See* Chen, Stewart, and Nelson.
— *See* Robbins, Barth, Marquis, de Hostos, Nelson, and Theriot.
**Nemerow, G.R.** *See* Stupack, Li, Silletti, Kehler, Geahlen, Hahn, Nemerow, and Cheresh.

**Nern, A., and Arkowitz, R.A.** A Cdc24p-Far1p-Gβγ protein complex required for yeast orientation during mating. 144:1187.
**Nestor, A.L.** *See* Allison and Nestor.
**Neupert, W.** *See* Ahting, Thun, Hegerl, Typke, Nargang, Neupert, and Nussberger.
— *See* Rapaport and Neupert.
**Newmeyer, D.D.** *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
— *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Nguyen, D.H.D., Catling, A.D., Webb, D.J., Sankovic, M., Walker, L.A., Somlyo, A.V., Weber, M.J., and Gonias, S.L.** Myosin light chain kinase functions downstream of Ras/ERK to promote migration of urokinase-type plasminogen activator-stimulated cells in an integrin-selective manner. 146:149.
**Nguyen, M.D.** *See* Beaulieu, Nguyen, and Julien.
**Ni, J.** *See* Banerji, Ni, Wang, Clasper, Su, Tammi, Jones, and Jackson.
**Nichols, A.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.
**Nicholson, B.J.** *See* Zhou, Kasperek, and Nicholson.
**Nicholson, D.W.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Nick, P.** *See* Kircher, Wellmer, Nick, Rügner, Schäfer, and Harter.
**Niebuhr, K.** *See* Blocker, Gounon, Larquet, Niebuhr, Cabiaux, Parsot, and Sansonetti.
**Nieman, M.T., Prudoff, R.S., Johnson, K.R., and Wheelock, M.J.** N-Cadherin promotes motility in human breast cancer cells regardless of their E-cadherin expression. 147:631.
**Nieto, M.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.
**Nievers, M.G.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.
**Niewiadomska, P., Godt, D., and Tepass, U.** *D*E-Cadherin is required for intercellular motility during *Drosophila* oogenesis. 144:533.
**Nikolopoulos, S.N.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Nishi, M., Komazaki, S., Kurebayashi, N., Ogawa, Y., Noda, T., Iino, M., and Takeshima, H.** Abnormal features in skeletal muscle from mice lacking mitsugumin29. 147:1473.
**Nishida, K.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Nishida, W.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Nishijima, M.** *See* Fukasawa, Nishijima, and Hanada.
**Nishikawa, S.-i.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
**Nishioka, H.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
— *See* Mandai, Nakanishi, Satoh, Takahashi, Satoh, Nishioka, Mizoguchi, and Takai.
— *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Nishiyama, A., Dahlin, K., Prince, J., Johnstone, S., and Stallcup, W.B.** The primary structure of NG2, a novel membrane-spanning proteoglycan [114(5):359]: Correction. 145:1117.
**Nobes, C.D., and Hall, A.** Rho GTPases control polarity, protrusion, and adhesion during cell movement. 144:1235.
**Noda, T.** *See* Kirisako, Baba, Ishihara, Miyazawa, Ohsumi, Yoshimori, Noda, and Ohsumi.
— *See* Nishi, Komazaki, Kurebayashi, Ogawa, Noda, Iino, and Takeshima.
**Noegel, A.A.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Nogales, E.** *See* Feierbach, Nogales, Downing, and Stearns.
**Nomoto, A.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Nonaka, S.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Novick, P.J.** *See* Carr, Grote, Munson, Hughson, and Novick.
**Nuki, G.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Nunnari, J.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Nussberger, S.** *See* Ahting, Thun, Hegerl, Typke, Nargang, Neupert, and Nussberger.
**Nussenzweig, V.** *See* Kappe, Bruderer, Gantt, Fujioka, Nussenzweig, and Ménard.

## O

**Obeid, L.M.** *See* Zhang, Reedy, Hannun, and Obeid.
**Obinata, T.** *See* Terami, Williams, Kitamura, Sakube, Matsumoto, Doi, Obinata, and Kagawa.
**Ochi, T.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**O'Connell, C.B., Wheatley, S.P., Ahmed, S., and Wang, Y.-l.** The small GTP-binding protein Rho regulates cortical activities in cultured cells during division. 144:305.
**O'Connor, J.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Odintsova, E.** *See* Berditchevski and Odintsova.
**O'Donoghue, M.** *See* Zakharenko, Chang, O'Donoghue, and Popov.
**Oegema, K., Wiese, C., Martin, O.C., Milligan, R.A., Iwamatsu, A., Mitchison, T.J., and Zheng, Y.** Characterization of two related *Drosophila* γ-tubulin complexes that differ in their ability to nucleate microtubules. 144:721.
**O'Farrell, P.H.** *See* Vidwans, Wong, and O'Farrell.
**Offermanns, S.** *See* Klages, Brandt, Simon, Schultz, and Offermanns.
**Oganesian, A.** *See* Zhu, Oganesian, Keene, and Sandell.
**Ogawa, S.** *See* Yamaguchi, Hori, Stern, Hartmann, Ogawa, and Tohyama.
**Ogawa, Y.** *See* Nishi, Komazaki, Kurebayashi, Ogawa, Noda, Iino, and Takeshima.
**Ohkura, H.** *See* Cullen, Deák, Glover, and Ohkura.
**Ohno, S.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Ohsumi, M.** *See* Kirisako, Baba, Ishihara, Miyazawa, Ohsumi, Yoshimori, Noda, and Ohsumi.
**Ohsumi, Y.** *See* Kirisako, Baba, Ishihara, Miyazawa, Ohsumi, Yoshimori, Noda, and Ohsumi.
**Ojala, P.M.** *See* Poranen, Daugelavičius, Ojala, Hess, and Bamford.
**Okada, Y.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Okamoto, I.** *See* Tatsumoto, Xie, Blumenthal, Okamoto, and Miki.
**Okano, H.** *See* Sawamoto, Winge, Koyama, Hirota, Yamadà, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Okazaki, K.** *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.
**Okazawa, H.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Oktay, M., Wary, K.K., Dans, M., Birge, R.B., and Giancotti, F.G.** Integrin-mediated activation of focal adhesion kinase is required for signaling to Jun $NH_2$-terminal kinase and progression through the G1 phase of the cell cycle. 145:1461.
**Olesen, J.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Oliferenko, S., Paiha, K., Harder, T., Gerke, V., Schwärzler, C., Schwarz, H., Beug, H., Günthert, U., and Huber, L.A.** Analysis of CD44-containing lipid rafts: Recruitment of annexin II and stabilization by the actin cytoskeleton. 146:843.
**Oliver, J.** *See* Farrelly, Lee, Oliver, Dive, and Streuli.
**Oliver, T., Dembo, M., and Jacobson, K.** Separation of propulsive and adhesive traction stresses in locomoting keratocytes. 145:589.
**Olivera, A., Kohama, T., Edsall, L., Nava, V., Cuvillier, O., Poulton, S., and Spiegel, S.** Sphingosine kinase expression increases intracellular sphingosine-1-phosphate and promotes cell growth and survival. 147:545.
**Olsen, B.R.** Life without perlecan has its problems. 147:909.
**Olson, P.F.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Ono, S., Baillie, D.L., and Benian, G.M.** UNC-60B, an ADF/cofilin family protein, is required for proper assembly of actin into myofibrils in *Caenorhabditis elegans* body wall muscle. 145:491.
**Oohashi, T., Zhou, X.-H., Feng, K., Richter, B., Mörgelin, M., Perez, M.T., Su, W.-D., Chiquet-Ehrismann, R., Rauch, U., and Fässler, R.** Mouse Ten-m/Odz is a new family of dimeric type II transmembrane proteins expressed in many tissues.° 145:563.
**Opas, M.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.
**Ordahl, C.P.** Myogenic shape-shifters. 147:695.
**Orecchio, L.** *See* Lu, Paredes, Medina, Zhou, Cavallo, Peifer, Orecchio, and Kosik.
**Orford, C.C.** *See* Orford, Orford, and Byers.
**Orford, K., Orford, C.C., and Byers, S.W.** Exogenous expression of β-catenin regulates contact inhibition, anchorage-independent growth, anoikis, and radiation-induced cell cycle arrest. 146:855.
**Orozco, J.T.** *See* Signor, Wedaman, Orozco, Dwyer, Bargmann, Rose, and Scholey.
**Osen-Sand, A.** *See* Desagher, Osen-Sand, Nichols, Eskes, Montessuit, Lauper, Maundrell, Antonsson, and Martinou.
**Oshiro, N.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.

°The online version of this article contains supplemental material.

— *See* Kawano, Fukata, Oshiro, Amano, Nakamura, Ito, Matsumura, Inagaki, and Kaibuchi.
**Ossowski, L.** *See* Aguirre Ghiso, Kovalski, and Ossowski.
**Osterhout, D.J., Wolven, A., Wolf, R.M., Resh, M.D., and Chao, M.V.** Morphological differentiation of oligodendrocytes requires activation of Fyn tyrosine kinase. 145:1209.
**Ostermann, J.** *See* Lin, Love, Gushue, Bergeron, and Ostermann.
**Ostrowski, L.L.** *See* Stabler, Ostrowski, Janicki, and Monteiro.
**Otey, C.** *See* Kiosses, Daniels, Otey, Bokoch, and Schwartz.
**O'Toole, E.** *See* Myster, Knott, Wysocki, O'Toole, and Porter.
— *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.

P

**Pabla, R., Weyrich, A.S., Dixon, D.A., Bray, P.F., McIntyre, T.M., Prescott, S.M., and Zimmerman, G.A.** Integrin-dependent control of translation: Engagement of integrin $\alpha_{IIb}\beta_3$ regulates synthesis of proteins in activated human platelets. 144:175.
**Pachter, J.S.** *See* Andjelkovic, Spencer, and Pachter.
**Pacifici, M.** *See* Yagami, Suh, Enomoto-Iwamoto, Koyama, Abrams, Shapiro, Pacifici, and Iwamoto.
**Paganetti, P.A.** *See* Beliën, Paganetti, and Schwab.
**Page, L.J., Sowerby, P.J., Lui, W.W.Y., and Robinson, M.S.** γ-Synergin: An EH domain-containing protein that interacts with γ-adaptin. 146: 993.
**Pagel, C.N.** *See* Beauchamp, Morgan, Pagel, and Partridge.
**Pählman, S.** *See* Zeidman, Löfgren, Pählman, and Larsson.
**Paiement, J.** *See* Lavoie, Paiement, Dominguez, Roy, Dahan, Gushue, and Bergeron.
**Paiha, K.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Palade, G.E.** *See* Stan, Ghitescu, Jacobson, and Palade.
**Paladini, R.D., and Coulombe, P.A.** The functional diversity of epidermal keratins revealed by the partial rescue of the keratin 14 null phenotype by keratin 16. 146:1185.
**Pallavicini, A.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Pallen, C.J.** *See* Zeng, D'Alessandri, Kalousek, Vaughan, and Pallen.
**Palombi, F.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Paltauf, F.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Pankov, R.** *See* Gu, Tamura, Pankov, Danen, Takino, Matsumoto, and Yamada.
**Pantaloni, D.** *See* Egile, Loisel, Laurent, Li, Pantaloni, Sansonetti, and Carlier.
**Paraskeva, E., Izaurralde, E., Bischoff, F.R., Huber, J., Kutay, U., Hartmann, E., Lührmann, R., and Görlich, D.** CRM1-mediated recycling of snurportin 1 to the cytoplasm. 145:255.
**Paredes, M.** *See* Lu, Paredes, Medina, Zhou, Cavallo, Peifer, Orecchio, and Kosik.
**Parise, L.V.** *See* Keely, Rusyn, Cox, and Parise.
**Parry, D.A.D.** *See* Cordenonsi, D'Atri, Hammar, Parry, Kendrick-Jones, Shore, and Citi.
**Parslow, T.G.** *See* Doria, Salcini, Colombo, Parslow, Pelicci, and Di Fiore.
**Parsot, C.** *See* Blocker, Gounon, Larquet, Niebuhr, Cabiaux, Parsot, and Sansonetti.
**Parton, R.G.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Partridge, T.A.** *See* Beauchamp, Morgan, Pagel, and Partridge.
**Patel-King, R.S.** *See* Bowman, Patel-King, Benashski, McCaffery, Goldstein, and King.
**Paterna, P.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Paul, C.** *See* Leppert, Diekmann, Paul, Laessing, Marx, Bastmeyer, and Stuermer.
**Paulsson, M.** *See* Smyth, Vatansever, Murray, Meyer, Frie, Paulsson, and Edgar.
**Pazour, G.J., Dickert, B.L., and Witman, G.B.** The DHC1b (DHC2) isoform of cytoplasmic dynein is required for flagellar assembly. 144: 473.
**Pearlman, R.E.** *See* Tarsounas, Morita, Pearlman, and Moens.
**Pearson, B.** *See* Haug-Collet, Pearson, Webel, Szerencsei, Winkfein, Schnetkamp, and Colley.
**Pehau-Arnaudet, G.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Pehrson, J.R.** *See* Mermoud, Costanzi, Pehrson, and Brockdorff.
**Peifer, M.** *See* Lu, Paredes, Medina, Zhou, Cavallo, Peifer, Orecchio, and Kosik.
— *See* McCartney, Dierick, Kirkpatrick, Moline, Baas, Peifer, Bejsovec.
**Pekny, M., Johansson, C.B., Eliasson, C., Stakeberg, J., Wallén, Å., Perlmann, T., Lendahl, U., Betsholtz, C., Berthold, C.-H., and Frisén, J.** Abnormal reaction to central nervous system injury in mice lacking glial fibrillary acidic protein and vimentin. 145:503.
**Pelicci, P.G.** *See* Doria, Salcini, Colombo, Parslow, Pelicci, and Di Fiore.
**Pellegrini, G., Golisano, O., Paterna, P., Lambiase, A., Bonini, S., Rama, P., and De Luca, M.** Location and clonal analysis of stem cells and their differentiated progeny in the human ocular surface. 145:769.
**Pellizzoni, L.** *See* Charroux, Pellizzoni, Perkinson, Shevchenko, Mann, and Dreyfuss.
**Pellman, D.** *See* Lee, Klee, Evangelista, Boone, and Pellman.
— *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.
**Peluso, C.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Peluso, I.** *See* Giordano, Peluso, Senger, and Furia.
**Pemberton, L.F., Rosenblum, J.S., and Blobel, G.** Nuclear import of the TATA-binding protein: Mediation by the karyopherin Kap114p and a possible mechanism for intranuclear targeting. 145:1407.
**Peng, H.B., Xie, H., Rossi, S.G., and Rotundo, R.L.** Acetylcholinesterase clustering at the neuromuscular junction involves perlecan and dystroglycan. 145:911.
**Pepperkok, R.** *See* Gillham, Golding, Pepperkok, and Gullick.
**Perez, F.** *See* Diamantopoulos, Perez, Goodson, Batelier, Melki, Kreis, and Rickard.
**Perez, M.T.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Pérez, P.** *See* Katayama, Hirata, Arellano, Pérez, and Toda.
**Perez, S.E.** *See* Ray, Perez, Yang, Xu, Ritchings, Steller, and Goldstein.
**Pérez-Moreno, M.** *See* Espada, Pérez-Moreno, Braga, Rodriguez-Viciana, and Cano.
**Perkins, G.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
— *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
**Perkinson, R.A.** *See* Charroux, Pellizzoni, Perkinson, Shevchenko, Mann, and Dreyfuss.
**Perl, A.-K.** *See* Esni, Täljedal, Perl, Cremer, Christofori, and Semb.
**Perlmann, T.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Perrotta, J.A.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Perry, P.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.
**Peter, M.** *See* Goode, Wong, Butty, Peter, McCormack, Yates, Drubin, and Barnes.
**Petrasch-Parwez, E.** *See* Wang, Kibschull, Laue, Lichte, Petrasch-Parwez, and Kilimann.
**Pettmann, B.** *See* Raoul, Henderson, and Pettmann.
**Pfanner, N.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Pham, B.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Philimonenko, V.V.** *See* Weipoltshammer, Schöfer, Almeder, Philimonenko, Frei, Wachtler, and Hozák.
**Piatti, S.** *See* Fraschini, Formenti, Lucchini, and Piatti.
— *See* Sanvito, Piatti, Villa, Bossi, Lucchini, Marchisio, and Biffo.
**Pichler, S.** *See* Gönczy, Pichler, Kirkham, and Hyman.
**Pines, J.** *See* Furuno, den Elzen, and Pines.
— *See* Karlsson, Katich, Hagting, Hoffmann, and Pines.
**Pique, C.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Piscione, T.D.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Pittman, R.N.** *See* Mills, Stone, and Pittman.
**Plagge, A.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Ploegh, H.L.** *See* Driessen, Bryant, Lennon-Duménil, Villadangos, Bryant, Shi, Chapman, and Ploegh.
— *See* Shamu, Story, Rapoport, and Ploegh.
— *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Pokala, N.** *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
**Polette, M.** *See* Legrand, Gilles, Zahm, Polette, Buisson, Kaplan, Birembaut, and Tournier.
**Pollock, N., de Hostos, E.L., Turck, C.W., and Vale, R.D.** Reconstitution of membrane transport powered by a novel dimeric kinesin motor of the Unc104/KIF1A family purified from *Dictyostelium*. 147:493.

**Ponzetto, C.** *See* De Angelis, Berghella, Coletta, Lattanzi, Zanchi, Cusella-De Angelis, Ponzetto, and Cossu.
**Pool, M.** *See* Bacher, Pool, and Dobberstein.
**Popko, B.** *See* Dupree, Girault, and Popko.
**Popov, S.V.** *See* Zakharenko, Chang, O'Donoghue, and Popov.
**Poranen, M.M., Daugelavičius, R., Ojala, P.M., Hess, M.W., and Bamford, D.H.** A novel virus–host cell membrane interaction: Membrane voltage–dependent endocytic-like entry of bacteriophage ϕ6 nucleocapsid. 147:671.
**Porat, A.** *See* Soussan, Burakov, Daniels, Toister-Achituv, Porat, Yarden, and Elazar.
**Porter, M.E.** *See* Myster, Knott, Wysocki, O'Toole, and Porter.
**Poulton, S.** *See* Olivera, Kohama, Edsall, Nava, Cuvillier, Poulton, and Spiegel.
**Prekeris, R.** *See* Advani, Yang, Prekeris, Lee, Klumperman, and Scheller.
— *See* Chao, Hay, Winnick, Prekeris, Klumperman, and Scheller.
**Premont, R.T.** *See* Hall, Premont, and Lefkowitz.
**Prescott, S.M.** *See* Pabla, Weyrich, Dixon, Bray, McIntyre, Prescott, and Zimmerman.
**Price, L.S.** *See* Renshaw, Price, and Schwartz.
**Prince, J.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**Princiotta, M.F.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Pritchard, C.E.J., Fornerod, M., Kasper, L.H., and van Deursen, J.M.A.** RAE1 is a shuttling mRNA export factor that binds to a GLEBS-like NUP98 motif at the nuclear pore complex through multiple domains. 145:237.
**Proudfoot, A.E.I.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.
**Prudoff, R.S.** *See* Nieman, Prudoff, Johnson, Wheelock.
**Pruyne, D.** *See* Schott, Ho, Pruyne, and Bretscher.
**Puertollano, R., Martín-Belmonte, F., Millán, J., del Carmen de Marco, M., Albar, J.P., Kremer, L., and Alonso, M.A.** The MAL proteolipid is necessary for normal apical transport and accurate sorting of the influenza virus hemagglutinin in Madin-Darby canine kidney cells. 145:141.
**Pulido, R.** *See* Blanco-Aparicio, Torres, and Pulido.
**Pullano, R.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Purcell, K., and Artavanis-Tsakonas, S.** The developmental role of *warthog*, the Notch modifier encoding *Drab6*. 146:731.
**Purkis, P.E.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.
**Purohit, A., Tynan, S.H., Vallee, R., and Doxsey, S.J.** Direct interaction of pericentrin with cytoplasmic dynein light intermediate chain contributes to mitotic spindle organization. 147:481.

## Q

**Qian, Y.-x.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Quaranta, V.** *See* Vivinus-Nebot, Ticchioni, Mary, Hofman, Quaranta, Rousselle, and Bernard.
**Quintyne, N.J., Gill, S.R., Eckley, D.M., Crego, C.L., Compton, D.A., and Schroer, T.A.** Dynactin is required for microtubule anchoring at centrosomes. 147:321.

## R

**Rabinovitz, I., Toker, A., and Mercurio, A.M.** Protein kinase C–dependent mobilization of the α6β4 integrin from hemidesmosomes and its association with actin-rich cell protrusions drive the chemotactic migration of carinoma cells. 146:1147.
**Radding, C.M.** *See* Haaf, Raderschall, Reddy, Ward, Radding, and Golub.
**Raderschall, E.** *See* Haaf, Raderschall, Reddy, Ward, Radding, and Golub.
**Raff, M.C.** *See* Barres and Raff
**Rahman, A., Kamal, A., Roberts, E.A., and Goldstein, L.S.B.** Defective kinesin heavy chain behavior in mouse kinesin light chain mutants. 146:1277.
**Raines, E.W.** *See* Carragher, Levkau, Ross, and Raines.
**Rakhilin, S., Drisdel, R.C., Sagher, D., McGehee, D.S., Vallejo, Y., and Green, W.N.** α-Bungarotoxin receptors contain α7 subunits in two different disulfide-bonded conformations. 146:203.
**Rama, P.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Ramos-Morales, F.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.
**Rangell, L.** *See* Koller, Snyder, Faber, Wenzel, Rangell, Keller, and Subramani.
**Raoul, C., Henderson, C.E., and Pettmann, B.** Programmed cell death of embryonic motoneurons triggered through the Fas death receptor. 147:1049.
**Rapaport, D., and Neupert, W.** Biogenesis of Tom40, core component of the TOM complex of mitochondria. 146:321.
**Raper, J.A.** *See* Miao, Soker, Feiner, Alonso, Raper, and Klagsbrun.
**Rapoport, T.A.** *See* Rolls, Stein, Taylor, Ha, McKeon, and Rapoport.
— *See* Shamu, Story, Rapoport, and Ploegh.
**Raposo, G.** *See* Théry, Regnault, Garin, Wolfers, Zitvogel, Ricciardi-Castagnoli, Raposo, and Amigorena.
**Rassow, J.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Rathjen, F.G.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Rauch, U.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Raucher, D., and Sheetz, M.P.** Membrane expansion increases endocytosis rate during mitosis. 144:497.
**Raveh, T.** *See* Cohen, Inbal, Kissil, Raveh, Berissi, Spivak-Kroizaman, Feinstein, and Kimchi.
**Ray, J.M.** *See* Sauvé, Anderson, Ray, James, and Roberge.
**Ray, K., Perez, S.E., Yang, Z., Xu, J., Ritchings, B.W., Steller, H., and Goldstein, L.S.B.** Kinesin-II is required for axonal transport of choline acetyltransferase in *Drosophila*.
**Raynaud-Messina, B.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Raynes, K.J.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Rea, R.** *See* Boitier, Rea, and Duchen.
**Realini, C.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Rechsteiner, M.C.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Reddy, G.** *See* Haaf, Raderschall, Reddy, Ward, Radding, and Golub.
**Redon, C.** *See* Rogakou, Boon, Redon, and Bonner.
**Reed, J.C.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Reedy, M.** *See* Tuvia, Buhusi, Davis, Reedy, and Bennett.
**Reedy, M.C.** *See* Zhang, Reedy, Hannun, and Obeid.
**Regnault, A.** *See* Théry, Regnault, Garin, Wolfers, Zitvogel, Ricciardi-Castagnoli, Raposo, and Amigorena.
**Rehling, P.** *See* Girzalsky, Rehling, Stein, Kipper, Blank, Kunau, and Erdmann.
**Reichardt, H.M.** *See* Tuckermann, Reichardt, Arribas, Richter, Schütz, and Angel.
**Reinsch, S.** *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Relan, N.K., Yang, Y., Beqaj, S., Miner, J.H., and Schuger, L.** Cell elongation induces laminin α2 chain expression in mouse embryonic mesenchymal cells: Role in visceral myogenesis. 147:1341.
**Renken, C.** *See* Kluck, Degli Esposti, Perkins, Renken, Kuwana, Bossy-Wetzel, Goldberg, Allen, Barber, Green, and Newmeyer.
**Renshaw, M.W., Price, L.S., and Schwartz, M.A.** Focal adhesion kinase mediates the integrin signaling requirement for growth factor activation of MAP kinase. 147:611.
**Resh, M.D.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
— *See* van't Hof and Resh.
**Reunanen, H.** *See* Ivaska, Reunanen, Westermarck, Koivisto, Kähäri, and Heino.
**Reynolds, A.B.** *See* Aono, Nakagawa, Reynolds, and Takeichi.
**Ribick, M.J.** *See* Bachelder, Ribick, Marchetti, Falcioni, Soddu, Davis, and Mercurio.
**Ricciardi-Castagnoli, P.** *See* Théry, Regnault, Garin, Wolfers, Zitvogel, Ricciardi-Castagnoli, Raposo, and Amigorena.
**Richter, B.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Richter, K.H.** *See* Tuckermann, Reichardt, Arribas, Richter, Schütz, and Angel.
**Richter, S., and Lamppa, G.K.** Stromal processing peptidase binds transit peptides and initiates their ATP-dependent turnover in chloroplasts. 147:33.
**Rickard, J.E.** *See* Diamantopoulos, Perez, Goodson, Batelier, Melki, Kreis, and Rickard.
**Ricketts, W.A.** *See* Collins, Ricketts, Yeh, and Cheresh.
**Ridley, A.J.** *See* Wójciak-Stothard, Williams, and Ridley.
**Rieder, C.L.** *See* Khodjakov and Rieder.

**Riedy, M.C.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Rietveld, A.G.** *See* Benting, Rietveld, and Simons.
**Ring, B.D.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Rios, R.M.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.
**Ritchie, A.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.
**Ritchings, B.W.** *See* Ray, Perez, Yang, Xu, Ritchings, Steller, and Goldstein.
**Rivera, S.** *See* Gutierrez, Yu, Rivera, and Wessling-Resnick.
**Robbins, J.R., Barth, A.I., Marquis, H., de Hostos, E.L., Nelson, W.J., and Theriot, J.A.** *Listeria monocytogenes* exploits normal host cell processes to spread from cell to cell.° 146:1333.
**Roberg, K.J., Crotwell, M., Espenshade, P., Gimeno, R., and Kaiser, C.A.** *LST1* is a *SEC24* homologue used for selective export of the plasma membrane ATPase from the endoplasmic reticulum. 145:659.
**Roberge, M.** *See* Sauvé, Anderson, Ray, James, and Roberge.
**Robert-Nicoud, M.** *See* Jolly, Vourc'h, Robert-Nicoud, and Morimoto.
**Roberts, E.A.** *See* Rahman, Kamal, Roberts, and Goldstein.
**Roberts, T.M.** *See* Italiano, Stewart, and Roberts.
**Robertson, E.J.** *See* Constam and Robertson.
**Robine, S.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Robinson, J.T., Wojcik, E.J., Sanders, M.A., McGrail, M., and Hays, T.S.** Cytoplasmic dynein is required for the nuclear attachment and migration of centrosomes during mitosis in *Drosophila*. 146:597.
**Robinson, M.S.** *See* Page, Sowerby, Lui, and Robinson.
**Roche, D.** *See* Taddei, Roche, Sibarita, Turner, and Almouzni.
**Rocks, O.** *See* Bauer, Schubert, Rocks, and Grimm.
**Rodal, A.A., Tetreault, J.W., Lappalainen, P., Drubin, D.G., and Amberg, D.C.** Aip1p interacts with cofilin to disassemble actin filaments. 145: 1251.
**Roder, J.** *See* Haney, Sahenk, Li, Lemmon, Roder, and Trapp.
**Rodriguez-Boulan, E.** *See* Bonilha, Finnemann, and Rodriguez-Boulan.
**Rodríguez-Frade, J.M., Vila-Coro, A.J., Martín, A., Nieto, M., Sánchez-Madrid, F., Proudfoot, A.E.I., Wells, T.N.C., Martínez-A., C., and Mellado, M.** Similarities and differences in RANTES- and (AOP)-RANTES–triggered signals: Implications for chemotaxis. 144:755.
**Rodriguez-Viciana, P.** *See* Espada, Pérez-Moreno, Braga, Rodriguez-Viciana, and Cano.
**Rogakou, E.P., Boon, C., Redon, C., and Bonner, W.M.** Megabase chromatin domains involved in DNA double-strand breaks in vivo. 146: 905.
**Rogers, S.L., Karcher, R.L., Roland, J.T., Minin, A.A., Steffen, W., and Gelfand, V.I.** Regulation of melanosome movement in the cell cycle by reversible association with myosin V. 146:1265.
**Roh, D.-H.** *See* Drgonova, Drgon, Roh, and Cabib.
**Roland, J.T.** *See* Rogers, Karcher, Roland, Minin, Steffen, and Gelfand.
**Rolls, M.M., Stein, P.A., Taylor, S.S., Ha, E., McKeon, F., and Rapoport, T.A.** A visual screen of a GFP-fusion library identifies a new type of nuclear envelope membrane protein. 146:29.
**Rome, L.** *See* Herrmann, Golkaramnay, Inman, Rome, and Volknandt.
**Rome, L.H.** *See* Kickhoefer, Siva, Kedersha, Inman, Ruland, Streuli, and Rome.
**Römisch, K.** *See* Gillece, Luz, Lennarz, de la Cruz, and Römisch.
**Roncero, C.** *See* Trilla, Durán, and Roncero.
**Rosal, P.H.** *See* Chen, Ingram, Rosal, and Graham.
**Rose, L.S.** *See* Signor, Wedaman, Orozco, Dwyer, Bargmann, Rose, and Scholey.
**Rose, M.D.** *See* Miller, Matheos, and Rose.
**Rosen, S.D.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Rosenbaum, J.L., Cole, D.G., and Diener, D.R.** Intraflagellar transport: The eyes have it. 144:385.
**Rosenberg, A.R., Delamarre, L., Pique, C., Le Blanc, I., Griffith, G., and Dokhélar, M.-C.** Early assembly step of a retroviral envelope glycoprotein: Analysis using a dominant negative assay. 145:57.
**Rosenblum, J.S.** *See* Pemberton, Rosenblum, and Blobel.
**Rosenblum, N.D.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Ross, R.** *See* Carragher, Levkau, Ross, and Raines.
**Rossanese, O.W., Soderholm, J., Bevis, B.J., Sears, I.B., O'Connor, J., Williamson, E.K., and Glick, B.S.** Golgi structure correlates with transitional endoplasmic reticulum organization in *Pichia pastoris* and *Saccharomyces cerevisiae*. 145:69.

°The online version of this article contains supplemental material.

**Rossi, G.** *See* Lehman, Rossi, Adamo, and Brennwald.
**Rossi, S.G.** *See* Peng, Xie, Rossi, and Rotundo.
**Roth, M.B.** *See* Moore, Morrison, and Roth.
**Rotundo, R.L.** *See* Peng, Xie, Rossi, and Rotundo.
**Rousselle, P.** *See* Vivinus-Nebot, Ticchioni, Mary, Hofman, Quaranta, Rousselle, and Bernard.
**Rout, M.P.** *See* Strambio-de-Castillia, Blobel, and Rout.
**Rowning, B.A.** *See* Miller, Rowning, Larabell, Yang-Snyder, Bates, and Moon.
**Roy, L.** *See* Lavoie, Paiement, Dominguez, Roy, Dahan, Gushue, and Bergeron.
**Roy, L.M.** *See* Walker, Roy, Coleman, Voelker, and Barkan.
**Rubio, M.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Rudnicki, M.A.** *See* Sabourin, Girgis-Gabardo, Seale, Asakura, and Rudnicki.
**Rudy, D.E.** *See* Linke, Rudy, Centner Gautel, Witt, Labeit, and Gregorio.
**Rügner, A.** *See* Kircher, Wellmer, Nick, Rügner, Schäfer, and Harter.
**Ruiz, T.** *See* Ferrary, Cohen-Tannoudji, Pehau-Arnaudet, Lapillonne, Athman, Ruiz, Boulouha, El Marjou, Doye, Fontaine, Antony, Babinet, Louvard, Jaisser, and Robine.
**Ruland, C.** *See* Kickhoefer, Siva, Kedersha, Inman, Ruland, Streuli, and Rome.
**Russell, I.D., Grancell, A.S., and Sorger, P.K.** The unstable F-box protein p58-Ctf13 forms the structural core of the CBF3 kinetochore complex. 145:933.
**Rusyn, E.V.** *See* Keely, Rusyn, Cox, and Parise.
**Ruvkun, G.** *See* Hobert, Moerman, Clark, Beckerle, and Ruvkun.
**Ryan, M.C., Lee, K., Miyashita, Y., and Carter, W.G.** Targeted disruption of the *LAMA3* gene in mice reveals abnormalities in survival and late stage differentiation of epithelial cells. 145:1309.

## S

**Sabourin, L.A., Girgis-Gabardo, A., Seale, P., Asakura, A., and Rudnicki, M.A.** Reduced differentiation potential of primary $MyoD^{-/-}$ myogenic cells derived from adult skeletal muscle. 144:631.
**Sachs, R.K.** *See* Yokota, van den Engh, Hearst, Sachs, and Trask.
**Sacksteder, K.A.** *See* Chang, Warren, Sacksteder, and Gould.
**Sadoni, N., Langer, S., Fauth, C., Bernardi, G., Cremer, T., Turner, B.M., and Zink, D.** Nuclear organization of mammalian genomes: Polar chromosome territories build up functionally distinct higher order compartments. 146:1211.
**Saga, H.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Sagher, D.** *See* Rakhilin, Drisdel, Sagher, McGehee, Vallejo, and Green.
**Sahenk, Z.** *See* Haney, Sahenk, Li, Lemmon, Roder, and Trapp.
**Sainhas, J.** *See* Feijó, Sainhas, Hackett, Kunkel, and Hepler.
**Saitou, M.** *See* Itoh, Furuse, Morita, Kubota, Saitou, and Tsukita.
**Sakamoto, S.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Sakata, S.** *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.
**Sakube, Y.** *See* Terami, Williams, Kitamura, Sakube, Matsumoto, Doi, Obinata, and Kagawa.
**Salamero, J.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Salamon, M.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Salas, P.J.I.** Insoluble γ-tubulin–containing structures are anchored to the apical network of intermediate filaments in polarized CACO-2 epithelial cells. 146:645.
**Salcini, A.E.** *See* Doria, Salcini, Colombo, Parslow, Pelicci, and Di Fiore.
**Sale, W.S.** *See* Mitchell and Sale.
**Salmon, E.D.** *See* Maddox, Chin, Mallavarapu, Yeh, Salmon, and Bloom.
**Salter, D.M.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Samarabandu, J.** *See* Wei, Somanathan, Samarabandu, and Berezney.
**Samper, E.** *See* Hande, Samper, Lansdorp, and Blasco.
**Samsó, M., Trujillo, R., Gurrola, G.B., Valdivia, H.H., and Wagenknecht, T.** Three-dimensional location of the imperatoxin A binding site on the ryanodine receptor. 146:493.
**Sánchez-Madrid, F.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.
**Sandell, L.J.** *See* Zhu, Oganesian, Keene, and Sandell.
**Sander, E.E., ten Klooster, J.P., van Delft, S., van der Kammen, R.A., and Collard, J.G.** Rac downregulates Rho activity: Reciprocal balance between both GTPases determines cellular morphology and migratory behavior. 147:1009.

**Sanders, M.** *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
**Sanders, M.A.** *See* Robinson, Wojcik, Sanders, McGrail, and Hays.
**Sanders, S.L., Gentzsch, M., Tanner, W., and Herskowitz, I.** O-Glycosylation of Axl2/Bud10p by Pmt4p is required for its stability, localization and function in daughter cells. 145:1177.
**Sandhoff, R.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Sanes, J.R.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
— *See* Feng, Krejci, Molgo, Cunningham, Massoulié, and Sanes.
— *See* Zhou, Glass, Yancopoulos, and Sanes.
**Sanford, T.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Sankovic, M.** *See* Nguyen, Catling, Webb, Sankovic, Walker, Somlyo, Weber, and Gonias.
**Sansonetti, P.** *See* Blocker, Gounon, Larquet, Niebuhr, Cabiaux, Parsot, and Sansonetti.
**Sansonetti, P.J.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
— *See* Egile, Loisel, Laurent, Li, Pantaloni, Sansonetti, and Carlier.
**Santa Maria, A.** *See* Brunet, Santa Maria, Guillaud, Dujardin, Kubiak, and Maro.
**Sanvito, F., Piatti, S., Villa, A., Bossi, M., Lucchini, G., Marchisio, P.C., and Biffo, S.** The β4 integrin interactor $p27^{BBP/eIF6}$ is an essential nuclear matrix protein involved in 60S ribosomal subunit assembly. 144:823.
**Sapperstein, S.K.** *See* VanRheenen, Cao, Sapperstein, Chiang, Lupashin, Barlowe, and Waters.
**Sappino, A.-P.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.
**Sarfati, M.** *See* Green, Zhelesnyak, Chung, Lindberg, Sarfati, Frazier, and Brown.
— *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.
**Sasaki, H.** *See* Furuse, Sasaki, and Tsukita.
— *See* Kubo, Sasaki, Yuba-Kubo, Tsukita, and Shiina.
— *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.
— *See* Morita, Sasaki, Furuse, and Tsukita.
— *See* Sonoda, Furuse, Sasaki, Yonemura, Katahira, Horiguchi, and Tsukita.
**Sastry, S.K., Lakonishok, M., Wu, S., Truong, T.Q., Huttenlocher, A., Turner, C.E., and Horwitz, A.F.** Quantitative changes in integrin and focal adhesion signaling regulate myoblast cell cycle withdrawal. 144:1295.
**Satoh, A.** *See* Mandai, Nakanishi, Satoh, Takahashi, Satoh, Nishioka, Mizoguchi, and Takai.
— *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Satoh, K.** *See* Mandai, Nakanishi, Satoh, Takahashi, Satoh, Nishioka, Mizoguchi, and Takai.
— *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Saunders, W.S.** *See* Zeng, Kahana, Silver, Morphew, McIntosh, Fitch, Carbon, and Saunders.
**Sauvé, D.M., Anderson, H.J., Ray, J.M., James, W.M., and Roberge, M.** Phosphorylation-induced rearrangement of the histone H3 $NH_2$-terminal domain during mitotic chromosome condensation. 145:225.
**Sawamoto, K., Winge, P., Koyama, S., Hirota, Y., Yamada, C., Miyao, S., Yoshikawa, S., Jin, M.-h., Kikuchi, A., and Okano, H.** The *Drosophila* ral GTPase regulates developmental cell shape changes through the Jun $NH_2$-terminal kinase pathway. 146:361.
**Sayers, R.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Scannapieco, P.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Schaapveld, R.Q.J.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.
**Schäfer, E.** *See* Kircher, Wellmer, Nick, Rügner, Schäfer, and Harter.
**Schaff, J.** *See* Fink, Slepchenko, Moraru, Schaff, Watras, and Loew.
**Schatten, G.** *See* Mountain, Simerly, Howard, Ando, Schatten, and Compton.
**Schattenberg, D.G.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Scheller, R.H.** *See* Advani, Yang, Prekeris, Lee, Klumperman, and Scheller.
— *See* Chao, Hay, Winnick, Prekeris, Klumperman, and Scheller.
**Schieltz, D.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Schiller, M.R.** *See* Ciccotosto, Schiller, Eipper, and Mains.
**Schleicher, M.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Schleiff, E., Silvius, J.R., and Shore, G.C.** Direct membrane insertion of voltage-dependent anion-selective channel protein catalyzed by mitochondrial Tom20. 145:973.
**Schmelzl, B.** *See* Hurt, Hannus, Schmelzl, Lau, Tollervey, and Simos.
**Schmidt, A.** *See* Beck, Schmidt, and Hall.
**Schmitz, A.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Schnabel, H.** *See* Gönczy, Schnabel, Kaletta, Amores, Hyman, and Schnabel.
**Schnabel, R.** *See* Gönczy, Schnabel, Kaletta, Amores, Hyman, and Schnabel.
**Schneeberger, E.E.** *See* Mitic, Schneeberger, Fanning, and Anderson.
**Schneider, S.** *See* Buchert, Schneider, Meskenaite, Adams, Canaani, Baechi, Moelling, and Hovens.
**Schneikert, J., Hübner, S., Martin, E., and Cato, A.C.B.** A nuclear action of the eukaryotic cochaperone RAP46 in downregulation of glucocorticoid receptor activity. 146:929.
**Schneiter, R., Brügger, B., Sandhoff, R., Zellnig, G., Leber, A., Lampl, M., Athenstaedt, K., Hrastnik, C., Eder, S., Daum, G., Paltauf, F., Wieland, F.T., and Kohlwein, S.D.** Electrospray ionization tandem mass spectrometry (ESI-MS/MS) analysis of the lipid molecular species composition of yeast subcellular membranes reveals acyl chain-based sorting/remodeling of distinct molecular species en route to the plasma membrane. 146:741.
**Schnetkamp, P.P.M.** *See* Haug-Collet, Pearson, Webel, Szerencsei, Winkfein, Schnetkamp, and Colley.
**Schöfer, C.** *See* Weipoltshammer, Schöfer, Almeder, Philimonenko, Frei, Wachtler, and Hozák.
**Scholey, J.M.** *See* Sharp, McDonald, Brown, Matthies, Walczak, Vale, Mitchison, and Scholey.
— *See* Signor, Wedaman, Orozco, Dwyer, Bargmann, Rose, and Scholey.
**Schott, D., Ho, J., Pruyne, D., and Bretscher, A.** The COOH-terminal domain of Myo2p, a yeast myosin V, has a direct role in secretory vesicle targeting. 147:791.
**Schriefer, L.A.** *See* Hresko, Schriefer, Shrimankar, and Waterston.
**Schroer, T.A.** *See* Eckley, Gill, Melkonian, Bingham, Goodson, Heuser, and Schroer.
— *See* Quintyne, Gill, Eckley, Crego, Compton, and Schroer.
**Schubert, A.** *See* Bauer, Schubert, Rocks, and Grimm.
**Schubert, U.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Schuger, L.** *See* Relan, Yang, Beqaj, Miner, and Schuger.
**Schultz, G.** *See* Klages, Brandt, Simon, Schultz, and Offermanns.
**Schütz, G.** *See* Tuckermann, Reichardt, Arribas, Richter, Schütz, and Angel.
**Schwab, M.E.** *See* Beliën, Paganetti, and Schwab.
**Schwartz, M.A.** *See* Kiosses, Daniels, Otey, Bokoch, and Schwartz.
— *See* Renshaw, Price, and Schwartz.
**Schwarz, H.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Schwärzler, C.** *See* Oliferenko, Paiha, Harder, Gerke, Schwärzler, Schwarz, Beug, Günthert, and Huber.
**Scott, G.K.** *See* Trotter, Fraser, Scott, Stutts, Scott, and Milgram.
**Scott, J.D.** *See* Trotter, Fraser, Scott, Stutts, Scott, and Milgram.
**Seale, P.** *See* Sabourin, Girgis-Gabardo, Seale, Asakura, and Rudnicki.
**Sears, I.B.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Sedlackova, L.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Segall, J.E.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Segerman, B.** *See* Larsson, Segerman, Howell, Fridell, Cassimeris, and Gullberg.
**Sells, M.A., Boyd, J.T., and Chernoff, J.** p21-Activated kinase 1 (Pak1) regulates cell motility in mammalian fibroblasts. 145:837.
**Semb, H.** *See* Esni, Täljedal, Perl, Cremer, Christofori, and Semb.
**Sémériva, M.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Senger, S.** *See* Giordano, Peluso, Senger, and Furia.
**Serr, M.** *See* Li, Serr, Edwards, Ludmann, Yamamoto, Tilney, Field, and Hays.
**Serra, R., Karaplis, A., and Sohn, P.** Parathyroid hormone–related peptide (PTHrP)-dependent and -independent effects of transforming growth factor β (TGF-β) on endochondral bone formation. 145:783.
**Sesaki, H., and Jensen, R.E.** Division versus fusion: Dnm1p and Fzo1p antagonistically regulate mitochondrial shape. 147:699.
**Shamu, C.E., Story, C.M., Rapoport, T.A., and Ploegh, H.L.** The pathway of US11-dependent degradation of MHC class I heavy chains involves a ubiquitin-conjugated intermediate. 147:45.
**Shang, C.** *See* Cope, Yang, Shang, and Drubin.
**Shapiro, I.M.** *See* Yagami, Suh, Enomoto-Iwamoto, Koyama, Abrams, Shapiro, Pacifici, and Iwamoto.

**Sharp, D.J., McDonald, K.L., Brown, H.M., Matthies, H.J., Walczak, C., Vale, R.D., Mitchison, T.J., and Scholey, J.M.** The bipolar kinesin, KLP61F, cross-links microtubules within interpolar microtubule bundles of *Drosophila* embryonic mitotic spindles. 144:125.

**Shattil, S.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.

**Shaw, L.M.** *See* Chen, Almeida, Huovila, Takahashi, Shaw, Mercurio, and White.

**Sheets, E.D., Holowka, D., and Baird, B.** Critical role for cholesterol in Lyn-mediated tyrosine phosphorylation of FCεRI and their association with detergent-resistant membranes. 145:877.

**Sheetz, M.P.** *See* Galbraith and Sheetz.

— *See* Raucher and Sheetz.

**Sheff, D.R., Daro, E.A., Hull, M., and Mellman, I.** The receptor recycling pathway contains two distinct populations of early endosomes with different sorting functions. 145:123.

**Shelton, C.A., Carter, J.C., Ellis, G.C., and Bowerman, B.** The nonmuscle myosin regulatory light chain gene *mlc-4* is required for cytokinesis, anterior-posterior polarity, and body morphology during *Caenorhabditis elegans* embryogenesis. 146:439.

**Shepard, K.A., and Yaffe, M.P.** The yeast dynamin-like protein, Mgm1p, functions on the mitochondrial outer membrane to mediate mitochondrial inheritance. 144:711.

**Sheppard, D.** *See* Taooka, Chen, Yednock, and Sheppard.

**Shevchenko, A.** *See* Charroux, Pellizzoni, Perkinson, Shevchenko, Mann, and Dreyfuss.

**Shi, G.-P.** *See* Driessen, Bryant, Lennon-Duménil, Villadangos, Bryant, Shi, Chapman, and Ploegh.

**Shi, W.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.

**Shiina, N.** *See* Kubo, Sasaki, Yuba-Kubo, Tsukita, and Shiina.

**Shiraga, M., Ritchie, A., Aidoudi, S., Baron, V., Wilcox, D., White, G., Ybarrondo, B., Murphy, G., Leavitt, A., and Shattil, S.** Primary megakaryocytes reveal a role for transcription factor NF-E2 in integrin αIIbβ3 signaling. 147:1419.

**Shiraha, H., Glading, A., Gupta, K., and Wells, A.** IP-10 inhibits epidermal growth factor–induced motility by decreasing epidermal growth factor receptor–mediated calpain activity. 146:243.

**Shiratori, M., Sakamoto, S., Suzuki, N., Tokutake, Y., Kawabe, Y., Enomoto, T., Sugimoto, M., Goto, M., Matsumoto, T., and Furuichi, Y.** Detection by epitope-defined monoclonal antibodies of Werner DNA helicases in the nucleoplasm and their upregulation by cell transformation and immortalization. 144:1.

**Shivdasani, R.A.** *See* Italiano, Lecine, Shivdasani, and Hartwig.

**Shore, D.** *See* Cordenonsi, D'Atri, Hammar, Parry, Kendrick-Jones, Shore, and Citi.

**Shore, G.C.** *See* Schleiff, Silvius, and Shore.

**Shorter, J., and Warren, G.** A role for the vesicle tethering protein, p115, in the post-mitotic stacking of reassembling Golgi cisternae in a cell-free system. 146:57.

**Shrimankar, P.** *See* Hresko, Schriefer, Shrimankar, and Waterston.

**Shuster, C.B., and Burgess, D.R.** Parameters that specify the timing of cytokinesis. 146:981.

**Sibarita, J.-B.** *See* Taddei, Roche, Sibarita, Turner, and Almouzni.

**Sibilia, M.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.

**Siegel, A.J.** *See* Ma, Siegel, and Berezney.

**Signor, D., Wedaman, K.P., Orozco, J.T., Dwyer, N.D., Bargmann, C.I., Rose, L.S., and Scholey, J.M.** Role of a class DHC1b dynein in retrograde transport of IFT motors and IFT raft particles along cilia, but not dendrites, in chemosensory neurons of living *Caenorhabditis elegans*. 147:519.

**Sigrist, S.J.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.

**Silletti, S.A.** *See* Stupack, Li, Silletti, Kehler, Geahlen, Hahn, Nemerow, and Cheresh.

**Silver, P.A.** *See* Zeng, Kahana, Silver, Morphew, McIntosh, Fitch, Carbon, and Saunders.

**Silverstein, S.C.** *See* Loike, Cao, Budhu, Marcantonio, El Khoury, Hoffman, Yednock, and Silverstein.

**Silvius, J.R.** *See* Schleiff, Silvius, and Shore.

**Simerly, C.** *See* Mountain, Simerly, Howard, Ando, Schatten, and Compton.

**Simmeth, E.** *See* Konzok, Weber, Simmeth, Hacker, Maniak, and Müller-Taubenberger.

**Simon, M.I.** *See* Klages, Brandt, Simon, Schultz, and Offermanns.

**Simons, K.** *See* Benting, Rietveld, and Simons.

**Simos, G.** *See* Hurt, Hannus, Schmelzl, Lau, Tollervey, and Simos.

**Singer, R.H.** *See* Zhang, Singer, and Bassell.

**Sirim, P.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.

**Siva, A.C.** *See* Kickhoefer, Siva, Kedersha, Inman, Ruland, Streuli, and Rome.

**Slater, S.E.** *See* Blystone, Slater, Williams, Crow, and Brown.

**Slee, E.A., Harte, M.T., Kluck, R.M., Wolf, B.B., Casiano, C.A., Newmeyer, D.D., Wang, H.-G., Reed, J.C., Nicholson, D.W., Alnemri, E.S., Green, D.R., and Martin, S.J.** Ordering the cytochrome c–initiated caspase cascade: Hierarchical activation of caspases-2, -3, -6, -7, -8, and -10 in a caspase-9–dependent manner. 144:281.

**Slepchenko, B.** *See* Fink, Slepchenko, Moraru, Schaff, Watras, and Loew.

**Small, J.V.** *See* Kaverina, Krylyshkina, and Small.

**Smith, C.D., and Blackburn, E.H.** Uncapping and deregulation of telomeres lead to detrimental cellular consequences in yeast. 145:203.

**Smith, K.P., Moen, P.T., Jr., Wydner, K.L., Coleman, J.R., and Lawrence, J.B.** Processing of endogenous pre-mRNAs in association with SC-35 domains is gene specific. 144:617.

**Smith, S.E.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.

**Smyth, N., Vatansever, H.S., Murray, P., Meyer, M., Frie, C., Paulsson, M., and Edgar, D.** Absence of basement membranes after targeting the *LAMC1* gene results in embryonic lethality due to failure of endoderm differentiation. 144:151.

**Smythe, C.** *See* Drummond, Ferrigno, Lyon, Murphy, Goldberg, Allen, Smythe, and Hutchison.

**Snellings, G.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.

**Snyder, M.** *See* Manning, Barrett, Wallace, Granok, and Snyder.

— *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.

**Snyder, W.B.** *See* Koller, Snyder, Faber, Wenzel, Rangell, Keller, and Subramani.

**Sobue, K.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.

**Sodam, B.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.

**Soddu, S.** *See* Bachelder, Ribick, Marchetti, Falcioni, Soddu, Davis, and Mercurio.

**Sodeik, B.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.

**Soderholm, J.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.

**Soe, T.T.** *See* Mukherjee, Soe, and Maxfield.

**Sohn, P.** *See* Serra, Karaplis, and Sohn.

**Soker, S.** *See* Miao, Soker, Feiner, Alonso, Raper, and Klagsbrun.

**Somanathan, S.** *See* Wei, Somanathan, Samarabandu, and Berezney.

**Somlyo, A.V.** *See* Nguyen, Catling, Webb, Sankovic, Walker, Somlyo, Weber, and Gonias.

**Song, H.H.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.

**Sonnenberg, A.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.

— *See* Gimond, van der Flier, van Delft, Brakebusch, Kuikman, Collard, Fässler, and Sonnenberg.

**Sonoda, N., Furuse, M., Sasaki, H., Yonemura, S., Katahira, J., Horiguchi, Y., and Tsukita, S.** *Clostridium perfringens* enterotoxin fragment removes specific claudins from tight junction strands: Evidence for direct involvement of claudins in tight junction barrier. 147:195.

**Soon, S.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.

**Sorger, P.K.** *See* Russell, Grancell, and Sorger.

**Soriano, J.V.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.

**Sorrentino, V.** *See* Flucher, Conti, Takeshima, and Sorrentino.

**Sorscher, E.J.** *See* García-Mata, Bebök, Sorscher, and Sztul.

**Sotnikov, A.G.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.

**Soussan, L., Burakov, D., Daniels, M.P., Toister-Achituv, M., Porat, A., Yarden, Y., and Elazar, Z.** ERG30, a VAP-33–related protein, functions in protein transport mediated by COPI vesicles. 146:301.

**South, S.T., and Gould, S.J.** Peroxisome synthesis in the absence of preexisting peroxisomes. 144:255.

**Sowerby, P.J.** *See* Page, Sowerby, Lui, and Robinson.

**Spaltmann, F.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.

**Sparks, C.A., Morphew, M., and McCollum, D.** Sid2p, a spindle pole body kinase that regulates the onset of cytokinesis. 146:777.

**Spencer, D.D.** *See* Andjelkovic, Spencer, and Pachter.

**Spencer, D.M.** *See* Gijón, Spencer, Kaiser, and Leslie.

**Spencer, S.** *See* Angers-Loustau, Côté, Charest, Dowbenko, Spencer, Lasky, and Tremblay.

**Spiegel, S.** *See* Olivera, Kohama, Edsall, Nava, Cuvillier, Poulton, and Spiegel.
**Spielhofer, P.** *See* Kost, Lemichez, Spielhofer, Hong Tolias, Carpenter, and Chua.
**Spiess, M.** *See* Goder, Bieri, and Spiess.
**Spitaler, M.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.
**Spivak-Kroizaman, T.** *See* Cohen, Inbal, Kissil, Raveh, Berissi, Spivak-Kroizaman, Feinstein, and Kimchi.
**Springer, T.A.** *See* Chen and Springer.
**Spudich, J.A.** *See* Liand, Warrick, and Spudich.
**Srinivasan, A.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Stabler, S.M., Ostrowski, L.L., Janicki, S.M., and Monteiro, M.J.** A myristoylated calcium-binding protein that preferentially interacts with the Alzheimer's disease presenilin 2 protein. 145:1277.
**Staehelin, L.A.** *See* Ladinsky, Mastronarde, McIntosh, Howell, and Staehelin.
**Stakeberg, J.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Stallcup, W.B.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**Stan, R.-V., Ghitescu, L., Jacobson, B.S., and Palade, G.E.** Isolation, cloning, and localization of rat PV-1, A novel endothelial caveolar protein. 145:1189.
**Stang, E.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Stearns, T.** *See* Feierbach, Nogales, Downing, and Stearns.
**Stefanini, M.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Steffen, W.** *See* Rogers, Karcher, Roland, Minin, Steffen, and Gelfand.
**Stein, K.** *See* Girzalsky, Rehling, Stein, Kipper, Blank, Kunau, and Erdmann.
**Stein, P.A.** *See* Rolls, Stein, Taylor, Ha, McKeon, and Rapoport.
**Steller, H.** *See* Ray, Perez, Yang, Xu, Ritchings, Steller, and Goldstein.
**Stelzer, E.H.K.** *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.
**Stern, D.F.** *See* Jones, Welte, Fu, and Stern.
**Stern, D.M.** *See* Yamaguchi, Hori, Stern, Hartmann, Ogawa, and Tohyama.
**Stevens, F.J.** *See* Hellman, Vanhove, Lejeune, Stevens, and Hendershot.
**Stevens, T.H.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Stewart, C.L.** *See* Sullivan, Escalante-Alcalde, Bhatt, Anver, Bhat, Nagashima, Stewart, and Burke.
**Stewart, D.B.** *See* Chen, Stewart, and Nelson.
**Stewart, M.** *See* Italiano, Stewart, and Roberts.
**St. George-Hyslop, P.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.
**Stidwill, R.P.** *See* Suomalainen, Nakano, Keller, Boucke, Stidwill, and Greber.
**Stinchcombe, J.C., and Griffiths, G.M.** Regulated secretion from hemopoietic cells. 147:1.
**Stoker, A.W.** *See* Ledig, Haj, Bixby, Stoker, and Mueller.
**Stone, N.L.** *See* Mills, Stone, and Pittman.
**Story, C.M.** *See* Shamu, Story, Rapoport, and Ploegn.
— *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Stow, J.L.** *See* Le, Yap, and Stow.
**Strambio-de-Castillia, C., Blobel, G., and Rout, M.P.** Proteins connecting the nuclear pore complex with the nuclear interior. 144:839.
**Straub, V.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Strauss, J.F., III.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.
**Streuli, C.H.** *See* Farrelly, Lee, Oliver, Dive, and Streuli.
**Streuli, M.** *See* Kickhoefer, Siva, Kedersha, Inman, Ruland, Streuli, and Rome.
**Stryker, J.** *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
**Stuermer, C.A.O.** *See* Leppert, Diekmann, Paul, Laessing, Marx, Bastmeyer, and Stuermer.
**Stupack, D.G., Li, E., Silletti, S.A., Kehler, J.A., Geahlen, R.L., Hahn, K., Nemerow, G.R., and Cheresh, D.A.** Matrix valency regulates integrin-mediated lymphoid adhesion via Syk kinase. 144:777.
**Stutts, M.J.** *See* Mohler, Kreda, Boucher, Sudol, Stutts, and Milgram.
— *See* Trotter, Fraser, Scott, Stutts, Scott, and Milgram.
**Su, J.** *See* Banerji, Ni, Wang, Clasper, Su, Tammi, Jones, and Jackson.
**Su, W.-D.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Subramani, S.** *See* Koller, Snyder, Faber, Wenzel, Rangell, Keller, and Subramani.
**Sudakin, V.** *See* Chan, Jablonski, Sudakin, Hittle, and Yen.
**Sudlow, G.** *See* Tumbar, Sudlow, and Belmont.
**Sudol, M.** *See* Mohler, Kreda, Boucher, Sudol, Stutts, and Milgram.
**Sugimoto, M.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Sugiura, T., and Berditchevski, F.** Function of α3β1–tetraspanin protein complexes in tumor cell invasion. Evidence for the role of the complexes in production of matrix metalloproteinase 2 (MMP-2). 146:1375.
**Suh, J.-Y.** *See* Yagami, Suh, Enomoto-Iwamoto, Koyama, Abrams, Shapiro, Pacifici, and Iwamoto.
**Sullivan, E.M.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
**Sullivan, T., Escalante-Alcalde, D., Bhatt, H., Anver, M., Bhat, N., Nagashima, K., Stewart, C.L., and Burke, B.** Loss of A-type lamin expression compromises nuclear envelope integrity leading to muscular dystrophy. 147:913.
**Sumi, T., Matsumoto, K., Takai, Y., and Nakamura, T.** Cofilin phosphorylation and actin cytoskeletal dynamics regulated by Rho- and Cdc42-activated LIM-kinase 2. 147:1519.
**Summer, E.J.** *See* Mori, Summer, Ma, and Cline.
**Sun, D.** *See* Leung, Sun, and Liem.
— *See* Leung, Sun, Zheng, Knowles, and Liem.
**Sun, L., Adebanjo, O.A., Moonga, B.S., Corisdeo, S., Anandatheerthavarada, H.K., Biswas, G., Arakawa, T., Hakeda, Y., Koval, A., Sodam, B., Bevis, P.J.R., Moser, A.J., Lai, F.A., Epstein, S., Troen, B.R., Kumegawa, M., and Zaidi, M.** CD38/ADP-ribosyl cyclase: A new role in the regulation of osteoclastic bone resorption. 146:1161. Correction. 146:1391.
**Sunkel, C.E.** *See* Basu, Bousbaa, Logarinho, Li, Williams, Lopes, Sunkel, and Goldberg
**Suomalainen, M., Nakano, M.Y., Keller, S., Boucke, K., Stidwill, R.P., and Greber, U.F.** Microtubule-dependent plus- and minus end–directed motilities are competing processes for nuclear targeting of adenovirus. 144:657.
**Sutton, R.B., Ernst, J.A., and Brunger, A.T.** Crystal structure of the cytosolic C2A-C2B domains of synaptotagmin III: Implications for $Ca^{+2}$-independent SNARE complex interaction. 147:589.
**Suzuki, N.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Svitkina, T.M., and Borisy, G.G.** Arp2/3 complex and actin depolymerizing factor/cofilin in dendritic organization and treadmilling of actin filament array in lamellipodia. 145:1009.
**Szerencsei, R.T** *See* Haug-Collet, Pearson, Webel, Szerencsei, Winkfein, Schnetkamp, and Colley.
**Sztul, E.** *See* Alvarez, Fujita, Hubbard, and Sztul.
**Sztul, E.S.** *See* García-Mata, Bebök, Sorscher, and Sztul.

## T

**Tachibana, I., and Hemler, M.E.** Role of transmembrane 4 superfamily (TM4SF) proteins CD9 and CD81 in muscle cell fusion and myotube maintenance. 146:893.
**Tachibana, T.** *See* Hieda, Tachibana, Yokoya, Kose, Imamoto, and Yoneda.
**Taddei, A., Roche, D., Sibarita, J.-B., Turner, B.M., and Almouzni, G.** Duplication and maintenance of heterochromatin domains. 147:1153.
**Takahashi, K., Nakanishi, H., Miyahara, M., Mandai, K., Satoh, K., Satoh, A., Nishioka, H., Aoki, J., Nomoto, A., Mizoguchi, A., and Takai, Y.** Nectin/PRR: An immunoglobulin-like cell adhesion molecule recruited to cadherin-based adherens junctions through interaction with afadin, a PDZ domain–containing protein. 145:539.
— *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
— *See* Mandai, Nakanishi, Satoh, Takahashi, Satoh, Nishioka, Mizoguchi, and Takai.
**Takahashi, M.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Takahashi, T.** *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Takahashi, Y.** *See* Chen, Almeida, Huovila, Takahashi, Shaw, Mercurio, and White.
**Takai, Y.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
— *See* Mandai, Nakanishi, Satoh, Takahashi, Satoh, Nishioka, Mizoguchi, and Takai.
— *See* Sumi, Matsumoto, Takai, and Nakamura.
— *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Takeda, S., Yonekawa, Y., Tanaka, Y., Okada, Y., Nonaka, S., and Hirokawa, N.** Left-right asymmetry and kinesin superfamily protein KIF3A: New insights in determination of laterality and mesoderm induction by *kif3A* $^{-/-}$ mice analysis. 145:825.

**Takei, Y.** *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Takeichi, M.** *See* Aono, Nakagawa, Reynolds, and Takeichi.
**Takeshima, H.** *See* Flucher, Conti, Takeshima, and Sorrentino.
— *See* Nishi, Komazaki, Kurebayashi, Ogawa, Noda, Iino, and Takeshima.
**Takeuchi, S.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Takino, T.** *See* Gu, Tamura, Pankov, Danen, Takino, Matsumoto, and Yamada.
**Takito, J.** *See* Vijayakumar, Takito, Hikita, and Al-Awqati.
**Täljedal, I.-B.** *See* Esni, Täljedal, Perl, Cremer, Christofori, and Semb.
**Tammi, R.** *See* Banerji, Ni, Wang, Clasper, Su, Tammi, Jones, and Jackson.
**Tamura, M.** *See* Gu, Tamura, Pankov, Danen, Takino, Matsumoto, and Yamada.
**Tanaka, H.** *See* Kotani, Tanaka, Yasuda, and Todokoro.
**Tanaka, K.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**Tanaka, M.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
**Tanaka, Y.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Tang, K.** *See* Altschuler, Liu, Katz, Tang, Hardy, Brodsky, Apodaca, and Mostov.
**Tang, S., Gao, Y., and Ware, J.A.** Enhancement of endothelial cell migration and in vitro tube formation by TAP20, a novel β5 integrin–modulating, PKCΘ-dependent protein. 147:1073.
**Tanizawa, K.** *See* Kuroda, Nakagawa, Tokunaga, Tatematsu, and Tanizawa.
**Tanner, W.** *See* Sanders, Gentzsch, Tanner, and Herskowitz.
**Tanswell, A.K.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Taooka, Y., Chen, J., Yednock, T., and Sheppard, D.** The integrin α9β1 mediates adhesion to activated endothelial cells and transendothelial neutrophil migration through interaction with vascular cell adhesion molecule-1. 145:413.
**Tarsounas, M., Morita, T., Pearlman, R.E., and Moens, P.B.** RAD51 and DMC1 form mixed complexes associated with mouse meiotic chromosome cores and synaptonemal complexes. 147:207.
**Taskén, K.** *See* Collas, Le Guellec, and Taskén.
**Tatematsu, K.** *See* Kuroda, Nakagawa, Tokunaga, Tatematsu, and Tanizawa.
**Tatsumoto, T., Xie, X., Blumenthal, R., Okamoto, I., and Miki, T.** Human ECT2 is an exchange factor for Rho GTPases, Phosphorylated in G2/M phases, and involved in cytokinesis. 147:921.
**Taylor, D.** *See* Wendt, Taylor, Messier, Trybus, and Taylor.
**Taylor, K.A.** *See* Wendt, Taylor, Messier, Trybus, and Taylor.
**Taylor, S.S.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
— *See* Rolls, Stein, Taylor, Ha, McKeon, and Rapoport.
**Teague, P.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.
**ten Klooster, J.P.** *See* Sander, ten Klooster, van Delft, van der Kammen, and Collard.
**Tenza, D.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Tepass, U.** *See* Niewiadomska, Godt, and Tepass.
**Terada, S., Tsujimoto, T., Takei, Y., Takahashi, T., and Hirokawa, N.** Impairment of inhibitory synaptic transmission in mice lacking synapsin I. 145:1039.
**Terami, H., Williams, B.D., Kitamura, S.-i., Sakube, Y., Matsumoto, S., Doi, S., Obinata, T., and Kagawa, H.** Genomic organization, expression, and analysis of the troponin C gene *pat-10* of *Caenorhabditis elegans*. 146:193.
**Tetreault, J.W.** *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.
**Theesfeld, C.L., Irazoqui, J.E., Bloom, K., and Lew, D.J.** The role of actin in spindle orientation changes during the *Saccharomyces cerevisiae* cell cycle. 146:1019.
**Theriot, J.A.** *See* Robbins, Barth, Marquis, de Hostos, Nelson, and Theriot.
**Théry, C., Regnault, A., Garin, J., Wolfers, J., Zitvogel, L., Ricciardi-Castagnoli, P., Raposo, G., and Amigorena, S.** Molecular characterization of dendritic cell-derived exosomes: Selective accumulation of the heat shock protein hsc73. 147:599.
**Thesleff, I.** *See* Harada, Kettunen, Jung, Mustonen, Wang, and Thesleff.
**Thiery, J.P.** *See* Dufour, Beauvais-Jouneau, Delouvée, and Thiery.
**Thomas, G.H.** *See* Zarnescu and Thomas.
**Thomas, J.T.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**Thomas, P.J.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Thomas, S.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Thun, C.** *See* Ahting, Thun, Hegerl, Typke, Nargang, Neupert, and Nussberger.
**Ticchioni, M.** *See* Vivinus-Nebot, Ticchioni, Mary, Hofman, Quaranta, Rousselle, and Bernard.
**Tieu, Q.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Tilney, L.G.** *See* Li, Serr, Edwards, Ludmann, Yamamoto, Tilney, Field, and Hays.
**Timpl, R.** *See* Costell, Gustafsson, Aszódi, Mörgelin, Bloch, Hunziker, Addicks, Timpl, and Fässler.
**Tirnauer, J.S., O'Toole, E., Berrueta, L., Bierer, B.E., and Pellman, D.** Yeast Bim1p promotes the G1-specific dynamics of microtubules. 145:993.
**Titov, A.A., and Blobel, G.** The karyopherin Kap122p/Pdr6p imports both subunits of the transcription factor IIA into the nucleus. 147:235.
**Toda, T.** *See* Katayama, Hirata, Arellano, Pérez, and Toda.
**Todokoro, K.** *See* Kotani, Tanaka, Yasuda, and Todokoro.
**Todorov, I.T.** *See* Dimitrova, Todorov, Melendy, and Gilbert.
**Togawa, A.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
**Tohyama, M.** *See* Yamaguchi, Hori, Stern, Hartmann, Ogawa, and Tohyama.
**Toister-Achituv, M.** *See* Soussan, Burakov, Daniels, Toister-Achituv, Porat, Yarden, and Elazar.
**Toker, A.** *See* Rabinovitz, Toker, and Mercurio.
**Tokunaga, C.** *See* Kuroda, Nakagawa, Tokunaga, Tatematsu, and Tanizawa.
**Tokutake, Y.** *See* Shiratori, Sakamoto, Suzuki, Tokutake, Kawabe, Enomoto, Sugimoto, Goto, Matsumoto, and Furuichi.
**Tolias, K.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Tollervey, D.** *See* Hurt, Hannus, Schmelzl, Lau, Tollervey, and Simos.
**Tollon, Y.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Tomaselli, K.J.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Torres, J.** *See* Blanco-Aparicio, Torres, and Pulido.
**Tortorella, D., Story, C.M., Huppa, J.B., Wiertz, E.J.H.J., Jones, T.R., Bacik, I., Bennink, J.R., Yewdell, J.W., and Ploegh, H.L.** Dislocation of type I membrane proteins from the ER to the cytosol is sensitive to changes in redox potential [142(2):365]: Correction. 145:643.
**Totsukawa, G., Yamakita, Y., Yamashiro, S., Hosoya, H., Hartshorne, D.J., and Matsumura, F.** Activation of myosin phosphatase targeting subunit by mitosis-specific phosphorylation. 144:735.
**Totsukawa, G.** *See* Yamakita, Totsukawa, Yamashiro, Fry, Zhang, Hanks, and Matsumura.
**Tournier, J.-M.** *See* Legrand, Gilles, Zahm, Polette, Buisson, Kaplan, Birembaut, and Tournier.
**Trapp, B.D.** *See* Haney, Sahenk, Li, Lemmon, Roder, and Trapp.
— *See* Ueda, Levine, Miller, and Trapp.
**Trask, B.J.** *See* Yokota, van den Engh, Hearst, Sachs, and Trask.
**Tremblay, M.L.** *See* Angers-Loustau, Côté, Charest, Dowbenko, Spencer, Lasky, and Tremblay.
**Trevisan, S.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.
**Trilla, J.A., Durán, A., and Roncero, C.** Chs7p, A new protein involved in the control of protein export from the endoplasmic reticulum that is specifically engaged in the regulation of chitin synthesis in *Saccharomyces cerevisiae*. 145:1153. Correction. 146:265.
**Tripiciano, A., Peluso, C., Morena, A.R., Palombi, F., Stefanini, M., Ziparo, E., Yanagisawa, M., and Filippini, A.** Cyclic expression of endothelin-converting enzyme-1 mediates the functional regulation of seminiferous tubule contraction. 145:1027.
**Triviños-Lagos, L.** *See* Ma, Triviños-Lagos, Gräf, and Chisholm.
**Troen, B.R.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.
**Tronchère, H.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Trotter, K.W., Fraser, I.D.C., Scott, G.K., Stutts, M.J., Scott, J.D., and Milgram, S.L.** Alternative splicing regulates the subcellular localization of A-kinase anchoring protein 18 isoforms. 147:1481.
**Truant, R.** *See* Moore, Yang, Truant, and Kornbluth.
**Trujillo, R.** *See* Samsó, Trujillo, Gurrola, Valdivia, and Wagenknecht.
**Truong, T.Q.** *See* Sastry, Lakonishok, Wu, Truong, Huttenlocher, Turner, and Horwitz.
**Trybus, K.M.** *See* Wendt, Taylor, Messier, Trybus, and Taylor.
**Tsien, R.Y.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Tsujimoto, T.** *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Tsukita, S.** *See* Furuse, Sasaki, and Tsukita.
— *See* Imamura, Itoh, Maeno, Tsukita, and Nagafuchi.
— *See* Itoh, Furuse, Morita, Kubota, Saitou, and Tsukita.
— *See* Kubo, Sasaki, Yuba-Kubo, Tsukita, and Shiina.
— *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.
— *See* Morita, Sasaki, Furuse, and Tsukita.
— *See* Sonoda, Furuse, Sasaki, Yonemura, Katahira, Horiguchi, and Tsukita.
— *See* Yonemura, Tsukita, and Tsukita.

**Tsumaki, N., Tanaka, K., Arikawa-Hirasawa, E., Nakase, T., Kimura, T., Thomas, J.T., Ochi, T., Luyten, F.P., and Yamada, Y.** Role of CDMP-1 in skeletal morphogenesis: Promotion of mesenchymal cell recruitment and chondrocyte differentiation. 144:161.

**Tuckermann, J.P., Reichardt, H.M., Arribas, R., Richter, K.H., Schütz, G., and Angel, P.** The DNA binding-independent function of the glucocorticoid receptor mediates repression of AP-1–dependent genes in skin. 147:1365.

**Tudan, C.** *See* Vaillant, Mazzoni, Tudan, Boudreau, Kaplan, and Miller.

**Tuma, P.L., Finnegan, C.M., Yi, J.-H., and Hubbard, A.L.** Evidence for apical endocytosis in polarized hepatic cells: Phosphoinositide 3-kinase inhibitors lead to the lysosomal accumulation of resident apical plasma membrane proteins. 145:1089.

**Tumbar, T., Sudlow, G., and Belmont, A.S.** Large-scale chromatin unfolding and remodeling induced by VP16 acidic activation domain. 145:1341.

**Turck, C.W.** *See* Pollock, de Hostos, Turck, and Vale.

**Turner, B.M.** *See* Sadoni, Langer, Fauth, Bernardi, Cremer, Turner, and Zink.

— *See* Taddei, Roche, Sibarita, Turner, and Almouzni.

**Turner, C.E., Brown, M.C., Perrotta, J.A., Riedy, M.C., Nikolopoulos, S.N., McDonald, A.R., Bagrodia, S., Thomas, S., and Leventhal, P.S.** Paxillin LD4 motif binds PAK and PIX through a novel 95-kD ankyrin repeat, ARF–GAP protein: A role in cytoskeletal remodeling. 145:851. Correction. 145:1523.

— *See* Sastry, Lakonishok, Wu, Truong, Huttenlocher, Turner, and Horwitz.

**Tuvia, S., Buhusi, M., Davis, L., Reedy, M., and Bennett, V.** Ankyrin-B is required for intracellular sorting of structurally diverse $Ca^{2+}$ homeostasis proteins. 147:995.

**Tynan, S.H.** *See* Purohit, Tynan, Vallee, and Doxsey.

**Typke, D.** *See* Ahting, Thun, Hegerl, Typke, Nargang, Neupert, and Nussberger.

**Tzschaschel, B.** *See* White, Johannes, Mallard, Girod, Grill, Reinsch, Keller, Tzschaschel, Echard, Goud, and Stelzer.

U

**Überall, F., Hellbert, K., Kampfer, S., Maly, K., Villunger, A., Spitaler, M., Mwanjewe, J., Baier-Bitterlich, G., Baier, G., and Grunicke, H.H.** Evidence that atypical protein kinase C-λ and atypical protein kinase C-ζ participate in Ras-mediated reorganization of the F-actin cytoskeleton. 144:413.

**Ueda, H., Levine, J.M., Miller, R.H., and Trapp, B.D.** Rat optic nerve oligodendrocytes develop in the absence of viable retinal ganglion cell axons. 146:1365.

**Ulrich, D.** *See* Hermann, Armant, Brown, Rubio, Ishihara, Ulrich, Caspary, Lindberg, Armitage, Maliszewski, Delespesse, and Sarfati.

**Ungermann, C., Fischer von Mollard, G., Jensen, O.N., Margolis, N., Stevens, T.H., and Wickner, W.** Three v-SNAREs and two t-SNAREs, present in a pentameric cis-SNARE complex on isolated vacuoles, are essential for homotypic fusion. 145:1435.

V

**Vaillant, A.R., Mazzoni, I., Tudan, C., Boudreau, M., Kaplan, D.R., and Miller, F.D.** Depolarization and neurotrophins converge on the phosphatidylinositol 3-kinase–Akt pathway to synergistically regulate neuronal survival. 146:955.

**Valdivia, H.H.** *See* Samsó, Trujillo, Gurrola, Valdivia, and Wagenknecht.

**Vale, R.D.** *See* Pollock, de Hostos, Turck, and Vale.

— *See* Sharp, McDonald, Brown, Matthies, Walczak, Vale, Mitchison, and Scholey.

**Valle, G.** *See* Faulkner, Pallavicini, Formentin, Comelli, Ievolella, Trevisan, Bortoletto, Scannapieco, Salamon, Mouly, Valle, and Lanfranchi.

**Vallee, R.** *See* Purohit, Tynan, Vallee, and Doxsey.

**Vallejo, Y.** *See* Rakhilin, Drisdel, Sagher, McGehee, Vallejo, and Green.

**Van, G.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.

**Van Criekinge, W.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.

**van Delft, S.** *See* Gimond, van der Flier, van Delft, Brakebusch, Kuikman, Collard, Fässler, and Sonnenberg.

— *See* Sander, ten Klooster, van Delft, van der Kammen, and Collard.

**Vanden Berghe, W.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.

**van den Engh, G.** *See* Yokota, van den Engh, Hearst, Sachs, and Trask.

**van der Flier, A.** *See* Gimond, van der Flier, van Delft, Brakebusch, Kuikman, Collard, Fässler, and Sonnenberg.

**van der Goot, F.G.** *See* Abrami and van der Goot.

**van der Kammen, R.A.** *See* Sander, ten Klooster, van Delft, van der Kammen, and Collard.

**van der Kraan, I.** *See* Verschure, van der Kraan, Manders, and van Driel.

**van Deursen, J.M.A.** *See* Pritchard, Fornerod, Kasper, and van Deursen.

**van Driel, R.** *See* Verschure, van der Kraan, Manders, and van Driel.

**Vanhove, M.** *See* Hellman, Vanhove, Lejeune, Stevens, and Hendershot.

**VanRheenen, S.M., Cao, X., Sapperstein, S.K., Chiang, E.C., Lupashin, V.V., Barlowe, C., and Waters, M.G.** Sec34p, a protein required for vesicle tethering to the yeast Golgi apparatus, is in a complex with Sec35p. 147:729.

**van't Hof, W., and Resh, M.D.** Dual fatty acylation of $p59^{Fyn}$ is required for association with the T cell receptor ζ chain through phosphotyrosine–Src homology domain-2 interactions. 145:377.

**Varkey, J., Chen, P., Jemmerson, R., and Abrams, J.M.** Altered cytochrome c display precedes apoptotic cell death in *Drosophila*. 144:701.

**Vatansever, H.S.** *See* Smyth, Vatansever, Murray, Meyer, Frie, Paulsson, and Edgar.

**Vaudan, G.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.

**Vaughan, L.** *See* Zeng, D'Alessandri, Kalousek, Vaughan, and Pallen.

**Venzke, D.P.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.

**Verschoor, A., and Lithgow, T.** A first glimpse at the structure of the TOM translocase from the mitochondrial outer membrane. 147:905.

**Verschure, P.J., van der Kraan, I., Manders, E.M.M., and van Driel, R.** Spatial relationship between transcription sites and chromosome territories. 147:13.

**Vickery, R.G., and von Zastrow, M.** Distinct dynamin-dependent and -independent mechanisms target structurally homologous dopamine receptors to different endocytic membranes. 144:31.

**Vida, T., and Gerhardt, B.** A cell-free assay allows reconstitution of Vps33p-dependent transport to the yeast vacuole/lysosome. 146:85.

**Vidwans, S.J., Wong, M.L., and O'Farrell, P.H.** Mitotic regulators govern progress through steps in the centrosome duplication cycle. 147:1371.

**Vijayakumar, S., Takito, J., Hikita, C., and Al-Awqati, Q.** Hensin remodels the apical cytoskeleton and induces columnarization of intercalated epithelial cells: Processes that resemble terminal differentiation. 144:1057.

**Vila-Coro, A.J.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.

**Villa, A.** *See* Sanvito, Piatti, Villa, Bossi, Lucchini, Marchisio, and Biffo.

**Villadangos, J.A.** *See* Driessen, Bryant, Lennon-Duménil, Villadangos, Bryant, Shi, Chapman, and Ploegh.

**Villunger, A.** *See* Überall, Hellbert, Kampfer, Maly, Villunger, Spitaler, Mwanjewe, Baier-Bitterlich, Baier, and Grunicke.

**Vivinus-Nebot, M., Ticchioni, M., Mary, F., Hofman, P., Quaranta, V., Rousselle, P., and Bernard, A.** Laminin 5 in the human thymus: Control of T cell proliferation via $\alpha_6\beta_4$ integrins. 144:563.

**Vlachou, A.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.

**Vladimirova, O.V.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.

**Voelker, R.** *See* Walker, Roy, Coleman, Voelker, and Barkan.

**Volknandt, W.** *See* Herrmann, Golkaramnay, Inman, Rome, and Volknandt.

**von Zastrow, M.** *See* Vickery and von Zastrow.

**Voos, W.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.

**Vourc'h, C.** *See* Jolly, Vourc'h, Robert-Nicoud, and Morimoto.

**Vu, T.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.

W

**Wachtler, F.** *See* Weipoltshammer, Schöfer, Almeder, Philimonenko, Frei, Wachtler, and Hozák.

**Wagenknecht, T.** *See* Samsó, Trujillo, Gurrola, Valdivia, and Wagenknecht.

**Wagner, E.F.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.

**Walczak, C.** *See* Sharp, McDonald, Brown, Matthies, Walczak, Vale, Mitchison, and Scholey.

**Walker, L.A.** *See* Nguyen, Catling, Webb, Sankovic, Walker, Somlyo, Weber, and Gonias.

**Walker, M.B., Roy, L.M., Coleman, E., Voelker, R., and Barkan, A.** The maize *tha4* gene functions in Sec-independent protein transport in chloroplasts and is related to *hcf106*, *tatA*, and *tatB*. 147:267.
**Walker, M.Y.** *See* Matthies, Messina, Namba, Greer, Walker, and Hawley.
**Wallace, J.A.** *See* Manning, Barrett, Wallace, Granok, and Snyder.
**Wallén, Å.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Wang, H.-G.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Wang, H.-Y.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Wang, L.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Wang, S.-X.** *See* Banerji, Ni, Wang, Clasper, Su, Tammi, Jones, and Jackson.
**Wang, X., Kibschull, M., Laue, M.M., Lichte, B., Petrasch-Parwez, E., and Kilimann, M.W.** Aczonin, a 550-kD putative scaffolding protein of presynaptic active zones, shares homology regions with Rim and Bassoon and binds profilin. 147:151.
**Wang, X.-Q., Lindberg, F.P., and Frazier, W.A.** Integrin-associated protein stimulates α2β1-dependent chemotaxis via Gi-mediated inhibition of adenylate cyclase and extracellular-regulated kinases. 147:389.
**Wang, Y.A.** *See* Harada, Kettunen, Jung, Mustonen, Wang, and Thesleff.
**Wang, Y.-l.** *See* O'Connell, Wheatley, Ahmed, and Wang.
**Waragai, M.** *See* Imafuku, Masaki, Waragai, Takeuchi, Kawabata, Hirai, Ohno, Nee, Lippa, Kanazawa, Imagawa, and Okazawa.
**Ward, D.C.** *See* Haaf, Raderschall, Reddy, Ward, Radding, and Golub.
**Ward, S.A.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Ware, J.A.** *See* Tang, Gao, and Ware.
**Warren, D.S.** *See* Chang, Warren, Sacksteder, and Gould.
**Warren, G.** *See* Shorter and Warren.
**Warrick, H.M.** *See* Liang, Warrick, and Spudich.
**Wary, K.K.** *See* Oktay, Wary, Dans, Birge, and Giancotti.
**Waters, M.G.** *See* VanRheenen, Cao, Sapperstein, Chiang, Lupashin, Barlowe, and Waters.
**Waterston, R.H.** *See* Hresko, Schriefer, Shrimankar, and Waterston.
**Watras, J.** *See* Fink, Slepchenko, Moraru, Schaff, Watras, and Loew.
**Watton, S.** *See* Astoul, Watton, and Cantrell.
**Way, M.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Wearsch, P.A.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
**Webb, D.J.** *See* Nguyen, Catling, Webb, Sankovic, Walker, Somlyo, Weber, and Gonias.
**Webel, R.** *See* Haug-Collet, Pearson, Webel, Szerencsei, Winkfein, Schnetkamp, and Colley.
**Weber, I.** *See* Konzok, Weber, Simmeth, Hacker, Maniak, and Müller-Taubenberger.
**Weber, M.J.** *See* Nguyen, Catling, Webb, Sankovic, Walker, Somlyo, Weber, and Gonias.
**Wedaman, K.P.** *See* Signor, Wedaman, Orozco, Dwyer, Bargmann, Rose, and Scholey.
**Wehland, J.** *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Wehman, A.** *See* Laurent, Loisel, Harbeck, Wehman, Gröbe, Jockusch, Wehland, Gertler, and Carlier.
**Wei, X., Somanathan, S., Samarabandu, J., and Berezney R.** Three-dimensional visualization of transcription sites and their association with splicing factor–rich nuclear speckles. 146:543.
**Wei, Y., Yang, X., Liu, Q., Wilkins, J.A., and Chapman, H.A.** A role for caveolin and the urokinase receptor in integrin-mediated adhesion and signaling. 144:1285.
**Weiner, J.A.** *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
**Weipoltshammer, K., Schöfer, C., Almeder, M., Philimonenko, V.V., Frei, K., Wachtler, F., and Hozák, P.** Intranuclear anchoring of repetitive DNA sequences: Centromeres, telomeres, and ribosomal DNA. 147:1409.
**Weiss, E.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Welch, W.J.** *See* Hansen, Cowan, and Welch.
**Wellmer, F.** *See* Kircher, Wellmer, Nick, Rügner, Schäfer, and Harter.
**Wells, A.** *See* Shiraha, Glading, Gupta, and Wells.
**Wells, T.N.C.** *See* Rodríguez-Frade, Vila-Coro, Martín, Nieto, Sánchez-Madrid, Proudfoot, Wells, Martínez-A., and Mellado.
**Welte, T.** *See* Jones, Welte, Fu, and Stern.
**Wen, C., and Greenwald, I.** p24 Proteins and quality control of LIN-12 and GLP-1 trafficking in *Caenorhabditis elegans*. 145:1165.
**Wendt, T., Taylor, D., Messier, T., Trybus, K.M., and Taylor, K.A.** Visualization of head–head interactions in the inhibited state of smooth muscle myosin. 147:1385.
**Wenzel, T.J.** *See* Koller, Snyder, Faber, Wenzel, Rangell, Keller, and Subramani.
**Wesolowski, D.** *See* Jarrous, Wolenski, Wesolowski, Lee, and Altman.
**Wessling-Resnick, M.** *See* Gutierrez, Yu, Rivera, and Wessling-Resnick.
**West, R.R.** *See* Yamamoto, West, McIntosh, and Hiraoka.
**Westaway, D.** *See* Annaert, Levesque, Craessaerts, Dierinck, Snellings, Westaway, St. George-Hyslop, Cordell, Fraser, and De Strooper.
**Westermarck, J.** *See* Ivaska, Reunanen, Westermarck, Koivisto, Kähäri, and Heino.
**Weyrich, A.S.** *See* Pabla, Weyrich, Dixon, Bray, McIntyre, Prescott, and Zimmerman.
**Wheatley, S.P.** *See* O'Connell, Wheatley, Ahmed, and Wang.
**Wheeler, G.N.** *See* Geerts, Fontao, Nievers, Schaapveld, Purkis, Wheeler, Lane, Leigh, and Sonnenberg.
**Wheelock, M.J.** *See* Nieman, Prudoff, Johnson, Wheelock.
**White, G.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.
**White, J., Johannes, L., Mallard, F., Girod, A., Grill, S., Reinsch, S., Keller, P., Tzschaschel, B., Echard, A., Goud, B., and Stelzer, E.H.K.** Rab6 coordinates a novel Golgi to ER retrograde transport pathway in live cells. 147:743.
**White, J.M.** *See* Chen, Almeida, Huovila, Takahashi, Shaw, Mercurio, and White.
**Whitehouse, J.** *See* Griffiths, Dubrez, Morgan, Jones, Whitehouse, Corfe, Dive, and Hickman.
**Wickner, W.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Wieland, F.T.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Wiertz, E.J.H.J.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Wiese, C.** *See* Oegema, Wiese, Martin, Milligan, Iwamatsu, Mitchison, and Zheng.
**Wigley, W.C., Fabunmi, R.P., Lee, M.G., Marino, C.R., Muallem, S., DeMartino, G.N., and Thomas, P.J.** Dynamic association of proteasomal machinery with the centrosome. 145:481.
**Wilcox, D.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.
**Wilkins, J.A.** *See* Wei, Yang, Liu, Wilkins, and Chapman.
**Williams, B.C.** *See* Basu, Bousbaa, Logarinho, Li, Williams, Lopes, Sunkel, and Goldberg.
**Williams, B.D.** *See* Terami, Williams, Kitamura, Sakube, Matsumoto, Doi, Obinata, and Kagawa.
**Williams, E.L.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Williams, L.** *See* Wójciak-Stothard, Williams, and Ridley.
**Williams, M.P.** *See* Blystone, Slater, Williams, Crow, and Brown.
**Williams, M.W., and Bloch, R.J.** Extensive but coordinated reorganization of the membrane skeleton in myofibers of dystrophic (*mdx*) mice. 144:1259.
**Williamson, E.K.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Williamson, L.C.** *See* Neale, Bowers, Jia, Bateman, and Williamson.
**Wilson, K.L.** *See* Gant, Harris, and Wilson.
**Winge, P.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Winkelmann, D.A.** *See* Colognato, Winkelmann, and Yurchenco.
**Winkfein, R.J.** *See* Haug-Collet, Pearson, Webel, Szerencsei, Winkfein, Schnetkamp, and Colley.
**Winnick, S.** *See* Chao, Hay, Winnick, Prekeris, Klumperman, and Scheller.
**Witman, G.B.** *See* Pazour, Dickert, and Witman.
**Witt, C.** *See* Linke, Rudy, Centner, Gautel, Witt, Labeit, and Gregorio.
**Wittrup, K.D.** *See* Becker, Block-Alper, Nakamura, Harada, Wittrup, and Meyer.
**Wójciak-Stothard, B., Williams, L., and Ridley, A.J.** Monocyte adhesion and spreading on human endothelial cells is dependent on Rho-regulated receptor clustering. 145:1293.
**Wojcik, E.J.** *See* Robinson, Wojcik, Sanders, McGrail, and Hays.
**Wolenski, J.S.** *See* Jarrous, Wolenski, Wesolowski, Lee, and Altman.
**Wolf, B.B.** *See* Slee, Harte, Kluck, Wolf, Casiano, Newmeyer, Wang, Reed, Nicholson, Alnemri, Green, and Martin.
**Wolf, D.H.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Wolf, R.M.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
**Wolfers, J.** *See* Théry, Regnault, Garin, Wolfers, Zitvogel, Ricciardi-Castagnoli, Raposo, and Amigorena.
**Wolven, A.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
**Wong, A.M.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Wong, E.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Wong, J.J.** *See* Goode, Wong, Butty, Peter, McCormack, Yates, Drubin, and Barnes.
**Wong, M.L.** *See* Vidwans, Wong, and O'Farrell.

**Woods, L.M., Hodges, C.A., Baart, E., Baker, S.M., Liskay, M., and Hunt, P.A.** Chromosomal influence on meiotic spindle assembly: Abnormal meiosis I in female *Mlh1* mutant mice. 145:1395.
**Wright, M.** *See* Fava, Raynaud-Messina, Leung-Tack, Mazzolini, Li, Guillemot, Cachot, Tollon, Ferrara, and Wright.
**Wright, M.O.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Wu, C.** *See* Li, Mayne, and Wu.
**Wu, J.C.** *See* Krebs, Armstrong, Srinivasan, Aja, Wong, Aboy, Sayers, Pham, Vu, Hoang, Karanewsky, Leist, Schmitz, Wu, Tomaselli, and Fritz.
**Wu, S.** *See* Sastry, Lakonishok, Wu, Truong, Huttenlocher, Turner, and Horwitz.
**Wydner, K.L.** *See* Smith, Moen, Wydner, Coleman, and Lawrence.
**Wysocki, K.M.** *See* Myster, Knott, Wysocki, O'Toole, and Porter.

X

**Xi, X.** *See* Gu, Xi, Englund, Berndt, and Du.
**Xie, H.** *See* Peng, Xie, Rossi, and Rotundo.
**Xie, X.** *See* Tatsumoto, Xie, Blumenthal, Okamoto, and Miki.
**Xu, J.** *See* Ray, Perez, Yang, Xu, Ritchings, Steller, and Goldstein.

Y

**Yaen, C.** *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.
**Yaffe, M.P.** *See* Fisk and Yaffe.
— *See* Shepard and Yaffe.
**Yagami, K., Suh, J.-Y., Enomoto-Iwamoto, M., Koyama, E., Abrams, W.R., Shapiro, I.M., Pacifici, M., and Iwamoto, M.** Matrix GLA protein is a developmental regulator of chondrocyte mineralization and, when constitutively expressed, blocks endochondral and intramembranous ossification in the limb. 147:1097.
**Yamada, C.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Yamada, K.M.** *See* Gu, Tamura, Pankov, Danen, Takino, Matsumoto, and Yamada.
— *See* Kioka, Sakata, Kawauchi, Amachi, Akiyama, Okazaki, Yaen, Yamada, and Aota.
**Yamada, Y.** *See* Tsumaki, Tanaka, Arikawa-Hirasawa, Nakase, Kimura, Thomas, Ochi, Luyten, and Yamada.
**Yamaguchi, A., Hori, O., Stern, D.M., Hartmann, E., Ogawa, S., and Tohyama, M.** Stress-associated endoplasmic reticulum protein 1 (SERP1)/ribosome-associated membrane protein 4 (RAMP4) stabilizes membrane proteins during stress and facilitates subsequent glycosylation. 147:1195.
**Yamaguchi, R., Nakamura, M., Mochizuki, N., Kay, S.A., and Nagatani, A.** Light-dependent translocation of a phytochrome B-GFP fusion protein to the nucleus in transgenic *Arabidopsis*. 145:437.
**Yamaguchi, Y.** *See* Ethell and Yamaguchi.
**Yamakita, Y., Totsukawa, G., Yamashiro, S., Fry, D., Zhang, X., Hanks, S.K., and Matsumura, F.** Dissociation of FAK/p130$^{CAS}$/c-Src complex during mitosis: Role of mitosis-specific serine phosphorylation of FAK. 144:315.
— *See* Totsukawa, Yamakita, Yamashiro, Hosoya, Hartshorne, and Matsumura.
**Yamamoto, A., West, R.R., McIntosh, J.R., and Hiraoka, Y.** A cytoplasmic dynein heavy chain is required for oscillatory nuclear movement of meiotic prophase and efficient meiotic recombination in fission yeast. 145:1233.
**Yamamoto, D.** *See* Li, Serr, Edwards, Ludmann, Yamamoto, Tilney, Field, and Hays.
**Yamashiro, S.** *See* Totsukawa, Yamakita, Yamashiro, Hosoya, Hartshorne, and Matsumura.
— *See* Yamakita, Totsukawa, Yamashiro, Fry, Zhang, Hanks, and Matsumura.
**Yan, J.-P.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
**Yanagisawa, M.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Yancopoulos, G.D.** *See* Zhou, Glass, Yancopoulos, and Sanes.
**Yang, B.** *See* Advani, Yang, Prekeris, Lee, Klumperman, and Scheller.
**Yang, H.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Yang, J.** *See* Moore, Yang, Truant, and Kornbluth.
**Yang, S.** *See* Cope, Yang, Shang, and Drubin.
**Yang, X.** *See* Wei, Yang, Liu, Wilkins, and Chapman.
**Yang, Y.** *See* Relan, Yang, Beqaj, Miner, and Schuger.
**Yang, Z.** *See* Ray, Perez, Yang, Xu, Ritchings, Steller, and Goldstein.
**Yang-Snyder, J.A.** *See* Miller, Rowning, Larabell, Yang-Snyder, Bates, and Moon.
**Yao, Y.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Yap, A.S.** *See* Le, Yap, and Stow.
**Yarden, Y.** *See* Soussan, Burakov, Daniels, Toister-Achituv, Porat, Yarden, and Elazar.
**Yasuda, H.** *See* Kotani, Tanaka, Yasuda, and Todokoro.
**Yates, J.R.** *See* Goode, Wong, Butty, Peter, McCormack, Yates, Drubin, and Barnes.
— *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Ybarrondo, B.** *See* Shiraga, Ritchie, Aidoudi, Baron, Wilcox, White, Ybarrondo, Murphy, Leavitt, and Shattil.
**Ye, Y., and Fortini, M.E.** Apoptotic activities of wild-type and Alzheimer's disease-related mutant presenilins in *Drosophila melanogaster*. 146:1351.
**Yeakley, J.M., Tronchère, H., Olesen, J., Dyck, J.A., Wang, H.-Y., and Fu, X.-D.** Phosphorylation regulates in vivo interaction and molecular targeting of serine/arginine-rich pre-mRNA splicing factors. 145: 447.
**Yednock, T.** *See* Taooka, Chen, Yednock, and Sheppard.
**Yednock, T.A.** *See* Loike, Cao, Budhu, Marcantonio, El Khoury, Hoffman, Yednock, and Silverstein.
**Yeger, H.** *See* Cano-Gauci, Song, Yang, McKerlie, Choo, Shi, Pullano, Piscione, Grisaru, Soon, Sedlackova, Tanswell, Mak, Yeger, Lockwood, Rosenblum, and Filmus.
**Yeh, E.** *See* Maddox, Chin, Mallavarapu, Yeh, Salmon, and Bloom.
**Yeh, E.T.H.** *See* Ishov, Sotnikov, Negorev, Vladimirova, Neff, Kamitani, Yeh, Strauss, and Maul.
**Yeh, J.-C.** *See* Fukuda, Hiraoka, and Yeh.
**Yeh, L.** *See* Collins, Ricketts, Yeh, and Cheresh.
**Yen, T.J.** *See* Chan, Jablonski, Sudakin, Hittle, and Yen.
**Yewdell, J.W.** *See* Antón, Schubert, Bacík, Princiotta, Wearsch, Gibbs, Day, Realini, Rechsteiner, Bennink, and Yewdell.
— *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Yi, J.-H.** *See* Tuma, Finnegan, Yi, and Hubbard.
**Yokota, H., van den Engh, G., Hearst, J.E., Sachs, R.K., and Trask, B.J.** Evidence for the organization of chromatin in megabase pair-sized loops arranged along a random walk path in the human G0/G1 interphase nucleus [130(6):1239]: Correction. 147:1583.
**Yokoya, F.** *See* Hieda, Tachibana, Yokoya, Kose, Imamoto, and Yoneda.
**Yoneda, Y.** *See* Hieda, Tachibana, Yokoya, Kose, Imamoto, and Yoneda.
**Yonekawa, Y.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Yonemura, S., Tsukita, S., and Tsukita, S.** Direct involvement of ezrin/radixin/moesin (ERM)-binding membrane proteins in the organization of microvilli in collaboration with activated ERM proteins. 145: 1497.
— *See* Sonoda, Furuse, Sasaki, Yonemura, Katahira, Horiguchi, and Tsukita.
**Yoshida, H.** *See* Ikeda, Nakanishi, Miyoshi, Mandai, Ishizaki, Tanaka, Togawa, Takahashi, Nishioka, Yoshida, Mizoguchi, Nishikawa, and Takai.
**Yoshikawa, S.** *See* Sawamoto, Winge, Koyama, Hirota, Yamada, Miyao, Yoshikawa, Jin, Kikuchi, and Okano.
**Yoshimori, T.** *See* Kirisako, Baba, Ishihara, Miyazawa, Ohsumi, Yoshimori, Noda, and Ohsumi.
**Yu, H.-G., Muszynski, M.G., and Dawe, R.K.** The maize homologue of the cell cycle checkpoint protein MAD2 reveals kinetochore substructure and contrasting mitotic and meiotic localization patterns. 145:425.
**Yu, J.** *See* Gutierrez, Yu, Rivera, and Wessling-Resnick.
**Yu, W.** *See* Ahmad, Yu, McNally, and Baas.
**Yuba-Kubo, A.** *See* Kubo, Sasaki, Yuba-Kubo, Tsukita, and Shiina.
**Yurchenco, P.D.** *See* Colognato, Winkelmann, and Yurchenco.

Z

**Zaffran, S.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Zahm, J.-M.** *See* Legrand, Gilles, Zahm, Polette, Buisson, Kaplan, Birembaut, and Tournier.
**Zaidi, M.** *See* Sun, Adebanjo, Moonga, Corisdeo, Anandatheerthavarada, Biswas, Arakawa, Hakeda, Koval, Sodam, Bevis, Moser, Lai, Epstein, Troen, Kumegawa, and Zaidi.

**Zakharenko, S., Chang, S., O'Donoghue, M., and Popov, S.V.** Neurotransmitter secretion along growing nerve processes: Comparison with synaptic vesicle exocytosis. 144:507. Correction. 144:803.
**Zanchi, M.** *See* De Angelis, Berghella, Coletta, Lattanzi, Zanchi, Cusella-De Angelis, Ponzetto, and Cossu.
**Zarnescu, D.C., and Thomas, G.H.** Apical spectrin is essential for epithelial morphogenesis but not apicobasal polarity in *Drosophila*. 146: 1075.
**Zatloukal, K.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Zeidman, R., Löfgren, B., Påhlman, S., and Larsson, C.** PKCε, via its regulatory domain and independently of its catalytic domain, induces neurite-like processes in neuroblastoma cells. 145:713.
**Zellnig, G.** *See* Schneiter, Brügger, Sandhoff, Zellnig, Leber, Lampl, Athenstaedt, Hrastnik, Eder, Daum, Paltauf, Wieland, and Kohlwein.
**Zeng, G., and Cai, M.** Regulation of the actin cytoskeleton organization in yeast by a novel serine/threonine kinase Prk1p. 144:71.
**Zeng, L., D'Alessandri, L., Kalousek, M.B., Vaughan, L., and Pallen, C.J.** Protein tyrosine phosphatase α (PTPα) and contactin form a novel neuronal receptor complex linked to the intracellular tyrosine kinase fyn. 147:707.
— *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Zeng, X., Kahana, J.A., Silver, P.A., Morphew, M.K., McIntosh, J.R., Fitch, I.T., Carbon, J., and Saunders, W.S.** Slk19p is a centromere protein that functions to stabilize mitotic spindles. 146:415.
**Zenz, R.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Zhang, H.L., Singer, R.H., and Bassell, G.J.** Neurotrophin regulation of β-actin mRNA and protein localization within growth cones. 147:59.
**Zhang, J., Reedy, M.C., Hannun, Y.A., and Obeid, L.M.** Inhibition of caspases inhibits the release of apoptotic bodies: Bcl-2 inhibits the initiation of formation of apoptotic bodies in chemotherapeutic agent-induced apoptosis. 145:99.
**Zhang, X.** *See* Yamakita, Totsukawa, Yamashiro, Fry, Zhang, Hanks, and Matsumura.
**Zhao, B.-P.** *See* Claude, Zhao, Kuziemsky, Dahan, Berger, Yan, Armold, Sullivan, and Melançon.
**Zhelesnyak, A.** *See* Green, Zhelesnyak, Chung, Lindberg, Sarfati, Frazier, and Brown.
**Zheng, M.** *See* Leung, Sun, Zheng, Knowles, and Liem.
**Zheng, Y.** *See* Oegema, Wiese, Martin, Milligan, Iwamatsu, Mitchison, and Zheng.
**Zhong, Y., Brieher, W.M., and Gumbiner, B.M.** Analysis of C-cadherin regulation during tissue morphogenesis with an activating antibody. 144:351.
**Zhou, H., Glass, D.J., Yancopoulos, G.D., and Sanes, J.R.** Distinct domains of MuSK mediate its abilities to induce and to associate with postsynaptic specializations. 146:1133.
**Zhou, J.** *See* Lu, Paredes, Medina, Zhou, Cavallo, Peifer, Orecchio, and Kosik.
**Zhou, L., Kasperek, E.M., and Nicholson, B.J.** Dissection of the molecular basis of $pp60^{v-src}$ induced gating connexin 43 gap junction channels. 144:1033.
**Zhou, X.-H.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Zhu, X.** *See* Bottazzi, Zhu, Böhmer, and Assoian.
**Zhu, Y., Oganesian, A., Keene, D.R., and Sandell, L.J.** Type IIA procollagen containing the cysteine-rich amino propeptide is deposited in the extracellular matrix of prechondrogenic tissue and binds to TGF-β1 and BMP-2. 144:1069.
**Zimmerman, G.A.** *See* Pabla, Weyrich, Dixon, Bray, McIntyre, Prescott, and Zimmerman.
**Zink, D.** *See* Sadoni, Langer, Fauth, Bernardi, Cremer, Turner, and Zink.
**Ziparo, E.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Zitvogel, L.** *See* Théry, Regnault, Garin, Wolfers, Zitvogel, Ricciardi-Castagnoli, Raposo, and Amigorena.
**Zorzi, N.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Zucker, R.S.** *See* Lau, Zucker, and Bentley.
**Zuo, F.-R.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Zusman, S.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Zvaritch, E.** *See* Mesaeli, Nakamura, Zvaritch, Dickie, Dziak, Krause, Opas, MacLennan, and Michalak.

# SUBJECT INDEX VOLUMES 144–147


14-3-3, and glycoprotein Ib-Ix signaling, 147:1085
A20 zinc finger protein, interaction with ABIN, inhibitory effects on nuclear factor-κB activation, 145:1471
ABIN, interaction with A20 zinc finger protein, nuclear factor-κB inhibited by, 145:1471
Acetylcholine, secretion in neurons, 144:507
Acetylcholine receptor, aggregation in postsynaptic membrane, MuSK and, 146:1133
Acetylcholinesterase
  clustering at neuromuscular junction, 145:911
  role of collagen Q in assembly of, 144:1349
Actin
  α-, binding site on zyxin, 147:1549
  and amoeboid motility of sperm, 146:1087
  association with actin cross-linking family 7, 147:1275
  and cytoplasmic execution of apoptosis, 146:703
  depolymerization of, *Dictyostelium discoideum* homologue of actin-interacting protein-1 and, 146:453
  dynamics in growth cone filopodia, 146:1097
  integrates into myofibrils, 145:491
  interaction with myosin during cytokinesis, 144:305
  Kar9p dependent on, 144:963
  maturation pathway of, 145:265
  and microtubule–cortex interactions, 144:809
  nucleation and insertional polymerization of, and *Shigella* movement, 146:1319
  PAK family kinases regulate polarity of, 147:845
  and pollen tube cell elongation, 145:317
  relationship between Arp2/3 complex and barbed ends of, polymerization at leading edge of carcinoma cells, 145:331
  Rho1 protein and organization of, 146:373
  and spindle orientation, 146:1019
Actin capping protein β isoforms, distinct functions of, 147:1287
Actin cross-linking family 7, association with actin and microtubules, as novel cytoskeletal linking protein, 147:1275
Actin cytoskeleton
  association with monocyte-binding receptors, 145:1293
  and blood platelet formation, 147:1299
  CD44-containing lipid microdomains interact with, 146:843
  depolarization in response to cell wall stress, 147:163
  and α-glucan synthase Mok1, and cell morphogenesis, 144:1173
  influenced by microtubules, and control of cell polarization, 146:1033
  mHip1R links endocytic machinery to, 147:1503
  novel protein kinases (Ark1p and Prk1p) and, 144:1203
  organization altered by PAM expression, 144:459
  protein kinase Prk1 regulates organization of, 144:71
  Ras-mediated reorganization of, atypical protein kinase C and, 144:413
  and regulation of AE1 anion exchanger localization/stability, 147:1237
  vinexin enhances organization of, 144:59
Actin depolymerization, LIM-kinase 2 and, 147:1519
Actin depolymerizing factor/cofilin, as Arp2/3 complex antagonist in lamellipodia, promotes actin filament disassembly, 145:1009
Actin filament array, in lamellipodia, dendritic organization and treadmilling of, Arp2/3 complex and, actin depolymerizing factor/cofilin and, 145:1009
Actin filaments
  cooperation with microtubules, and axonal transport of myosin Va–associated organelles, 146:1045
  coronin cross-links microtubules and, 144:83
  disassembled by Aip1p–cofilin interaction, 145:1251
  filamin required for organization of, 146:1061
  recruited for microvillar organization, 145:1497
β-Actin mRNA, neurotrophin regulation of, 147:59
Actin polymerization
  cell motility and shape changes driven by, 146:267
  molecular ratchet model for, *Listeria monocytogenes* motility dependent on, 144:1245
Actin ring, formation induced by osteoprotegerin ligand, 145:527
Actin structures (involved in bipolar budding), and spindle orientation, 144:947
Actin-based cytoskeleton, α-catenin interacts with, 144:1311
Actin-binding protein 280, required for *Drosophila* oogenesis, and ring canal assembly, and actin organization, 146:1061
Actin-binding proteins, intestinal, localization/expression in villin-null mice, 146:819
α-Actinin, α-catenin domain interacts with, 144:1311
Actin-related protein (novel), association with Arp1 minifilament pointed end, 147:307
Activin, regulates C-cadherin, 144:351
Actomyosin, and keratocyte locomotion, 145:589
Actomyosin cytoskeleton, tight junction submembrane domain linked to, 147:1569
Acylation, of $p59^{fyn}$, required for association with T cell receptor ζ chain, 145:377
Aczonin, as novel active zone–specific protein, and molecular architecture of synaptic active zones, and neurotransmitter vesicle trafficking, shares homology regions with Rim and Bassoon, 147:151
ADAM 2 (a disintegrin and metalloprotease), α6β1 integrin associates with, 144:549
γ-Adaptin, novel binding partner to, 146:993
Adaptins, incorporation into plasma membrane clathrin-coated pits, phosphoinositide–AP-2 interaction and, 146:755
Adaptor protein
  AP-2, interaction with phosphoinositides, and formation of/adaptor incorporation into plasma membrane clathrin-coated pits, function in endocytosis, 146:755
  hc, differentially activates cell migration and proliferation, 147:1561
  and promotion of cell migration, 146:1107
Adaptor protein complexes, and recognition of tyrosine-based sorting signals, 145:923
ADAR1 (double-stranded RNA adenosine deaminase), two variants of, localization on *Xenopus* lampbrush chromosomes, association with ribonucleoprotein matrix, 144:603
Adducin, phosphorylation by Rho-kinase, 145:347
Adenine nucleotide translocase-1, characterization of, induces apoptosis, 147:1493
Adenomatous polyposis coli
  Axin as part of complex including, 145:741
  β-catenin interaction with, 146:967
  in *Drosophila*, regulates Wingless signaling, Armadillo and β-catenin targeted by, 146:1303
Adenosine diphosphate–ribosylation factor, clathrin recruitment to Golgi membranes dependent on, Drs2p and, 147:1223
Adenovirus, microtubule plus/minus end–dependent motilities of, 144:657
ADF/cofilin, role in myofibril assembly, 145:491
Adherens junction
  cadherin-based, nectin recruited to, 145:539
  ponsin localized at, 144:1001
  UNC-97 localized to, 144:45
Adhesion
  between Schwann cells and unmyelinated axons, mediated by heterophilic axonal-L1 interactions, 146:1173
  cadherin-mediated, enhanced in N-CAM mutant mice, 144:325
  cadherin-mediated, regulation of, 144:351
  E-cadherin–based, functional domains of α-catenin required for, 144:1311
  to extracellular matrix, required for downregulation of $p21^{cip1}$ gene, 146:1255
  and formation of fimbrin–vimentin complexes, and integration of actin and vimentin cytoskeletons, 146:831
  integrin-mediated, role of caveolin and urokinase receptor in, 144:1285
Adhesion complexes, integrin–tetraspanin, function of, 146:477
Adhesive junction, δ-catenin associated with, 144:519
Adipocytes, compartments for regulated exocytosis in, 146:609
ADP ribosylation factor 5, novel Golgi-associated protein shows specificity for, 146:71
ADP-ribosylation factor 6, controls apical endocytosis, 147:7
Aequorin, and observation of $Ca^{2+}$ changes in endoplasmic reticulum, 144:241
Aerolysin, oligomerization of, promoted by cholesterol-sphingolipid-rich microdomains, 147:175
AF-6, interacts/clusters with Eph receptor tyrosine kinases, PDZ domain of, 144:361
Afadin
  recruits nectin to cadherin-based adherens junctions, 145:539
  role in embryogenesis, and organization of cell–cell junctions, 146:1117
Aggregation/degradation, 147:1195
Aggresome, composition/formation of, 146:1239

Aging
axonal atrophy related to, neurofilament proteins necessary during, 146:181
premature, caused by Werner's syndrome, 144:1
Agrin, MuSK interacts with, 146:1133
Aip1p, interaction with cofilin, and actin filament disassembly, 145:1251
Airway epithelia, interaction between EBP50/YAP65/c-Yes in, 147:879
A-kinase–anchoring protein
AKAP95, anchors cAMP/PKA–signaling complex onto chromosomes, role in chromatin condensation at mitosis, 147:1167
AKAP18 isoforms, subcellular localization regulated by alternative splicing, and intracellular signalling, 147:1481
dual specificity, differential targeting by, directed to mitochondria or endoplasmic reticulum, 145:951
AKT/PKB, caspase 3–dependent cleavage of, and p53-inhibited integrin survival signaling, 147:1063
Alf1p, association with α-tubulin, 144:113
Alternative splicing
in PDZ domain of novel skeletal muscle protein, 146:465
regulates subcellular localization of AKAP18 isoforms, 147:1481
Alzheimer's disease
presenilin 1 control of γ-secretase activity and, 147:277
presenilin mutations linked to, 146:1351
and QM/Jun-interacting factor-1 binding to presenilin-1, 147:121
role of calmyrin in, 145:1277
Ameloblasts, stem cell division and differentiation into, 147:105
Aminooxypentane-RANTES, signaling triggered by (compared to RANTES), 144:755
Aminophospholipid translocase, Drs2p and, 147:1223
Amoeboid motility, of nematode sperm, major sperm protein cytoskeleton and, 146:1087
Amyloid precursor protein processing, by γ-secretase, presenilin 1 and, 147:277
Amyotrophic lateral sclerosis, peripherin inclusions and motor neuron death in, 147:531
Anaphase-promoting complex
hBUBR1 associates with, 146:941
phosphorylation/regulatory factors control activity of, 146:791
Anchorage-independent growth, in transformed cells, focal adhesion kinase activation and, 147:611
Aneuploidy, pericentrin overexpression and, 147:481
Angiogenesis, regulation of, and neuronal guidance regulation, 146:233
Ankyrin-B, and intracellular sorting of $Ca^{2+}$ homeostasis proteins, 147:995
Annexin II, in lipid rafts, CD44 interacts with, 146:843
Anoikis, β-catenin protects cells from, 146:855
Antigen presentation
hsc73 accumulation in dendritic cell–derived endosomes and, 147:599
and trafficking/maturation of major histocompatiblity complex class II molecules, 147:775
AP-1, glucocorticoid receptor represses activity of, 147:1365
AP-1 adaptor complex, linked to other proteins by γ-synergin, 146:993
Apaf-1, cytochrome c binds to, and activation of caspase 9, 144:281
Apg/Aut7p, essential for autophagy in yeast, 147:435
Apical membrane proteins, in hepatocytes, selectively regulated by phosphoinositide 3-kinase, lysosomes as final destination of, 145:1089
Apical surface, of polarized epithelial cells, endocytosis at, 147:7
Apical transport, of hemagglutinin, 145:141
Apicomplexa, conservation of gliding motility/cell invasion machinery in, 147:937
Apoptosis
Bid translocates to mitochondria during, mitochondrial cytochrome c release during, 144:891
chromosome fragmentation and, 146:13
c-Jun and regulation of, 145:1049
c-*jun*–associated, suppressed by presenilin-1, 147:121
controlled by procaspase-3, 144:915
cytochrome c and activation of, 144:281
DAP-kinase involved in, 146:141
in *Drosophila*, altered cytochrome c display in, 144:701
extranuclear, cytoplasm and execution phase of, 146:703
induced by adenine nucleotide translocase-1, 147:1493
induced by chemotherapy, lipid release in, release/formation of apoptotic bodies in, 145:99
mitochondrial cytochrome c release during (reversibility of), of sympathetic neurons (induced by nerve growth factor deprivation), 144:883
mitochondrial recovery from activation of, 147:809
nitric oxide–mediated, arginase II prevents, 144:427
preceded by changes in Bak protein, 144:903
regulated by dystrophin-associated proteins, 145:1325
regulated by extracellular matrix through insulin signaling, 144:1337
regulated by oxygen stress, induced by glutathione depletion, 145:757
suppressed by sphingosine kinase, 147:545
suspension-mediated, β-catenin protects cells from, 146:855
of wild-type and mutant presenilins, 146:1351
Apoptotic bodies, caspases and release of, Bcl-2 inhibits formation of, 145:99
*Arabidopsis*, subcellular localization of phytochrome B in, 145:437
Arginase II, downregulates nitric oxide production, prevents nitric oxide–mediated apoptosis, depletes intracellular arginine, 144:427
Arginine, depleted by arginase II, 144:427
Armadillo, targeted by adenomatous polyposis coli, and regula, 146:1303
Arp2/3 complex
as actin depolymerizing factor/cofilin antagonist in lamellipodia, and actin network integration, protects against depolymerization, 145:1009
actin nucleation by, 146:1319
relationship between actin barbed ends and, 145:331
Assay, cell-free, for β-catenin signaling, 147:367
Astral microtubules, link between polarized actin cytoskeleton and, effect on spindle orientation, 146:1019
Astrocytes
α-dystrobrevin-1 in, 147:645
modulation of $Ca^{2+}$ waves in, 145:795
response to central nervous system injury, in mice lacking glial fibrillary acidic protein and vimentin, inability to form intermediate filaments, 145:503
ATP transport, by adenine nucleotide translocase-1, and induction of apoptosis, 147:1493
AtT-20 cells, induction of integral membrane PAM expression in, 144:459
Atypical protein kinase C, and Ras-mediated reorganization of actin cytoskeleton, 144:413
Autophagosome, formation process of (traced with Apg8/Aut7p), 147:435
Autophagy, in yeast, Apg8/Aut7p essential for, 147:435
Axl2/Bud10p, glycosylated by Pmt4p, activity increased by O-glycosylation, 145:1177
Axial budding, O-glycosylation required for, 145:1177
Axin, structural/functional analysis of, and dorsal axis formation, Dishevelled colocalizes with, as part of adenomatous polyposis coli/glycogen synthase kinase 3β/β-catenin complex, 145:741
Axo-glial interactions, and organization of axolemmal proteins, galactolipids and, 147:1145
Axon growth, retinal, promoted by receptor tyrosine phosphatase CRYPα, 147:375
Axon guidance, neurolin immunoglobulin domain 2 and, 144:339
Axonal atrophy, age-related, in neurofilament-deficient mice, 146:181
Axonal degeneration, loss of axonal-L1 interactions and, 146:1173
Axonal outgrowth/fasciculation, FEZ1 (UNC-76 homologue) involved in, 144:403
Axonal transport
of choline acetyltransferase, kinesin-II required for, 147:507
dynein-associated proteins involved in, 146:165
slow, of neurofilament proteins, 144:447
Axons
collapsin-1 inhibits motility of, 146:233
developing, neurotransmitter secretion from, 144:507
microtubules released into, 145:305
and oligodendrocyte development, 147:1123
role in oligodendrocyte lineage development, 146:1365
B cell antigen receptor, inhibitory action of FcγRIIb on, 145:1511
B lymphocytes, protein kinase B regulation during activation of, 145:1511
Bacterial pathogenesis, growth of *Listeria monocytogenes*, 146:1333
Bacteriophage φ6 nucleocaspid, entry mechanism of, 147:671
BAG-1 isoforms, of eukaryotic cochaperone RAP46, effect on glucocorticoid receptor activity, 146:929
Bak protein, intracellular changes in, 144:903
Barbed ends (actin), relationship between Arp2/3 complex and, 145:331
Basal cell carcinoma, induced by Sonic hedgehog pathway activation, 147:71
Basal lamina, formation at neuromuscular junction, 145:911
Basal-lateral membrane domains, E-cadherin sorting to, 144:687
Basement membranes
apoptosis suppression mediated by, 144:1337
of contracting muscle cells and expanding brain vesicles, perlecan maintains integrity of, 147:1109
and endoderm differentiation, laminin and formation of, 144:151
Bax
Bid induces conformational change of, 144:891
and release of cytochrome *c*, and limited permeabilization of mitochondrial outer membrane, 147:809

Bcl-2
inhibits formation of apoptotic bodies, and caspase activation, 145:99
regulates procaspase-3 activation, and apoptosis regulation, 144:915
Bcl-2 family, damage signals initiate conformational changes in, 144:903
Beckwith-Wiedemann syndrome, similarity to Simpson-Golabi-Behmel syndrome, molecular basis of, 146:255
Bid
and release of cytochrome *c*, and limited permeabilization of mitochondrial outer membrane, 147:809
translocation to mitochondria during apoptosis, induces conformational change of Bax, and cytochrome c release from mitochondria, 144:891
Binding, chemokines to brain microvessels, 145:403
Biorheology, visualization of cytoskeleton and, 145:109
Biotinylation, and observation of E-cadherin recycling, 146:219
BiP
misfolded proteins associated with, 147:1443
and protein folding in endoplasmic reticulum, 144:21
Bipolar kinesin (KLP61F), association with interpolar microtubule bundles, 144:125
Blood platelets, formation of, 147:1299
Blood vessels, claudin-5/TMVCF detected in endothelial cells of, 147:185
Bni1p, association with Kar9p, 144:963
Bni1P, controls mitotic spindle position, 144:947
Bone morphogenetic protein family, role of CDMP-1 in skeletal formation, 144:161
Bone morphogenetic protein-2, $NH_2$-propeptide of type IIA procollagen binds to, extracellular matrix distribution in chondrogenetic tissue, 144:1069
Bone morphogenetic protein, regulated by pro domains and proprotein convertases, 144:139
Bone resorption
osteoprotegerin ligand and, 145:527
regulated by CD38/ADP-ribosyl cyclase, 146:1161
Botulinum neurotoxin A, blocks synaptic vesicle exocytosis, 147:1249
Brain
adult rat, Eph receptor clustering at cell–cell contact sites in, mediated by AF-6, 144:361
dystrophin-like complexes in, 147:645
Brain development, neurotractin and, 145:865
Breast cancer cells, N-cadherin promotes motility in, 147:631
Brefeldin A
Golgi-specific resistance to, and identification of Sec7d family members implicated in Golgi function, 146:71
and retrograde transport to endoplasmic reticulum/Golgi intermediates, 147:1457
Bristles
development of, *Drosophila* RalGTPase and, Jun $NH_2$-terminal kinase pathway and, 146:361
*Drosophila*, Drab6 and development of, 146:731
Bronchial epithelium, role of matrix metalloproteinase 9 in repair of, 146:517
Bub2, localized at spindle pole bodies, activates mitotic checkpoint, functions via pathway distinct from Mad2, 145:979
*bub1* (spindle checkpoint gene), mutations in, 146:13
BUBR1 kinase (human), essential for mitotic checkpoint, monitors CENP-E functions at kinetochores, binds cyclosome/anaphase-promoting complex, 146:941
Budding, axial, O-glycosylation required for, 145:1177
Budding yeast
Bub2 activates mitotic checkpoint in, 145:979
kinetochore formation in, 145:933
Bullous pemphigoid antigen 1, neural isoform of, interaction with peripherin, interaction with neuronal intermediate filaments, fails to associate with neurofilament triplet proteins, 144:435
α-Bungarotoxin receptors, two different conformations of α7 subunits in, 146:203
Butyrylcholinesterase, role of collagen Q in assembly of, 144:1349
bZIP transcription factors, regulation of nuclear import, 144:201
C2 domain
and cytosolic phospholipase $A_2$ regulation, 145:1219
of synaptotagmin III, crystal structure of, 147:589
$Ca^{2+}$
CALNUC overexpression and uptake of, 145:279
release induced by $Ca^{2+}$, caffeine and release of, 144:241
$Ca^{2+}$ buffering, in astrocytes, by mitochondria, 145:795
$Ca^{2+}$ channels, ryanodine receptor–gated, $Ca^{2+}$ release from, and osteoclast regulation, 146:1161
$Ca^{2+}$ spikes, kinetic control of multiple forms of, 146:405
$Ca^{2+}$ waves, kinetic control of multiple forms of, 146:405
$Ca^{+2}$-dependent membrane fusion, synaptotagmin involved in, 147:589
Cadherin
adhesion mediated by, enhanced in N-CAM mutant mice, 144:325
mediates intercellular motility, 144:533
vascular–endothelial, in skeletal myogenic progenitors, 147:695, 869
Cadherin-based adherens junctions, nectin recruited to, 145:539
Cadherins
cell–cell junctions based on, afadin and, 146:1117
differential functions in embryonic cell motility, 146:501
β1 integrin–regulated cell scattering and, 147:1325
*Caenorhabditis elegans*
LIN-12 and GLP-1 trafficking in, 145:1165
myofibril assembly in, 145:491
novel cell adhesion protein of, 146:659
novel centromere-associated protein identified in, 147:471
sensory neurons of, CHE-3 dynein and retrograde intraflagellar transport in, 147:519
troponin C gene of, 146:193
UNC-97 and mechanosensory function of, 144:45
UNC-76 protein, mammalian homologue of, 144:403
*Caenorhabditis elegans* embryo, cell division processes in, mutational analysis of, 144:927
Caffeine, quantal $Ca^{2+}$ release by, 144:241
Caged inositol triphosphate, photolysis of, and mechanisms of agonist-induced $Ca^{2+}$ spikes, 146:405
Cajal (coiled) body, and small ribonucleoprotein biogenesis, 147:715
Calcium
and cytosolic phospholipase $A_2$ activation, 145:1219
filopodial protrusion mediated by, 145:1265
Calcium homeostasis, during signaling, potassium-dependent sodium/calcium channel exchanger and, 147:659
Calcium homeostasis proteins, ankyrin-B required for intracellular sorting of, 147:995
Calcium release channel, type 3 ryanodine receptor, localization in skeletal muscle, 146:621
Calcium signals, mediated by inositol-1,4,5-triphosphate, 147:929
Calcium-binding protein, calmyrin, interaction with presenilin 2, role in cell death and Alzheimer's disease, 145:1277
Calcium/calmodulin+-dependent protein kinase II activity regulated by integrin, 145:889
and neuronal survival, 146:955
Calmyrin, interaction with presenilin 2, role in cell death and Alzheimer's disease, 145:1277
CALNUC (nucleobindin), binds $Ca^{2+}$ in the Golgi, effects of overexpression, EF-hands of, 145:279
Calpain, activity decreased by interferon inducible protein-10, 146:243
Calreticulin, essential for cardiac development, regulates $Ca^{2+}$ homeostasis, involved in transcriptional pathways, 144:857
cAMP-dependent protein kinase, subcellular localization of, differential targeting by A-kinase–anchoring protein 1, 145:951
cAMP/PKA–signaling complex, anchored onto chromosomes by AKAP95, 147:1167
Caplain, $pp125^{FAK}$ cleavage mediated by, 147:619
Capping protein, actin, distinct functions of β isoforms, 147:1287
Carbohydrates, sulfated, synthesis on L-selectin ligands, 145:899
Carboxypeptidase Y, transport-coupled maturation of, measurement of, 146:85
Carcinogenesis (colon), overexpression of protein kinase C $\beta_{II}$ and, 145:699
Carcinoma cells, relationship between Arp2/3 complex and actin barbed ends in, actin polymerization at leading edge of, 145:331
Cardiac development, calreticulin essential for, 144:857
Cardiac muscle
I-band titin and elasticity of, 146:631
perlecan maintains basement membrane of, 147:1109
β-Cardiac myosin heavy chain, intranuclear distribution of, 144:617
Cardiomyoctes, adult, sarcomere maintenance in, 145:1483
Cardiomyopathy, actin capping protein gene mutations and, 147:1287
Cartilage
perlecan maitains integrity of, 147:1109
in transgenic mice expressing recombinant CDMP-1, 144:161
CAS, mitosis-specific phosphorylation of, 144:315
Caspase 3, AKT/PKB cleavage dependent on, and p53-inhibited integrin survival signaling, 147:1063
Caspase 9, caspase activation events downstream of, Apaf-1 and activation of, 144:281
Caspase inhibitors, protect nerve growth factor–deprived sympathetic neurons from apoptosis, 144:883
Caspases
cascade of, initiated by cytochrome c, 144:281
and Fas-triggered neuron killing, 147:1049
role in apoptotic body release, 145:99
Catenin, expression in Colo 205 cells, 145:551
α-Catenin, functional domains of, and cadherin-based cell adhesion, interaction with actin-based cytoskeleton, 144:1311

β-Catenin
Axin functions upstream of, Axin as part of complex including, 145:741
dishevelled and stabilization of, 146:427
and E-cadherin transport from endoplasmic reticulum and plasma membrane, 144:687
functions as oncogene, alters cell cycle progression, protects cells from anoikis, 146:855
H-Ras promotes relocation/cytoplasmic stabilization of, interaction with phosphoinositide 3-OH kinase, interaction with adenomatous polyposis coli, 146:967
targeted by adenomatous polyposis coli, and regulation of Wingless signaling, 146:1303
δ-Catenin, promotes cell scattering, adhesive junction–associated, 144:519
β-Catenin signaling, cell-free assay system for, 147:367
Cathepsin S, and trafficking/maturation of major histocompatibility complex class II molecules, 147:775
Caveolin
association with Golgi complex, 145:1443
and integrin-mediated adhesion/signaling, 144:1285
in lung endothelial caveolae, protein PV-1 colocalizes with, 145:1189
CBF3 kinetochore complex, structural core of, p58 subunit, 145:933
C-cadherin, activated by mAb AA5, regulation during tissue morphogenesis, 144:351
CD44, interaction with annexin II in lipid rafts, 146:843
CD4, $p56^{lck}$ associates with, 145:457
CD9, promote muscle cell fusion, support myotube maintenance, 146:893
CD81, promote muscle cell fusion, support myotube maintenance, 146:893
CD23, soluble, $\alpha_v\beta_3$/CD47 interacts with, and proinflammatory cytokine synthesis, 144:767
Cdc20, phosphorylation of, and regulation of anaphase-promoting complex activity, 146:791
Cdc42
maintains cell polarity, 144:1235
PAK family kinases as effectors of, 147:845
p21-associated kinase–regulated cytoskeletal organization downstream of, 147:831
Cdh1, phosphorylation of, and regulation of anaphase-promoting complex activity, 146:791
cdk inhibitors, $p21^{cip1}$ and activity of, 146:1255
Cdk/cyclin complexes, nuclear import of, 144:213
CD36/LIMP-II, *Dictyostelium discoideum* homologue of (DdLIMP), 145:167
CDMP-1 (cartilage-derived morphogenetic protein-1), role in skeletal morphogenesis, 144:161
Cell ablation studies, and distribution of novel cell adhesion protein, 146:659
Cell adhesion
during leukocyte rolling, 144:185
E-cadherin–based, functional domains of α-catenin required for, 144:1311
epithelial, laminin 5 and, 145:1309
lymphocyte, to extracellular matrix, 144:777
and multiple claudin species–tight junction strand interaction, 147:891
novel hypodermal protein involved in, 146:659
protein tyrosine phosphatase μ and, 144:1323
regulated by αvβ3/integrin-associated protein/G protein signaling complex, 146:673
Cell cortex, connection between microtubules and, 144:809
Cell cycle
actin and spindle orientation during, 146:1019
Bub2 localizes to spindle pole bodies throughout, 145:979
β-catenin alters progression of, 146:855
Cdc25B and Cdc25C localization/expression during, 146:573
chromosome formation during, 144:813
coupling of centrosome cycle to, mitotic regulators and, 147:1371
formation of prereplication complexes during, 146:709
G1-specific microtubules dynamics during, regulation of, 145:993
meiotic spindle assembly, chromosomal influence on, 145:1395
mitosis, increased endocytosis rate during, 144:497
nuclear envelope assembly/disassembly during, 144:225
progression through G1, focal adhesion kinase required for, activation of Jun $NH_2$-terminal kinase and, 145:1461
progression through G1 phase, transient/sustained ERK signals and control of, 146:1255
regulation of melanosome movement in, 146:1265
of *Saccharomyces cerevisiae*, PAK family kinases regulate cell/actin polarity throughout, 147:845
SUMO conjugation to septins during, 147:981
in yeast, Rho1 protein required for progression of, 146:373
Cell cycle regulation, Sonic hedgehog and, 147:71
Cell death
calmyrin and, 145:1277
c-*jun*–associated, suppressed by presenilin-1, 147:121
induced by adenine nucleotide translocase-1, 147:1493
Cell division
affected by telomere deregulation, 145:203
human ECT2 and regulation of, 147:921
mitotic spindle alignment during, 144:947
one-cell stage, aspects of, visualization with video microscopy, 144:927
role of cyclin A in, 147:295
role of protein 4.1R isoform in, 145:29
role of Rho during, 144:305
in *Schizosaccharomyces pombe*, Sid2p kinase regulates onset of, 146:777
Cell energetics, and entry of bacteriophage ϕ6, 147:671
Cell fibroblasts, p21-activated kinase regulates motility in, 145:837
Cell fusion, myogenic, roles of CD9 and CD81 in, 146:893
Cell growth
promoted by sphingosine kinase, 147:545
stress signalling and control of, 147:163
Cell invasion, conserved in Apicomplexa, 147:937
Cell localization, of protein kinase B, antagonized by FcγRIIB, 145:1511
Cell locomotion, separation of traction stresses during, adhesion/contractility and control of, 145:589
Cell membrane
Fyn localized to, 145:377
in *Saccharomyces cerevisiae*, lipid molecular species composition of, 146:741
sorting of signaling receptors at or near, 144:31
Cell migration
adaptor protein Shc and, 147:1561
in bronchial epithelium repair, role of matrix metalloproteinase-9 in, 146:517
*Drosophila* E-cadherin and, 144:533
mechanisms of (in keratinocytes), 147:1313
modulated by PTEN, differentially regulated by Shc and focal adhesion kinase, 146:389
regulated by protein tyrosine phosphatase-PEST, 144:1019
regulation of cell contraction and membrane ruffling during, mitogen-activated kinase and, adaptor proteins and, 146:1107
Rho GTPases cooperate to control, 144:1235
Cell migratory behavior, determined by reciprocal balance between Rac and Rho, 147:1009
Cell morphogenesis, role of α-glucan synthase Mok1 in, 144:1173
Cell motility
δ-catenin involved in, 144:519
driven by actin polymerization, 146:267
in embryogenesis, differential functions of cadherins in, 146:501
epidermal growth factor–induced, inhibited by interferon inducible protein-10, 146:243
in fibroblasts, regulated by p21-activated kinase, 145:837
p21-associated kinase and, 147:831
phosphorylation of adducin by Rho-kinase and, 145:347
zyxin function in, 147:1549
Cell movement, chemotactic, of carcinoma cells, and α6β4 integrin release, 146:1147
Cell polarity
apicobasal, roles of apical and basolateral spectrin in, 146:1075
Bim1p and, 145:993
cardiac, heterotrimeric protein $G_o$ and, 145:1063
maintained by Cdc42, 144:1235
microtubules and control of, 146:1033
regulated by PAK family kinases, 147:845
in Schwann cells, stabilized by heterophilic axonal-L1 interactions, 146:1173
in yeast, Rho1 protein required for, 146:373
yeast tomosyn homologues and, 146:125
Cell scattering, promoted by δ-catenin, 144:519
Cell shape
changes in, and actin polymerization, 146:267
cytoskeleton and determination of, 145:109
hensin and, 144:1057
Cell signaling (integrin-mediated), role of caveolin and urokinase receptor in, 144:1285
Cell spreading/elongation, activates laminin α2 chain expression, 147:1341
Cell–cell adhesion
cadherin-based, induced by Tiam activation of Rac, 147:1009
relationship to intracellular trafficking of membrane proteins, 144:687
vinexin and, 144:59
Cell–cell interaction, role of sialyl Lewis X oligosaccharide interaction with C-type lectin in, 147:467
Cell–cell junctions, afadin and organization of, 146:1117
Cellular memory, in leukocyte migration, 147:577
CENP-E, hBUBR1 monitors kinetochore activities dependent on, 146:941
Central nervous system
axon tracts, neurotractin and development of, 145:865
glioma cells invade white matter of, 144:373
injury caused by lack of glial fibrillary acidic protein and vimentin, 145:503
Centriolar satellites, molecular characterization of, and centriolar replication, pericentriolar material-1 as first component of, 147:969
Centrioles, centriolar satellites move toward, 147:969

Centromeres
association with CBF3 kinetochore complex, 145:933
of *Caenorhabditis elegans* mitotic chromosomes, holocentric protein 1 localized to, 147:471
Ctf19p interact with, 145:15
α-tubulin 67C and positioning of, 147:1137
Centrosome
and microtubule nucleation, 147:857
mitosis-specific recruitment of γ-tubulin to, activation at onset of mitosis, 146:585
neuronal, katanin and microtubule release from, 145:305
proteasomal machinery associated with, and increased level of misfolded proteins, 145:481
γ-tubulin association with, attachment to intermediate filaments, 146:645
Centrosome replication/separation, dynein–dynactin interaction required for, 147:1261
Centrosomes
assembly/organization/function of, pericentrin–dynein interaction and, 147:481
microtubule organization at (roles of dynein and dynactin in), 147:321
mitotic regulators and duplication of, 147:1371
nuclear attachment/migration of, dynein required for, 146:597
separation of, pronuclear migration loci required for, 144:927
Ceramide, endoplasmic reticulum–Golgi trafficking of, 144:673
CFTR (cystic fibrosis transmembrane conductance regulator), folding mutants of, inclusions formed by, 145:481
Chaperones, and aggresome formation, 146:1239
Chemoattractants, regulate $\beta_1$ integrins, 144:1047
Chemokine, interferon inducible protein-10, inhibits fibroblast motility, decreases calpain activity, 146:243
Chemokine receptors, dimerization of, and HIV-1 inhibition, 144:755
Chemokines, binding on brain microvessels, 145:403
Chemokinesis, of neutrophils, cell memory and, 147:577
Chemotaxis
α2β1-dependent, stimulated by integrin-associated proteins, 147:389
during neutrophil migration, 147:577
enhanced by neuropilin-1, 146:233
mammary carcinoma cells, and control of actin polymerization at leading edge, and generation of nucleation sites, role of Arp2/3 complex in, 145:331
PAKa regulates myosin II assembly during, 147:559
of polymorphonuclear leukocytes, regulated by $\beta_1$ integrins, 144:1047
Chemotherapy, membrane lipid release induced by, and release/formation of apoptotic bodies, 145:99
Chemotropism, protein complex required for, 144:1187
Chinese hamster ovary cells, LY-A strain, sphingomyelin synthesis defect in, impaired endoplasmic reticulum–Golgi ceramide trafficking in, 144:673
Chitin synthase III, regulation of, and endoplasmic reticulum protein export, 145:1153
Chitin synthesis, in *Saccharomyces cerevisiae*, novel mechanism for, and endoplasmic reticulum protein export, 145:1153
*Chlamydomonas*
cell line with deletion mutation in DHC1b, 144:473
complex assembly in, dynein heavy chain domains and, 146:801
flagellar motility mutations in, 144:293
*Chlamydomonas* flagella, assembly/maintenance of, intraflagellar transport and, 144:385
Chloroplast protein transport, thylakoid membranes for, components of, 146:45
Chloroplasts, transit peptide turnover in, 147:33
Chloroquine uptake, in *Plasmodium falciparum*, dependent on binding to ferriprotoporphyrin IX, independent of $Na^+/H^+$ exchanger activity, 145:363
Cholera toxin-B subunit, fluorescently labeled, and visualization of lipid rafts, 147:447
Cholesterol
as essential component of αvβ3/integrin-associated protein/G protein signaling complex, 146:673
maintains plasma membrane structure, role in FcεRI signaling, and FcεRI/Lyn interactions, 145:877
Cholesterol-sphingolipid-rich microdomains, as specialized concentration devices on plasma membranes, 147:175
Choline acetyltransferase, kinesin-II and axonal transport of, 147:507
Chondrocyte differentiation, regulated by transforming growth factor β and parathyroid hormone–related peptide, 145:783
Chondrocytes
differentiation of, CDMP-1 and, 144:161
interleukin 4 in mechanotransduction of, 145:183
mineralization of, matrix GLA protein as developmental regulator of, 147:1097
Chondrodysplasia, in perlecan-deficient mice, 147:1109
Chondrogenesis
$NH_2$-propeptide of type IIA procollagen function in, 144:1069
stimulated/maintained by perlecan, 145:1103
Chromaffin cells, $Ca^{2+}$-induced $Ca^{2+}$ release in, 144:241
Chromatin, VP16-induced unfolding and remodeling of, 145:1341
Chromatin assembly factor 1, within heterochromatin domains, and H4 acetylation/deacetylation cycle, 147:1153
Chromatin structure
in chromosome territories, 147:13
influenced by LAP2 proteins, 144:1083
Chromosome abberations, telomere deregulation and, 145:203
Chromosome condensation
histone H3 N-tail in, 145:225
role of AKAP95 in, 147:1167
Chromosome cores, meiotic, RAD51 and DMC1 colocalize in, 147:207
Chromosome missegregation, caused by *bub1* mutations, 146:13
Chromosome pairing, and study of nuclear matrix–chromosomal territory association, 146:531
Chromosome segregation
CBF3 complex formation and, 145:933
Ctf19p and, 145:15
HCP-1 involved in, 147:471
Ipl1–Sli15 complex and, 145:1381
α-tubulin 67C, 147:1137
Chromosome stability, in telomerase-deficient cells, 144:589
Chromosome structure, functional nuclear architecture and, 146:1211
Chromosome territory
association with nuclear matrix, 146:531
spatial relationship between transcription sites and, 147:13
Chromosomes
alignment of, kinetochore–microtubule interaction and, 146:1
elasticity and structure of, deformability of, in vitro assembled vs. native somatic, 145:215
formation of, monitored by DNA visualization, 144:813
localization/morphology in the nucleus, differences in, 145:1119
positions on mitotic ring, 145:1
transcriptional activation domain targeted to, 145:1341
Cilia, sensory, retrograde transport of kinesin-II within, 147:507
Ciliary organelles, cytoplasmic dynein 1b/kinesin-II and assembly/maintenance of, 147:463
Ciliated epithelial cells, laminin γ3 chain as prominent element of, 145:605
Ciliogenesis, centriolar satellites and, 147:969
Cingulin, structural/functional analysis of, role in tight junctions, interaction with ZO-1–3 and myosin, 147:1569
*cis*-Golgi network, linked to microtubules by GMAP-210, 145:83
c-Jun, in liver and heart development, maintains hepatic hematopoiesis, role in neural crest function, and apoptosis regulation, 145:1049
*c-jun*, presenilin-1 suppresses apoptosis associated with, 147:121
Clathrin, recruitment to Golgi membranes, Drs2p and, 147:1223
Clathrin-coated pits
mHip1R as novel component of, 147:1503
phosphoinositide–AP-2 interaction and formation of/adaptor incorporation into, 146:755
Clathrin-coated vesicles
and endocytosis of E-cadherin, 146:219
in *trans*-Golgi network, proteins involved in formation of, 146:993
Clathrin-mediated endocytosis, at apical surface of epithelial cells, ADP-ribosylation factor 6 and, 147:7
Claudin, endothelial, expression/subcellular distribution of, constitutes tight junction strands in endothelial cells, 147:185
Claudin-11, forms tight junction strands, in brain and testis, 145:579
Claudins
COOH termini of, interaction between MAGUKs and, 147:1351
direct involvement in tight junction barrier functions, 147:195
distinct species interact with/between tight junction strands, 147:891
CLIP-170
association with microtubules, and tubulin polymerization, 144:99
and α-tubulin recognition, and Alf1p–α-tubulin interaction, 144:113
Clostridial neurotoxins, and synaptic vesicle trafficking, 147:1249
*Clostridium perfringens* enterotoxin, and removal of claudins from tight junction strands, 147:195
Coated vesicles, transport mediated by, ERG30 and, 146:301
Cochaperone (eukaryotic), and regulation of glucocorticoid receptor activity, cytoplasmic association with mineralocorticoid receptor, 146:929
Cofilin
interaction with Aip1p, and actin filament disassembly, 145:1251
phosphorylated by LIM-kinase 2, 147:1519
Coiled body, protein subunits of ribonuclease P localized in, 146:559
Collagen gene transcription, upregulation mediated by integrin α2β1, 147:401

Collagen $NH_2$-propeptide, role in chondrogenesis, binds to transforming growth factor-β1 and bone morphogenetic protein-2, 144:1069
Collagen Q, role in acetylcholinesterase and butyrylcholinesterase assembly, role in synaptic structure and function, 144:1349
Collagenase, expression in mouse skin, and study of AP-1 repression by glucocorticoid receptor, 147:1365
Collapsin-1, inhibits endothelial cell/axon motility, functional competition between vascular endothelial growth factor-165 and, 146:233
Colo 205 cells, E-cadherin–catenin complex expressed in, do not form compact aggregates, E-cadherin–dependent aggregation induced in, $p120^{ctn}$ and cadherin adhesion in, 551
Colon carcinogenesis, overexpression of protein kinase C $\beta_{II}$ and, 145:699
Colon carcinoma, $p120^{ctn}$ regulates cadherin function in, 145:551
Colony development, in *Streptomyces antibioticus*, hyphal death in, 145:515
Common plant regulatory factors, nuclear import of, 144:201
Computer modelling, spatial/temporal patterns of intracellular signals studied with, 147:929
Connexin 32, and study of occludin–tight junction association, 146:683
Connexin 43, v-*src*–mediated gating of, mutagenesis in *Xenopus* oocyte pairs, 144:1033
Contact hemolysis, as model of bacterial protein–host membrane interaction, 147:683
Contactin, forms neuronal receptor complex with protein tyrosine phosphatase α, 147:707
Contractility
  of endothelial cells, p21-associated kinase and, 147:831
  microtubules and, 146:1033
COPI, and formation of vesicular tubular clusters, and generation of endoplasmic reticulum exit sites, 146:285
COPII-coated vesicles, recruitment of plasma membrane ATPase into, specialized form of coat subunit, 145:659
Core, of hepatitis B virus, binds to nuclear pore, 145:45
Coronin, cross-links actin filaments and microtubules, 144:83
Cortical actin cytoskeleton, protein kinases associate with/regulate, 144:1203
Coupling, centrosome cycle to cell cycle, mitotic regulators and, 147:1371
CRM1, release from nuclear pore complex, 145:645
Crosstalk, integrin $\alpha_1\beta_1$–$\alpha_5\beta_1$, molecular mechanism of, 145:889
Cryoelectron microscopy, and location of imperatoxin A–binding site on ryanodine receptor, 146:493
Cryofixation, of Golgi complex portions, viewed by electron microscopy, 144:1135
Crystallography, of synaptotagmin III, 147:589
Ctf19p, and kinetochore function, and chromosome segregation, interaction with centromere, 145:15
C-type lectin, interaction with sialyl Lewis X oligosaccharides, critical role in cell–cell interaction, 147:467
Cyclic ADP-ribose, and regulation of osteoclastic bone resorption, 146:1161
Cyclic AMP, decreased intracellular levels, heteromeric Gi protein and, 147:389
Cyclin A, role in mitosis, required for prophase, 147:295
Cyclin B1, and subcellular localization of Cdc25C, 146:573
Cyclin-dependent kinase 2, combined with cyclin A, effect on cell division, 147:295
Cyclin-dependent kinase inhibitor, Sonic hedgehog and resistance to, 147:71
Cyclins, nuclear import of, 144:213
Cyclosome/anaphase-promoting complex, hBUBR1 associates with, 146:941
Cytochrome c
cell recovery after mitochondrial release of, 147:809
  during *Drosophila* apoptosis, 144:701
  initiates multiple-caspase cascade, and activation of apoptosis, 144:281
  mitochondrial release during apoptosis, 144:891
  mitochondrial release of, reversibility of, 144:883
  procaspase-3 activation by, 144:915
Cytokine synthesis (proinflammatory), in monocytes, $\alpha_v\beta_3$/CD47 and, 144:767
Cytokinesis
  *Dictyostelium discoideum* homologue of actin-interacting protein-1 and, 146:453
  human ECT2 involved in, 147:921
  myosin phosphorylation reversed during, 144:735
  PAKa required for, 147:559
  phosphorylation of myosin-binding subunit of myosin phosphatase during, 147:1023
  regulated by protein tyrosine phosphatase-PEST, 144:1019
  regulated by Rho, actin–myosin interactions during, 144:305
  in *Schizosaccharomyces pombe*, Sid2p kinase regulates onset of, 146:777
  timing of, $p34^{cdc2}$ and, 146:981
Cytomechanics, visualization of cytoskeleton and, 145:109
Cytoplasm
  and execution phase of extranuclear apoptosis, 146:703
  Ran–importin-β complex exported from nucleus to, 144:645
  recycling of snurportin 1 to (compared to importin), 145:255
Cytoplasmic domain, of α2 integrin, activation of p38α dependent on, 147:401
Cytoplasmic dynein
  in *Caenorhabditis elegans*, role in MTOC positioning, 147:135
  isoform required for flagellar assembly, 144:473
Cytoplasmic dynein 1b, as part of intraflagellar transport system, and assembly/maintenance of ciliary/flagellar organelles, 147:463
Cytoplasmic dynein light intermediate chain, interaction with pericentrin, and mitotic spindle organization, 147:481
Cytoplasmic retention, of DNA methyltransferase, 147:25
Cytoskeletal networks, plectin interacts with, 147:417
Cytoskeletal proteins, prefoldin–nascent chain complexes in folding of, 145:265
Cytoskeletal remodeling, mediated by paxillin, 145:851
Cytoskeleton
  actin, influenced by microtubules, and control of cell polarization, 146:1033
  actin and microtubule, actin cross-linking family 7 interacts with, 147:1275
  actin and vimentin, integration of, 146:831
  actin-based, α-catenin interaction with, 144:1311
  actin-binding proteins sorted between compartments of, 145:1251
  actin–microtubule, coronin provides functional link between, 144:83
  assembly of myosin II into, PAKa required for regulation of, 147:559
  α6β4 integrin interaction with, affected by migratory stimuli, 146:1147
  integrin–tetraspanin complexes and organization of, 146:477
  mechanics in living fibroblasts, and determination of cell shape, 145:109
  microtubule nucleation in, novel γ-tubulin-associated protein and, 147:857
  migration force exerted by, 147:1313
  *mini spindles* gene and, 146:1005
  orientation in response to pheromone gradient, 144:1187
  p21-activated kinase and organization of, 147:831
  role in intracellular distribution of viral RNA, 147:945
  vaults colocalize with elements of, 144:1163
Cytosol, enhances permeability of mitochondrial outer membrane, 147:809
DEAD box protein, novel, in survival of motor neurons complex, as component of Gems, 147:1181
Death-associated protein kinase (DAP-kinase), involvement in apoptosis, function requires death domain, 146:141
Delta pH pathway, Tha4 and Hcf106 as components of, 146:45
Dendrites, kinesin sorting in, 145:469
Dendritic cells
  protein composition of endosomes derived from, 147:599
  trafficking/maturation of major histocompatiblity complex class II molecules in, 147:775
Dendritic spines, syndecan-2 induces maturation of, 144:575
Dense core granules, P-selectin targeting to, 145:1419
Dental stem cells, association with Notch, and fibroblast growth factor signalling, 147:105
Development
  embryonic, *wing blister* required for, 145:191
  mammary gland, ErbB4 signalling required for, 147:77
  signaling during, role of potassium-dependent sodium/calcium exchanger in, 147:659
Dexamethasone, conformational changes in Bak protein induced by, and apoptosis, 144:903
Dialkylindocarbocyanines, trafficking of, distribution in membrane domains of varying curvature, 144:1271
Dicistronic RNA, enhancement of Cap-dependent translation in, 147:247
*Dictyostelium*
  myosin II thick filament assembly regulation in, 147:1039
  novel kinesin motor purified from (reconstitution of membrane transport powered by), 147:493
*Dictyostelium discoideum*
  actin-interacting protein-1 homologue in, 146:453
  PAKa regulates myosin II assembly in, 147:559
  suppressor of profilin-minus phenotype of, CD36/LIMP-II homologue in, 145:167
Differentiation
  of conjuctival keratinocyte into goblet cell, 145:769
  of *MyoD*-mutant myogenic cells, 144:631
  myogenic, modulated by novel muscle-specific β1 integrin binding protein, 147:1391
  nuclear reorganization during, random X chromosome inactivation during, 147:1399
  oligodendrocyte, Fyn required for, 145:1209

Diffuse astrocytoma, role of membrane-type 1 matrix metalloprotease in, 144:373
*dilute-lethal* axons, myosin Va–associated organelle movement in, 146:1045
Dishevelled
colocalization with Axin, interaction with Axin/adenomatous polyposis coli/glycogen synthase kinase 3β/β-catenin complex, 145:741
and microtubule-mediated transport, and β-catenin stabilization, 146:427
Dislocation, of MHC class I heavy chains from endoplasmic reticulum, US11-dependent, ubiquitin heavy chain intermediate involved in, 147:45
Disulfide bonding, of vaccinia virus proteins, in intracellular mature viruses, 144:267
Disulfide bonds, two different conformations, α7 subunits of α-bungarotoxin receptors fold into, 146:203
Division, mitochondrial, and Dnm1p, balance between mitochondrial fusion and, and mitochondrial morphogenesis, 147:699
DMC1, colocalization with RAD51 on mouse chromosomes, 147:207
DNA, visualization in living cells, and chromosome formation, 144:813
DNA damage
p53 and p73 respond differentially to, 147:823
Rad51 protein as sensor of, 144:11
DNA double-strand breaks, megabase chromatin domains involved in, introduced by ionizing radiation, γ-H2AX foci form at sites of, 146:905
DNA helicase, responsible for Werner's syndrome, 144:1
DNA methylation, regulation of, 147:25
DNA methyltransferase, cytoplasmic retention of, 147:25
DNA repair
Mgm101p performs essential function in, 145:291
Rad51p and, 144:11
DNA replication domains, Mcm2 and replication protein A recruited to, 146:709
DNA-rich nuclear matrix, role in chromosome territory organization, 146:531
Dominant-negative mutation, ErbB4 signalling inactivated by, effect on mammary gland development, 147:77
Dopamine receptors, targeted to endocytic membranes, 144:31
Dorsal axis formation, Axin domains required for, 145:741
Dorsal closure, *Drosophila* Ral GTPase and, 146:361
Dorsalin, and Nodal stabilization, 144:139
Double-stranded RNA virus entry, early events of, 147:671
Drab6 (*Drosophila* homologue of rab6), encoded by *warthog*, effect on Notch signaling, 146:731
*Drosophila*
cytochrome c display during apoptosis in, 144:701
developmental role of *warthog* in, Drab6 and Notch signaling in, 146:731
dynein essential for mitotic divisions in, 146:597
embryonic spindles of, bipolar kinesin KLP61F localization within, 144:125
filamin required during oogenesis in, 146:1061
formation of heart epithelium in, heterotrimeric protein $G_o$ required for, 145:1063
kinesin-II and axonal transport of choline acetyltransferase in, 147:507
*mini spindles* gene in, and integrity of mitotic spindle, 146:1005
*minifly* essential for viability/fertility of, 144:1123
mitotic regulators and centriole replication in, 147:1371
new α chain of laminin in (*wing blister*), 145:191
potassium-dependent sodium/calcium exchanger in, 147:659
presenilin and apoptosis in, 146:1351
regulation of Wingless signaling in, 146:1303
troponin I point mutation in, 144:989
γ-tubulin complexes in, and microtubule nucleation, 144:721
*Drosophila* oogenesis, cadherin-mediated intercellular motility during, 144:533
*Drosophila* Ral GTPase, regulates developmental cell shape changes, and Jun $NH_2$-terminal kinase pathway, 146:361
Drs2p, and late Golgi function, and recruitment of clathrin to Golgi membranes, 147:1223
Drug resistance, cellular uptake of chloroquine and, 145:363
Duplication
of centrosomes, mitotic regulators and, 147:1371
of spindle pole body, role of core components during, 145:809
*dy/dy* mice, low levels of laminin α2 chain in, abnormal smooth muscle in, 147:1341
Dynactin
protein 4.1R isoform interacts with, 145:29
role in microtubule organization at centrosomes, 147:321
Dynactin subcomplexes, analysis of, 147:307
Dynamin
and endocytic mechanisms, 144:31
and mitochondrial divison/morphogenesis, 147:699
Dynamin-like GTPase, and mitochondrial inheritance/morphology, 144:711
Dynein
CHE-3, and retrograde intraflagellar transport in worm sensory neurons, 147:519
heavy chain domains, and complex assembly in *Chlamydomonas*, 146:801
new family of proteins associated with, role in microtubule-based processes, 146:165
protein 4.1R isoform interacts with, 145:29
role in microtubule organization at centrosomes, 147:321
role in mitotic spindle function, 147:335
Dynein, cytoplasmic
in *Caenorhabditis elegans*, role in MTOC positioning, 147:135
required for nuclear attachment/migration of centrosomes, 146:597
Dynein 1b, cytoplasmic, as part of intraflagellar transport system, and assembly/maintenance of ciliary/flagellar organelles, 147:463
Dynein function, dynactin-mediated, and microtubule organization, and centrosome replication/separation, 147:1261
Dynein heavy chain, and nuclear movement in fission yeast, 145:1233
Dynein–dynactin interaction, and microtubule organization, and centrosome replication/separation, 147:1261
Dynein/dynactin, and microtubule-dependent adenovirus motility, 144:657
Dyskeratosis congenita disease, first animal model system for study of, 144:1123
Dystonin, peripherin interacts with, 144:435
Dystrobrevin
in basolateral membrane of epithelial cells, 145:391
α- and β-, differentially distributed in brain, form separate dystrophin-like complexes in brain, 147:549
Dystroglycan
and acetylcholinesterase clustering at neuromuscular junction, 145:911
laminin polymerization and, 145:619
α-Dystroglycan, mediates extracellular matrix assembly, and muscle cell viability, as laminin receptor, 145:1325
Dystrophic mice, myoblast transplantation in, 144:1113
Dystrophin
intranuclear distribution of, 144:617
lack of, and organization of myofiber membrane skeleton, and sacrolemmal fragility, 144:1259
Dystrophin-associated protein complex, localization/targeting of, new variation of, 145:391
Dystrophin-associated proteins, interaction with extracellular matrix, and muscle viability, regulates apoptosis, 145:1325
Dystrophin–glycoprotein complex, sarcospan associated with, 145:153
Dystrophin-like complexes, in brain, formed by dystrobrevin-α and -β, 147:645
EBP50 (ERM-binding phosphoprotein 65 kD), association with YAP65, 147:879
E-Cadherin
cell adhesion based on, functional domains of α-catenin and, 144:1311
decreased expression of, and breast cancer cell motility/invasion, 147:631
exit from endoplasmic reticulum, basal-lateral membrane targeting of, 144:687
expression in Colo 205 cells, induction of aggregation dependent on, $p20^{ctn}$ as inhibitory regulator of, 145:551
E-Cadherin recycling, and regulation of cadherin dynamics, and cell adhesion, 146:219
E-Cadherin/β-catenin complex, assembly and trafficking of, 144:687
E-Cadherin/catenin complexes, H-Ras and formation/stabilization of, 146:967
EF-hands, of CALNUC (nucleobindin), 145:279
Eg5, kinesin-related protein (HSET) opposes activity of, and spindle assembly/bipolarity, 147:351
EH, and control of Rev export pathway, 147:1379
EH domain, in novel binding partner to γ-adaptin, 146:993
eIF-2α, phosphorylation linked to stress granule assembly, 147:1431
eIF4E, and Cap-dependent translation initiation, 147:247
Elasticity
of cardiac titin, 146:631
of mitotic chromosomes, 145:215
Electron microscopy
and visualization of cryofixed Golgi complex portions, 144:1135
and visualization of U2 small nuclear ribonucleoprotein particle architecture, 145:1355
Electron tomography, three-dimensional reconstruction of TOM complex by, 147:959
Embryogenesis
basement membranes and tissue development during, 144:151
cell motility during, differential function of cadherins in, 146:501
cell shape changes during, regulated by *Drosophila* Ral GTPase, Jun $NH_2$-terminal kinase pathway and, 146:361
essential role for calreticulin during, 144:857
mouse, perlecan expression during, 145:1103
organization of cell–cell junctions during, role of afadin in, 146:1117
Embryonic development, *wing blister* required for, 145:191

Emerin, mislocalization caused by loss of A-type lamin expression, 147:913
Ena/VASP, binding site on zyxin, 147:1549
Ena/VASP protein family, role in actin-based motility of *Listeria monocytogenes*, 144:1245
Endocytosis
apical, in polarized hepatocytes, 145:1089
of cell-surface E-cadherin, via clathrin-dependent pathway, 146:219
connection to nucleocytosolic transport, EH and, 147:1379
controlled by membrane tension, increased rate during mitosis, 144:497
*Dictyostelium discoideum* homologue of actin-interacting protein-1 and, 146:453
dynamin-dependent/-independent mechanisms in, and signaling receptor sorting, and dopamine targeting, 144:31
function of AP-2 adaptor protein in, 146:755
link to actin cytoskeleton, mHip1R and, 147:1503
nucleocaspid route into host cytosol resembles, 147:671
sorting of lipid analogues during, 144:1271
and TOR signaling pathway, 146:1227
*trans*-Golgi network to plasma membrane, two distinct pathways for, 146:345
uncoupled from exocytosis by botulinum neurotoxin A, 147:1249
Endoderm, differentiation of, basement membranes and, 144:151
Endoplasmic reticulum
A-kinase–anchoring protein directed to, 145:951
BiP and protein folding in, 144:21
in chromaffin cells, $[Ca^{2+}]$ changes in, 144:241
E-cadherin exits from, 144:687
ERG30 localized to, transport between Golgi and, 146:301
exit sites from, 144:869
protein export from, and chitin synthesis, 145:1153
protein targeting to membrane of, and GTPase cycle of signal recognition particle receptor β-subunit, 146:723
replication of tobacco mosaic virus on, 147:945
selective export of plasma membrane ATPase from, 145:659
topology of multispanning membrane proteins in, 147:257
transitional, Golgi structure correlates with organization of, 145:69
US11 and dissociation of MHC class I heavy chains from, 147:45
yeast, membrane induction by ribosome receptor p180, 146:273
Endoplasmic reticulum assembly, of retroviral envelope glycoproteins, 145:57
Endoplasmic reticulum cargo exit sites, generation of, role of $\alpha_2$p24 and COPI, 146:285
Endoplasmic reticulum stress, membrane protein stabilization during, 147:1195
Endoplasmic reticulum–associated degradation, protein disulfide isomerase and, 147:1443
Endoplasmic reticulum/Golgi intermediates, retrograde tranport to, 147:1457
Endoplasmic reticulum–Golgi transport, p115 required at vesicular tubular clustering stage of, 147:1205
Endosomes
dendritic cell–derived exosomes originate from, 147:599
early and recycling, in receptor recycling, different sorting functions of, 145:123
transport to *trans*-Golgi network from, two distinct pathways for, 146:345
VAMP-7 mediates transport to lysosome from, 146:765
Endothelial caveolar protein (novel), rat PV-1, isolation/cloning/localization of, 145:1189
Endothelial cells
adhesion with monocytes, Rho required for, distribution of monocyte-binding receptors in, 145:1293
collapsin-1 inhibits migration of, 146:233
TAP20 enhances migration of, 147:1073
Endothelial claudin, expression/subcellular distribution of, as component of tight junction strands, 147:185
Endothelial markers, skeletal myogenic progenitors express, 147:695, 869
Endothelin-converting enzyme-1, and seminiferous tubule contraction, differential expression in testis during spermatogenesis, 145:1027
Endothelium
L-selectin ligands in, 145:899
lymphatic, hyaluronan receptor on, 144:789
Enterotoxin, *Clostridium perfringens*, and removal of claudins from tight junction strands, 147:195
Enzyme activity, muscular, myogenin induces shift in, 145:633
Epidermal growth factor, and dimerization of Ten-m1, 145:563
Epidermal growth factor receptor
cell motility mediated by, suppressed by interferon inducible protein-10, 146:243
in growth factor–independent signaling pathways, 146:697
Epidermis, functional diversity of keratins in, 146:1185
Epidermolysis bullosa keratinocytes, recruitment of plectin into hemidesmosomes studied in, 147:417
Epileptic seizures, in synapsin I mutant mice, 145:1039
Epithelia (airway), interaction between EBP50/YAP65/c-Yes in, $p64^{c-Yes}$ localized to apical compartment of, 147:879
Epithelial adhesion, $p27^{BBP/eIF6}$ function in, 144:823
Epithelial barrier, claudin function in, 147:195
Epithelial cell line, mammary, lipid rafts in, CD44–annexinII interaction in, 146:843
Epithelial cells
AE1 anion exchanger localization/stability in, 147:1237
ciliated, laminin γ3 chain as prominent element of, 145:605
growth of *Listeria monocytogenes*, 146:1333
β1 integrins regulate polarity/motility of, 147:1325
intestinal, lipopolysaccharide trafficking in, 145:689
laminin 5 and survival/differentiation of, 145:1309
Madin-Darby canine kidney, syntrophin/utrophin complex in, dystrobrevin in, 145:391
ponsin localized at zona adherens of, 144:1001
Epithelial junctions, formation of, E-cadherin recycling and, 146:219
Epithelial morphogenesis, E-cadherin recycling and, 146:219
Epithelial polarity, hensin and, 144:1057
Epithelial tight junctions, role of cingulin in, submembrane domain linked to actomyosin cytoskeleton, 147:1569
Epithelium
development during embryogenesis, 144:151
retinal pigment, ezrin promotes morphogenesis of, 147:1533
Eps15, EH-based interaction between Hrb and, 147:1379
erbB-3, and intracellular movement of phosphatidylinositol 3-kinase, 146:869
ErbB4 signalling, and mammary gland development, and Stat5 activation during lactation, 147:77
ERK/p38MAPK, balance between phosphoinositide 3-kinase/protein kinase B pathway and, and determination of smooth muscle cell phenotypes, 145:727
E-Selectin, distribution in endothelial cells regulated by Rho, 145:1293
Etoposide, conformational changes in Bak protein induced by, and apoptosis, 144:903
Excitation–contraction coupling
accessory function of type 3 ryanodine receptor in, 146:621
at imperatoxin A–binding site, 146:493
in skeletal muscle triad junction, mitsugumin29 essential for, 147:1473
Exencephaly, in perlecan-deficient mice, 147:1109
Exercise, and muscle metabolism, and gene expression regulation, 145:633
Exocytic pathway, $p56^{rck}$ associates wth CD4 on, 145:457
Exocytosis
COOH-terminal domain of Myo2p and, 147:791
insulin-stimulated, in adipocytes, two compartments for, 146:609
yeast Sec1 protein binds to sites of, 146:333
yeast tomosyn homologues in, 146:125
Exocytosis, synaptic vesicle
blocked by botulinum neurotoxin A, 147:1249
compared with neurotransmitter secretion along growing neurites, 144:507
Exosomes, dendritic cell–derived, protein composition of, 147:599
Extracellular matrix
α-dystroglycan mediates assembly of, 145:1325
lymphocyte adhesion to, 144:777
regulates apoptosis through insulin signaling, 144:1337
regulation of $p21^{cip1}$ expression by growth factors and, 146:1255
Extracellular proteolysis, and modulation of growth factor bioactivity, 146:881
Extranuclear apoptosis, execution phase of, role of cytoplasm in, 146:703
Eye, localization/clonal analysis of stem cells in, 145:769
Ezrin, promotes retinal pigment epithelium morphogenesis, 147:1533
Ezrin/radixin/moesin, recruited for microvillar organization, 145:1497
Ezrin/radixin/moesin proteins, ezrin promotes retinal epithelium morphogenesis independently of others, 147:1533
Ezrin/radixin/moesin–binding membrane proteins, recruit actin filaments, and cortical morphogenesis, and microvillar organization, 145:1497
F-actin
and filopodial generation, 145:1265
integrin α6β4 prevents plectin association with, 147:417
F-actin cytoskeleton, Ras-mediated reorganization of, atypical protein kinase C and, 144:413
FAK, mitosis-specific phosphorylation of, 144:315
$FAK/p130^{CAS}$/c-Src complex, dissociated during mitosis, 144:315
Fas
DAP-kinase involved in apoptosis induced by, 146:141

triggers programmed cell death of motorneurons, 147:1049
FcγRIIb, inhibitory action on B cell antigen receptor/protein kinase B response, 145:1511
Ferriprotoporphyrin IX, chloroquine uptake dependent on binding to, 145:363
Fertilin β, α6β1 integrin interacts with, 144:549
FEZ1 (fasciculation and elongation protein ζ-1), complements function of UNC-76, involvement in axon guidance machinery, interaction with protein kinase C ζ, 144:403
Fibroblast growth factor receptor signaling, stimulates N-cadherin–mediated cell motility, 147:631
Fibroblast growth factor signalling, dental stem cell association with, 147:105
Fibroblastic cells, microtubule organization in centrosomes of, 147:321
Fibroblasts
cytoskeletal mechanics in, 145:109
motility inhibited by interferon inducible protein-10, 146:243
role of protein tyrosine phosphatase-PEST in, 144:1019
Fibronectin
cell adhesion to, and tumor dormancy, 147:89
signaling dependent on, differential regulation by cadherins, 146:501
Fibrous granules, and centriolar replication, pericentriolar material-1 as first component of, 147:969
Filamin, required for *Drosophila* oogenesis, and ring canal assembly, and actin organization, 146:1061
Filopodia
calcium-mediated generation of, 145:1265
extension/retraction of, actin dynamics in, 146:1097
Fimbrin
complexed with vimentin subunit, and integration of actin and vimentin cytoskeletons, 146:831
neutrophil migration through, 144:1047
Fission yeast
dynein-dependent nuclear movement in, 145:1233
Mok1 and cell morphogenesis in, downstream effector of protein kinase C homologues in, 144:1173
Flagella,
*Chlamydomonas*, intraflagellar transport and assembly/maintenance of, axonemal precursor transport, 144:385
mutations affecting motility of, 144:293
Flagellar assembly, DHC1b (cytoplasmic dynein isoform) required for, 144:473
Flagellar motility
in *Chlamydomonas*, 1α dynein heavy chain domains required for, 146:801
dynein-associated proteins involved in, 146:165
Flagellar organelles, cytoplasmic dynein 1b/kinesin-II and assembly/maintenance of, 147:463
Flexural rigidity, of mitotic chromosomes, 145:215
Flow cytometry, and analysis of protein–protein interactions, 144:903
Fluorescein, and DNA visualization in living cells, and analysis of chromosome formation, 144:813
Fluorescence in situ hybridization
and detection of pre-mRNA in nucleus, 144:617
and study of nuclear matrix–chromosomal territory association, 146:531
and visualization of chromosomal positions on mitotic ring, 145:1
Fluorescence microscopy, and spatial/temporal patterns of intracellular signals, 147:929
Fluorescent in situ hybridization
chromosome territories visualized with, 147:13
and study of intranuclear anchoring of repetitive DNA sequences, 147:1409
Fluorescent proteins, fused to SNAREs, 144:869
Focal adhesion
disassembly regulated by protein tyrosine phosphatase-PEST, 144:1019
regulated by Ras, 144:1235
vinexin and, 144:59
Focal adhesion complexes, phosphatidylinositol 3-kinase localized to, 146:869
Focal adhesion kinase
and growth factor activation of MAP kinase, and anchorage-independent cell growth, role in oncogenic transformation by *v-src*, 147:611
and myoblast proliferation/differentiation, 144:1295
and regulation of cell motility/directionality, 146:389
integrin-mediated activation of, regulates Jun $NH_2$-terminal kinase, and cell cycle regulation, 145:1461
Focal adhesion kinase $pp125^{FAK}$, calpain-mediated cleavage of, 147:619
Folding/unfolding, of Tom40, and insertion into mitochondria, 146:321
Formins, role in microtubule function, 144:947
Freeze-fracture electron microscopy, claudin species interaction within/between tight junction strands visualized with, 147:891
Fusion, mitochondrial, and Fzo1p, balance between mitochondrial division and, and mitochondrial morphogenesis, 147:699
Fyn, interaction with T cell receptor ζ, membrane localization of, 145:377
Fyn tyrosine kinase, required for oligodendrocyte differentiation, and regulation of myelin sheet formation, 145:1209
G protein, and platelet shape change, 144:745
G protein pathways, heptahelical receptor signaling through means other than, 145:927
G proteins, and cell cycle progression, and cell polarity, 146:373
Galactolipids, and paranodal axo-glial interactions, and distribution of potassium/sodium channels, 147:1145
GAP1, TAT2 regulated inversely to, rapamycin induces stability of, 146:1227
Gap junctions, closure by v-*src* and other mitogens, 144:1033
GDP, γ-tubulin binds preferentially to, 144:721
Gelatinase, cell spreading/migration associated with, 146:517
Gems, novel DEAD box protein as component of, 147:1181
Gene activation, nuclear factor-κB–dependent, inhibited by A20 zinc finger protein, 145:1471
Gene expression, of *Caenorhabditis elegans* troponin C *pat-10*, 146:193
Gene expression regulation, and muscle metabolic/contractile properties, physical training and, 145:633
Gene products, expression of, regulated by integrins at translational checkpoints, 144:175
Gene replacement, and study of keratin expression/function, 146:1185
Gene targeting
of *kif3A*, 145:825
kinesin light chain and, 146:1277
Genetic recombination, and synaptonemal complex, 147:207
Genome organization, between chromosomes, implications for nuclear structure, 145:1119
Genomes, organization into higher order nuclear compartments, polar chromosome territories and, 146:1211
Glial fibrillary acidic protein, lack of, central nervous system injury resulting from, 145:503
Gliding motility, conserved in Apicomplexa, 147:937
Glioma cells, invade central nervous system white matter, 144:373
GLP-1, p24 proteins and trafficking of, 145:1165
α-Glucan synthase Mok1, role in cell morphogenesis, as downstream effector of protein kinase C homologues, 144:1173
Glucocorticoid receptor
AP-1 activity repressed by, 147:1365
eukaryotic cochaperone and downregulation of, 146:929
Glutathione, apoptosis induced by depletion of, 145:757
Glycogen synthase kinase 3β, Axin functions downstream of, Axin as part of complex including, 145:741
Glycolipid-enriched membranes, and apical transport of influenza virus hemagglutinin, 145:141
Glycoprotein Ib-Ix, binding of 14-3-3 to, integrin activation by, 147:1085
Glycosyl phosphatidylinositol, and novel neuronal receptor complex, 147:707
Glycosyl phosphatidylinositol-anchored protein, and aerolysin oligomerization, 147:175
Glycosylation, and membrane protein topogenesis, 147:257
Glypican-3, abnormalities caused by deficiency of, as negative regulator of insulin growth factor II, 146:255
GMAP-210, and structural integrity of Golgi apparatus, links *cis*-Golgi network to microtubules, 145:83
Goblet cells, keratinocytes differentiate into, 145:769
Golgi, secretory pathway within, secretory pathway between endoplasmic reticulum and, ERG30 functions in, 146:301
Golgi apparatus
structural integrity maintained by GMAP-210, 145:83
targeting to, kinesin light chain and, 146:1277
Golgi $Ca^{2+}$ pool, CALNUC/SERCA/$IP_3$ receptor and establishment of, 145:279
Golgi cisternae, reassembling, role of p115 in stacking of, 146:57
Golgi complex
caveolin associates with, 145:1443
Sec7d family members and function of, novel Brefeldin A–resistant protein associated with, 146:71
three-dimensional organization of, membrane trafficking to/through/from, 144:1135
Golgi enzymes, acquired by endoplasmic reticulum/Golgi intermediates, 147:1457
Golgi membranes
Drs2p and recruitment of clathrin to, 147:1223
fusogenic domains of, 145:673
Golgi network, rab6 homologues and trafficking regulation, 146:731
Golgi recycling, AE1 anion exchangers and, 147:1237
Golgi stack, p115 and vesicular tubular cluster delivery to, 147:1205
Golgi structure, correlates with transitional endoplasmic reticulum organization, 145:69
Golgi–endoplasmic reticulum transport, Rab6 and novel pathway for, 147:743

GPI-anchored proteins, N-glycans mediate sorting of, 146:313
$GR^{dim}$ mice, matrix metalloproteinase expression in, and study of AP-1 repression by glucocorticoid receptor, 147:1365
Green fluorescent protein
Dishevelled tagged with (and investigation of Dsh localization dynamics), 146:427
and identification of new nuclear envelope membrane protein, 146:29
novel centromere protein tagged to, 146:415
novel Rab6-coordinated Golgi–endoplasmic reticulum pathway visualized with, 147:743
ribosomal protein L25 tagged with, 144:389
and study of cyclin A role in mitosis, 147:295
and subcellular localization of phytochrome B, 145:437
and transcriptional activation domain targeting to chromosomal regions, 145:1341
and visualization of Cdc25B and Cdc25C localization/expression during cell cycle, 146:573
and visualization of intracellular phosphatidylinositol 3-kinase distribution/movement, 146:869
and visualization of syntrophin localization, 145:391
and visualization of γ-tubulin cell cycle dynamics, 146:585
Growth cone cytoskeleton, effect of collapsin-1 on, 146:233
Growth cone filopodia, extension/retraction of, actin dynamics in, 146:1097
Growth cone morphology, receptor tyrosine phophatase CRYPα and maintenance of, 147:375
Growth cones
calcium-mediated filopodial protrusion in, 145:1265
localization of β-actin mRNA within, 147:59
Growth factor regulation, of MAP kinase, by focal adhesion kinase, 147:611
Growth factors
nuclear transport of, 145:421
signaling pathways independent of (epidermal growth factor receptor used in), 146:697
GTPase cycle, of signal recognition particle receptor β-subunit, regulated by ribosome, 146:723
GTPases, Rac and Rho (reciprocal balance between), and determination of cell morphology/migratory behavior, 147:1009
GTP-binding protein
Ran, as a determinant of spindle assembly, 146:1205
Rho, role in cytokinesis, 144:305
Hair
development of, *Drosophila* RalGTPase and, Jun $NH_2$-terminal kinase pathway and, 146:361
in keratin 14-null mice, 146:1185
Ha-Ras L61, actin cytoskeleton reorganization mediated by, 144:413
Hcf106, as component of Delta pH pathway, 146:45
HCP-1 (holocentric protein 1), and chromosome segregation, localized to centromere of mitotic chromosomes, 147:471
Heart, study of actin capping protein β isoforms in, 147:1287
Heart epithelium, *Drosophila*, heterotrimeric protein $G_i$, required for, 145:1063
Heart muscle, I-band titin and elasticity of, 146:631
Heat shock genes, transcription sites in, association with splicing factors (independent of introns), 145:1133
Heat shock protein hsc73, in dendritic cell–derived exosomes, induces antitumor responses, 147:599
Heat shock protein 70 (mitochondrial), interaction with Tim44, and protein translocation, 145:961
Helicase, RNA, Gemin3 as, 147:1181
Hematopoiesis, hepatic, role of c-Jun in maintenance of, 145:1049
Heme binding, cellular uptake of chloroquine and, 145:363
Hemidesmosome-like structures, novel cell adhesion protein colocalizes with, 146:659
Hemidesmosomes
mobilization of α6β4 integrin from, 146:1147
role of plectin in, 147:417
Hemopoietic cells, regulated secretion from, 147:1
Hensin, induces terminal epithelial differentiation, 144:1057
Heparan sulfate proteogylcan
and acetylcholinesterase clustering at neuromuscular junction, 145:911
perlecan, expression during embryogenesis, stimulates/maintains chondrogenesis, 145:1103
syndecan-2, induces spine maturation, 144:575
Hepatocytes (polarized), apical endocytosis in, 145:1089
Heptahelical receptors, intracellular signaling by (beyond classical G protein pathways), 145:927
Heterochromatin domains, duplication and maintenance of, 147:1153
Heterochromatin protein 1, within heterochromatin domains, stably maintained during replication, 147:1153
Heterogeneous nuclear RNA-binding protein A2, enhances Cap-dependent translation, 147:247
Heteromeric Gi protein, and decrease of intracellular cAMP levels, 147:389
Heterotrimeric protein $G_{i3}$, and heart epithelium formation, 145:1063
High endothelial venules, L-selectin binds to, 145:899
Hippocampal neurons
pre-Golgi compartments of, presenilin 1 controls γ-secretase activity in, 147:277
spine maturation in, 144:575
Histone H4 acetylation, within heterochromatin domains, 147:1153
Histone H3 N-tail, association between DNA and, phosphorylation-induced rearrangement of, 145:225
Histone H2AX, phosphorylation of, and formation of γ-H2AX foci, 146:905
Histones, relocation to inactive X chromosome after X inactivation, 147:1399
HIV-1 infection, receptor dimerization and, 144:755
Homologous chromosome pairing, in fission yeast, dynein-dependent, 145:1233
H-Ras, interaction with phosphoinositide 3-OH kinase, and relocation/cytoplasmic stabilization of β-catenin, and formation/stabilization of E-cadherin/catenin complexes, 146:967
Hrb, EH-based interaction between Eps15 and, 147:1379
HSET (kinesin-related protein), opposes Eg5 activity, and mitotic spindle assembly/bipolarity, 147:351
Human T cell leukemia virus, transport-defective mutants of, 145:57
Huntington's disease, abnormal Huntington–Hip1 interaction in, 147:1503
Hyaluronan, lymph-specific receptor for, 144:789
Hyphal death, in *Streptomyces antibioticus*, 145:515
Hypoxia, and expression of stress-related endoplasmic reticulum protein 1, 147:1195
IcsA protein, activates N-WASP, and actin polymerization, 146:1319
Ig superfamily, novel member involved in neurite outgrowth, 145:865
αIIbβ3 signaling, megakaryocytes and characterization of, role of NF-E2 in, 147:1419
Immunodiffusion, and study of PV-1 localization in rat lung, 145:1189
Immunoelectron microscopy, and visualization of novel skeletal muscle protein, 146:465
Immunofluorescence, and localization of type 3 ryanodine receptor in skeletal muscle, 146:621
Immunoglobulin E receptor, tyrosine phosphorylation of, 145:877
Immunoglobulin superfamily, poliovirus receptor–related protein (nectin) as cell–cell adhesion molecule of, afadin interacts with family of, 145:539
Imperatoxin A, binding site on ryanodine receptor, 146:493
Import, into mitchondrial outer membrane, of voltage-dependent anion-selective channel protein, Tom20 and, 145:973
Importin
export of (compared to snurportin 1), 145:255
and nuclear import of cyclins, 144:213
Importin-β, Ran interacts with, 144:645
In situ hybridization, intracellular distribution of viral RNA visualized with, 147:945
Inclusions, formed by folding mutants of CFTR, inhibition of proteasome activity and formation of, 145:481
Indirect immunofluorescence, and γ-phosphorylation of H2AX molecules, 146:905
Inflammation
$\alpha_v\beta_3$/CD47 and, 144:767
receptor dimerization and, 144:755
Inhibitory synapses, synapsin I minimizes transmitter depletion at, 145:1039
Injury, central nervous system, in mice lacking glial fibrillary acidic protein and vimentin, 145:503
Inner arm assembly, in *Chlamydomonas*, 1α dynein heavy chain domains required for, 146:801
Inner membrane, mitochondrial, mutant Tim44 assembles into, 145:961
Inositol triphosphate, and kinetic control of multiple forms of $Ca^{2+}$ spikes, 146:405
Inositol-1,4,5-triphosphate, calcium signals mediated by, 147:929
Insulin, compartments for exocytosis stimulated by, 146:609
Insulin growth factor II, glypican-3 as negative regulator of, 146:255
Insulin signaling, extracellular matrix regulates apoptosis through, 144:1337
Insulin-like growth factor II, bioavailability in cancer, controlled by TIMP-1, 146:881
Integrin
α, R-Ras signals through cytoplasmic domains of, 145:1077
α2β1, activates p38α, mediates upregulation of collagen gene transcription, 147:401
α4, and neutrophil chemotaxis, 145:413
α6β1, interaction with laminin and fertilin β, 144:549
α9β1, mediates cell adhesion to VCAM-1, and neutrophil migration, and neutrophil chemotaxis, 145:413
β1, cross-talk between cell–cell adhesion molecules and, regulate polarity/motility of epithelial cells, and downregulation of cadherin/catenin function, and Rho-like GTPase activation, 147:1325

$\beta_1$, regulate polymorphonuclear leukocyte chemotaxis, regulated by chemoattractants, and neutrophil migration, 144:1047
β5, TAP20 interacts with, 147:1073
adhesion and signaling mediated by, role for caveolin and urokinase receptor in, 144:1285
associated survival signals inhibited by p53, 147:1063
and cell migration promtoed by urokinase-type plasminogen activator, 146:149
complexed with tetraspanin, function in tumor cell invasion, role in matrix metalloproteinase production, 146:1375
interleukin 4 secretion mediated by, 145:183
laminin polymerization and, 145:619
lymphoid adhesion mediated by, 144:777
random cell motility mediated by, regulated by Shc pathway, 146:389
signaling complex involving, cholesterol as important component of, 146:673
signaling modulated by tetraspanins, 146:477
Integrin α6β4
binds to plectin, 147:417
and control of T cell proliferation, 144:563
release from hemidesmosomes, and chemotactic migration of carcinoma cells, 146:1147
β4 Integrin interactor $p27_{BBP/eIF6}$, as essential nuclear matrix protein, and 60S ribosomal subunit assembly, and epithelial adhesion, 144:823
Integrin signaling
αIIbβ3, megakaryocytes and characterization of, role of NF-E2 in, 147:1419
in growth factor activation of MAP kinase, mediated by focal adhesion kinase, 147:611
Integrin-associated proteins, stimulates α2β1-dependent chemotaxis, 147:389
Integrin-binding protein, novel, modulates myogenic differentiation, 147:1391
Integrins
activated by glycoprotein Ib-IX, von Willebrand factor interacts with, 147:1085
and basement membrane–mediated apoptosis suppression, 144:1337
$\alpha_v\beta_3$–$\alpha_5\beta_1$ crosstalk, molecular mechanism of, calcium/calmodulin–dependent protein kinase II activity regulated by, 145:889
interaction with laminin 5, 145:1309
Jun $NH_2$-terminal kinase activated by, mediate focal adhesion kinase activation, 145:1461
and myoblast cell cycle withdrawal, 144:1295
and translational control, and protein synthesis in platelets, and control of gene product expression, 144:175
and tumor dormancy, 147:89
Intercalated cells, hensin and terminal differentiation of, 144:1057
Intercellular adhesion molecule-1, distribution in endothelial cells regulated by Rho, 145:1293
Intercellular motility, cadherin required for, 144:533
Intercellular trafficking, kinesin light chain and, 146:1277
Interferon inducible protein-10, inhibits fibroblast motility, decreases calpain activity, 146:243
Interleukin 4, integrin-mediated secretion of, in chondrocyte mechanotransduction, 145:183
Intermediate chain, as linker between dynein and dynactin, 147:1261
Intermediate filaments
neuronal, bullous pemphigoid antigen 1 interaction with, 144:435
γ-tubulin anchored to, 146:645
Interphase nuclei, repetitive DNA sequences in, 147:1409
Intestinal brush borders, $Ca^{2+}$-dependent F-actin disruption in, villin and, 146:819
Intestine
epithelial proliferation in, and protein kinase C $\beta_{II}$ overexpression, 145:699
polarized epithelial cells of, lipopolysaccharide trafficking in, 145:689
Intracellular $Ca^{2+}$ waves, in astrocytes, mitochondria exert negative feedback on, 145:783
Intracellular signaling
A-kinase anchoring proteins and, 147:1481
by heptahelical receptors (beyond classical G protein pathways), 145:927
Intracellular trafficking, of major histocompatiblity class II molecules in dendritic cells, cathespin S and, 147:775
Intracellular transport, Golgi–endoplasmic reticulum, Rab6 and novel pathway for, 147:743
Intraflagellar transport
and assembly/maintenance of flagella, and formation of ciliated sensory neurons, and flagellar axonemal precursor transport, 144:385
DHC1b (cytoplasmic dynein isoform) as motor for, 144:473
retrograde, by CHE-3 dynein in sensory worm neurons, 147:519
Intraflagellar transport system, kinesin-II and cytoplasmic dynein 1b in, 147:463
Introns, transcription site–splicing factor association independent of, 145:1133
Invasion
of breast epithelial cells, activated by R-Ras, 145:1077
of glioma cells into central nervous system white matter, 144:373
tumor cell, function of integrin–tetraspanin protein complexes in, 146:1375
Ion channels, and chondrocyte mechanotransduction, 145:183
Ionizing radiation, DNA double-strand breaks introduced by, and phosphorylation of histone H2AX, and formation of γ-H2AX foci, 146:905
Ipl1, association with Sli15, and chromosome segregation, 145:1381
IP3 receptor, ankyrin-B and localization of, 147:995
$IP_3$ receptor, and constitution of Golgi $Ca^{2+}$ store, 145:279
Jun $NH_2$-terminal kinase, activated by integrins, regulated by focal adhesion kinase, and cell cycle progression, 145:1461
Jun $NH_2$-terminal kinase pathway, and regulation of developmental cell shape changes, 146:361
Junctional epidermolysis bullosa, similar condition in LAMA3 null animals, 145:1309
Kar3p, Cik1p and Vik1p regulate function of, 144:1219
Kar9p, cortical associations of, and cytoplasmic microtubule orientation, role in nuclear positioning, dependent on actin, 144:963
Karyogamy, microtubule dynamics in, 144:977
Karyopherin β family, homologue of, and import of transription factor IIA into nucleus, 147:235
Karyopherin Kap114p, mediates nuclear import of TATA-binding protein, 145:1407
Katanin, severs microtubules in the neuron, 145:305
Keratin (cytokeratin), insoluble γ-tubulin attached to, 146:645
Keratinocyte
human ocular, differentiation into goblet cell, 145:769
propulsive forces generated by, 147:1313
Keratins, functional diversity in epidermis, 146:1185
Keratocytes, separation of traction stresses in, 145:589
Kidney displasia, glypican-3 deficiency and, in Simpson-Golabi-Behmel syndrome, 146:255
*kif3A*, function of, gene targeting of, 145:825
KIF3A (kinesin superfamily protein), and left-right asymmetry, determination of laterality and mesoderm induction, and neurogenesis, 145:825
Kinases, and splicing factor trafficking, 145:447
Kinesin
and chromosome segregation, 147:1137
dendritic, sorting of, 145:469
retrograde transport within sensory cilia (dynein CHE-3 and), 147:519
Kinesin light chain, essential for heavy chain activation/targeting, 146:1277
Kinesin motor, novel, purified from *Dictyostelium*, reconstitution of membrane transport with, 147:493
Kinesin-II
and axonal transport, 147:507
as part of intraflagellar transport system, and assembly/maintenance of ciliary/flagellar organelles, 147:463
Kinesin-related protein
differentially regulated by two proteins, 144:1219
HSET, and mitotic spindle assembly/bipolarity, 147:351
role in mitotic spindle function, 147:335
Kinetochore
association with spindle assembly checkpoint protein Bub1, 146:13
Ctf19p and function of, link between mitotic spindle and, 145:15
novel centromere protein associates with microtubule plus ends at, 146:415
prometaphase, MAD2 localization to, 145:425
Kinetochores
formation in budding yeast, role of CBF3 in, 145:933
hBUBR1 monitors CENP-E functions at, 146:941
interaction with microtubules, 146:1
*Kluyveromyces lactis*, telomere regulation in, 145:203
Knockout cells, PML−/−, nuclear domain 10–associated proteins dispersed in, 147:221
Knockout mice
ankyrin-B (−/−), intracellular localization of $Ca^{2+}$ homeostasis machinery altered in, musculoskeletal defects in, 147:995
c-Jun (fetuses), deregulation of apoptosis in, cardiac malformation in, disrupted hepatocyte turnover in, 145:1049
mid-sized neurofilament subunit, age-related axonal atrophy in, 146:181
perlecan, severe defects in brain and skeleton of, 147:909
ryanodine receptor, subcellular distribution of types 1 and 3 ryanodine receptor in (compared to normal mice at different developmental stages), 146:621
villin-null, and study of role of villin in vivo, impaired actin fragmentation in, response to elevated intracellular $Ca^{2+}$ in, response to colonic epithelial injury, 146:819
L1, heterophilic binding on unmyelinated axons, and Schwann cell adhesion, and axonal survival, 146:1173
Lactation, Stat5 activation during, 147:77
l-Afadin, ponsin binds to vinculin and, 144:1001
*LAMA3* gene, targeted disruption of, effect on survival/differentiation of epithelial cells, 145:1309

Lamellipodia, Rac essential for protrusion of, 144:1235
Lamellipodium, cytoskeletal assembly/disassembly at opposite ends of, sperm locomotion and, 146:1087
Lamin B receptor protein, and nuclear envelope assembly, 144:225
Lamina assembly, LAP2 proteins and, 144:1083
Laminin
α-dystroglycan as receptor for, 145:1325
α6β1 integrin interacts with, 144:549
as polymeric ligand, induces receptor–cytoskeleton network, muscular dystrophies resulting from mutations in, assembly on cell surface, 145:619
role in basement membrane formation, 144:151
Laminin α1, 2, *Drosophila wing blister* encoded by, essential for embryonic viability, and cell migration/adhesion, 145:191
Laminin α2 chain, and smooth muscle myogenesis, expression activated by cell spreading/elongation, 147:1341
Laminin 5
and cell survival/gene expression in epithelium, interaction with integrins, 145:1309
controls T cell proliferation, 144:563
Laminin γ3 chain, characterization and expression of, as prominent element of ciliated epithelial cells, non-basement membrane–associated, 145:605
Lamins (A-type), loss of expression leads to muscular dystrophy, 147:913
Lampbrush chromosome spreads, localization of double-stranded RNA adenosine deaminase in, 144:603
Landmark, for cytoskeleton orientation in response to pheromone gradient, 144:1187
LAP2 proteins, affect nuclear assembly and DNA replication, 144:1083
Laser optical tweezers, and measurement of membrane tension, 144:497
Laser scanning confocal microscopy, and three-dimensional view of transcription site–nuclear speckle association, 146:543
Latrunculin-A, and actin depolymerization, effect on spindle orientation, 146:1019
LCK, targeting to lipid rafts, T cell antigen receptor activation and, 147:447
Left-right asymmetry, and kinesin superfamily KIF3A, determination of laterality and mesoderm induction, 145:825
Leptomycin B, depletes small ribonucleoproteins from Cajal bodies, 147:715
Leukocyte migration, role of cellular memory in, 147:577
Leukocytes, rolling, novel control mechanism for, 144:185
Ligands, bond with selectins during leukocyte rolling, 144:185
Light signal transduction, regulation of transcription factors in, 144:201
LIM protein, in muscle and touch neurons, 144:45
Limb development, matrix GLA protein blocks endochondral/intramembranous ossification during, 147:1097
LIM-kinase 2, phosphorylates cofilin, regulates actin cytoskeletal dynamics, 147:1519
LIN-12, p24 proteins and trafficking of, 145:1165
Lipid analogues, endocytic sorting of, 144:1271
Lipid domains, maintained by cholesterol, role in FcεRI/Lyn functional coupling, 145:877
Lipid rafts
CD44 interacts with annexin II in, 146:843
and sorting of GPI-anchored proteins, 146:313
and T cell antigen receptor signaling, 147:447
Lipid release, induced by chemotherapy, as regulated aspect of apoptosis, 145:99
Lipids, in *Saccharomyces cerevisiae* organellar membranes, composition of, 146:741
Lipopolysaccharide, trafficking in polarized epithelial cells, 145:689
*Listeria monocytogenes*
actin-based motility of, 144:1245
growth, 146:1333
Locomotion, of keratocytes vs. fibroblasts, 145:1009
L-selectin ligands, sulfotransferases and generation of, bind to high endothelial venules, 145:899
*Lunatic fringe*, and Notch pathway regulation in dental epithelial stem cells, 147:105
Lung
laminin γ3 chain in, 145:605
rat, PV-1 localizes to endothelial caveolae of, 145:1189
Lymph vessels, hyaluronan receptor expressed on, 144:789
Lymphocytes
adhesion to extracellular matrix, 144:777
chromosome positions on mitotic rings of, 145:1
human, repetitive DNA sequence–nucleoskeleton interaction in, 147:1409
Lysosome
P-selectin targeting to, 145:1419
VAMP-7 mediates transport from endosome to, 146:765
yeast, reconstitution of Vps33p-dependent transport to, 146:85
Macrophage inflammatory protein-1α, specific binding sites for (on parenchymal surface of microvessels), 145:403
Mad2
cell cycle checkpoint protein, maize homologue of, localization patterns in mitosis/meiosis, role in spindle checkpoint, 145:425
and regulation of anaphase-promoting complex activity, 146:791
Madin-Darby canine kidney cells
polarized, endocytosis at apical surface of, 147:7
sorting of GPI-anchored proteins in, 146:313
transport/sorting of hemagglutinin in, 145:141
MAGUK, zona occludens, scaffolding and cytoskeletal coupling function for, 146:683
MAGUKS, tight-junction–associated, bind with claudins, 147:1351
Maize, mutations affecting thylakoid delta pH system in, *tha4* gene functions in Sec-independent protein transport, 147:267
Major histocompatibility complex class II molecules, in dendritic cells, cathespin S and trafficking/maturation of, 147:775
Major sperm protein, and amoeboid movement of nematode sperm, 146:1087
Major vault protein, sorting and targeting of, 144:1163
MAL proteolipid, and transport/sorting of hemagglutinin, 145:141
Mammary epithelium, extracellular matrix regulates apoptosis in, 144:1337
Mammary gland development, ErbB4 signalling required for, 147:77
MAP kinase
activation and nuclear translocation of, 147:1129
integrin-associated proteins and inhibition of, 147:389
Mass fragmentography, and lipid composition analysis of yeast organellar membranes, 146:741
Mating, yeast, microtubule dynamics in, 144:977
Matrix assembly, laminin polymerization and, 145:619
Matrix degradation, focal adhesion disassembly in response to, 147:619
Matrix GLA protein, as developmental regulator of chondrocyte mineralization, blocks endochondral/intramembranous ossification in limb, 147:1097
Matrix metalloproteinase
expression in mouse skin, and study of AP-1 repression by glucocorticoid receptor, 147:1365
role of integrin–tetraspanin protein complexes in production of, 146:1375
Matrix metalloproteinase-9, role in bronchial epithelial cell migration dynamics, 146:517
Mcm proteins, role in formation of prereplication complexes, recruitment to DNA replication domains, 146:709
mdx mice, myoblast transplantation in, 144:1113
*mdx* mice, sarcolemmar fragility in, reorganization of myofiber membrane skeleton in, absence of β-spectrin in, 144:1259
Mechanotransduction, of chondrocytes, interleukin 4 and, 145:183
Megakaryocytes
and analysis of integrin αIIbβ3 signaling, 147:1419
and blood platelet formation, 147:1299
Meiosis
first spindle assembly during, chromosomal influence on, 145:1395
MAD2 localization patterns in, 145:425
spindle formation during, 146:1
α-tubulin 67C and centromere positioning during, 147:1137
Meiotic prophase I, colocalization of DMC1 and RAD51 during stages of, 147:207
Meiotic recombination, efficiency of, cytoplasmic dynein heavy chain required for, 145:1233
Melanophores, and study of motor protein regulation, myosin V–regulated motility of melanosomes in, 146:1265
Melanosomes, myosin V and motility of, 146:1265
Membrane biogenesis, in yeast, induced by ribosome receptor p180, 146:273
Membrane curvature, and dialkylindocarbocyanine distribution, 144:1271
Membrane domains, of varying curvature, dialkylindocarbocyanine distribution in, 144:1271
Membrane fusion
$Ca^{+2}$-dependent regulation of, synaptotagmin involved in, 147:589
and proteolytic maturation of carboxypeptidase Y, 146:85
vacuolar, requires pentameric cis-SNARE complex, 145:1435
Membrane potential, collapse of, adenine nucleotide translocase-1 and, 147:1493
Membrane protein insertion, type III secretion–mediated, 147:683
Membrane proteins
dynamic topogenesis of, 147:257
dynamics of, trafficking pathways mediated by, 144:869
Membrane ruffling, phosphorylation of adducin by Rho-kinase and, 145:347
Membrane skeleton, of myofibers, dystrophin deficiency affects organization of, 144:1259
Membrane tension, regulates endocytosis rate during mitosis, measured with laser optical tweezers, 144:497

Membrane traffic, aczonin and, 147:151
Membrane trafficking
endosome–lysosome, mediated by VAMP-7, 146:765
to/through/from Golgi complex, 144:1135
Membrane transport, reconstitution with novel kinesin motor, 147:493
Mesodermal patterning, kinesin superfamily protein KIF3A and, 145:825
Metallopeptidase family, stromal processing peptidase as part of, 147:33
Metalloprotease (membrane-type 1 matrix), role in diffuse astrocytomas, 144:373
Methyl-β-cyclodextrin, cholesterol depletion by, effects on FcεRI/Lyn interactions, 145:877
Mgm1p, mediates mitochondrial inheritance/morphology, 144:711
Mgm101p, as novel component of mitochondrial nucleoid, binds DNA, and repair of oxidatively damaged mitochondrial DNA, and maintenance of mitochondrial genome, 145:291
MHC class I heavy chains, US11 and degradation of, 147:45
Mice
lacking glial fibrillary acidic protein and vimentin, central nervous system injury in, 145:503
N-CAM–deficient, cadherin-mediated adhesion in, 144:325
telomerase-deficient, telomere length dynamics in, tumor growth in, 144:589
villin knockout, and study of role of villin in vivo, impaired actin fragmentation in, response to elevated intracellular $Ca^{2+}$ in, response to colonic epithelial injury, 146:819
Microfilament proteins, regulation of, nonmuscle myosin II regulatory light chain and, 146:439
Microfilaments, integration/coordination of cytoskeletal systems in, 146:831
Microinjection, of anti-ECT2 antibody, blocks cytokinesis, 147:921
Micronemal protein 2, cytoplasmic tail of TRAP interchangeable with that of, 147:937
Micronuclei, Rad51 protein sequestered into, 144:11
Microtubule arrays, generation of, pronuclear migration loci required for, 144:927
Microtubule motors, and axonal transport of choline acetyltransferase, 147:507
Microtubule nucleation, novel γ-tubulin–associated protein involved in, 147:857
Microtubule organization, interphase dynein–dynactin interaction required for, 147:1261
Microtubule organizing center, cytoplasmic dynein and positioning of, 147:135
Microtubule plus-end protein, spindle stabilization by, 146:415
Microtubule-associated proteins, and microtubule polymerization dynamics, 145:993
Microtubule-based motors, limited set, and mitosis in *Saccharomyces cerevisiae*, 147:335
Microtubules
actin cross-linking family 7 associated with, 147:1275
and aggresome formation, 146:1239
and blood platelet formation, 147:1299
and cell cycle dynamics of γ-tubulin, 146:585
CLIP-170 and assembly of, 144:99
connection between cell cortex and, 144:809
and control of cell polarity, 146:1033
cooperation with actin filaments, myosin Va–associated organelle movement in, 146:1045
coronin cross-links actin filaments and, 144:83
cross-linked by HSET in mitotic spindle, 147:351
Dishevelled and transport mediated by, 146:427
dissassembly during cytoplasmic execution of apoptosis, 146:703
dynamics during G1, regulated by yeast Bim1p, 145:993
dynamics during mating, 144:977
GMAP-210 links *cis*-Golgi network to, 145:83
interaction between Mini spindles protein and, 146:1005
interaction with bipolar kinesin motors, 144:125
interaction with kinetochores, 146:1
Kar3p and function of, 144:1219
Kar9p and orientation of, 144:963
movement of membrane organelles among (reconstituted by novel kinesin motor), 147:493
in neuron, severed by katanin, released into axons/dendrites, 145:305
oncoprotein18/stathmin and regulation of, 146:1289
plus/minus end, adenovirus motilities dependent on, 144:657
role of formins in function of, 144:947
γ-tubulin complexes and nucleation of, 144:721
Microvessels (brain), chemokine binding to, 145:403
Microvilli
apical, in retinal pigment epithelium, ezrin promotes morphogenesis of, 147:1533
organization of, ezrin/radixin/moesin–binding membrane proteins and, 145:1497
ultrastructure in villin-null mice, 146:819
Migration
of breast epithelial cells, acitvated by R-Ras, 145:1077
endothelial cell, enhanced by TAP20, 147:1073
of endothelial cells, role of p21-associated kinase in, 147:831
β1 integrin–regulated, and Rho-like GTPase activation, and downregulation of cadherin/catenin function, 147:1325
regulated by protein tyrosine phosphatase-PEST, 144:1019
Migratory behavior, determined by reciprocal balance between Rac and Rho, 147:1009
Mineralization, of chondrocytes, matrix GLA protein as developmental regulator of, 147:1097
Mineralocorticoid receptor, eukaryotic cochaperone RAP46 associates with, 146:929
*Minifly*, required for ribosome biogenesis, characterization of, and small nuclear RNA, 144:1123
Minus end–directed motor, and MTOC positioning, 147:135
Misfolded proteins, export from endoplasmic reticulum, protein disulfide isomerase and, association with BiP, 147:1443
Mismatch repair, disruption affects formation of first meiotic spindle, 145:1395
Mitochondria
A-kinase–anchoring protein directed to, 145:951
Bid translocates to, cytochrome c release from, 144:891
enzymatic activity in, shift from glycolytic to oxidative, 145:633
inheritance/morphology mediated by Mgm1p, 144:711
and modulation of $Ca^{2+}$ waves in astrocytes, 145:795
mutant Tim44 imports into, 145:961
outer membrane, voltage-dependent anion-selective channel protein inserted into, 145:973
reversibility of cytochrome c release from, 144:883
Mitochondrial divison, and Dnm1p, balance between mitochondrial fusion and, and mitochondrial morphogenesis, 147:699
Mitochondrial DNA, role of Mgm101p in maintenance of, 145:291
Mitochondrial fusion, and Fzo1p, balance between mitochondrial division and, and mitochondrial morphogenesis, 147:699
Mitochondrial inheritance, in yeast, role for ubiquitination in, 145:1199
Mitochondrial morphogenesis, controlled by division and fusion, 147:699
Mitochondrial outer membrane
permeabilized by apoptotic factors, novel cytosolic factor enhances permeability of, 147:809
three-dimensional view of TOM translocase from, 147:905
TOM complex as general protein import core of, 147:959
Mitochondrial protein import, of Tom40, 146:321
Mitogen-activated protein kinase
balance between phosphoinositide 3-kinase/protein kinase B and, and determination of smooth muscle cell phenotypes, 145:727
ERK subfamily of, $p21^{cip1}$ expression and activation of, 146:1255
focal adhesion kinase and growth factor activation of, 147:611
and gating response to v-*src*, 144:1033
and myoblast proliferation/differentiation, 144:1295
and neuronal survival, 146:955
and promotion of cell migration, 146:1107
and tumor dormancy, 147:89
Mitogenesis, adaptor protein Shc and, 147:1561
Mitosis
AKAP95 regulates chromosome structure at, 147:1167
bipolar kinesin motor–microtubule interaction during, 144:125
in *Caenorhabditis elegans*, cytoplasmic dynein and, 147:135
dynein-associated proteins involved in, 146:165
FAK/$p130^{CAS}$/c-Src complex dissociated during, 144:315
first after haploid cell fusion, microtubule dynamics during, 144:977
function of myosin phosphorylation in, 144:735
increased endocytosis rate during, 144:497
initiation by Cdc25B and Cdc25C, 146:573
MAD2 localization patterns in, 145:425
nuclear attachment/migration of centrosomes during, 146:597
nuclear envelope assembly/disassembly during, 144:225
and nuclear import of Cdk/cyclin complexes, 144:213
one-cell stage, aspects of, visualization with video microscopy, 144:927
p115 and cisternal stacking at end of, 146:57
role of cyclin A in, 147:295
spindle integrity during, *mini spindles* and integrity of, 146:1005
spindle positioning during, Kar9p and, 144:963
γ-tubulin recruited to centrosome at onset of, centrosome activation at onset of, 146:585
Mitotic checkpoint
activated by Bub2, 145:979
hBUBR1 essential for, 146:941
Mitotic chromosomes
in *Caenorhabditis elegans*, holocentric protein 1 localized to centromere of, 147:471
structure of, 145:215

Mitotic regulators, and centriole replication, 147:1371
Mitotic ring, chromosomal positions on, 145:1
Mitotic spindle
Bni1P controls position of, 144:947
kinesin-related protein (HSET) and assembly/bipolarity of, 147:351
link between kinetochore and, 145:15
portion of a vault protein localizes to, 146:917
protein 4.1R and organization of, 145:29
Mitotic spindle motors, *Saccharomyces cerevisiae*, novel roles for, 147:335
Mitotic spindle organization, pericentrin–dynein interaction and, 147:481
Molecular chaperones, and proteasomal degradation of viral antigens, 146:113
Molecular motors, and melanosome motility, 146:1265
Monoclonal antibody, anti-Ran, 144:645
Monoclonal antibody AA5, activates C-cadherin, 144:351
Monocytes, proinflammatory cytokine synthesis in, 144:767
Monocyte adhesion, to endothelial cells, regulated by Rho, 145:1293
Monocyte chemoattractant protein-1, specific binding sites for (on parenchymal surface of microvessels), 145:403
Monosaccharide transport proteins, insulin-stimulated secretion of, 146:609
Morphogenesis
cortical, ezrin/radixin/moesin–binding proteins and, 145:1497
embryonic, nonmuscle myosin II regulatory light chain gene and, 146:439
epithelial, apical spectrin essential for, 146:1075
mitochondrial, controlled by division and fusion, 147:699
role of α-glucan synthase Mok1 in, protein kinase C and, 144:1173
tissue, C-cadherin regulation during, 144:351
Motility
actin-based, of *Listeria monocytogenes*, role of Ena/VASP protein family in, 144:1245
in breast cancer cells, promoted by N-cadherin, 147:631
*Dictyostelium discoideum* homologue of actin-interacting protein-1 and, 146:453
flagellar, mutations in, 144:293
Motor domain, of 1α dynein heavy chain, contribution to flagellar motility and phototaxis, 146:801
Motor neuron death, caused by peripherin overexpression, 147:531
Motor proteins, limited set, and mitosis in *Saccharomyces cerevisiae*, 147:335
Motorneurons, Fas triggers programmed cell death of, 147:1049
Mouse skin, matrix metalloproteinase expression in, and study of AP-1 repression by glucocorticoid receptor, 147:1365
mRNA export, RAE1 and, 145:237
mRNA localization, within growth cones, 147:59
Muscle
*Drosophila* flight, suppressed troponin I defects in, 144:989
*MyoD*-deficient, regeneration deficit of, 144:631
Muscle contractile apparatus, association between hypodermal fibrous organelles and, role of novel cell adhesion protein in, 146:659
Muscle development
role of UNC-97 in, 144:45
troponin C function in, 146:193
Muscle differentiation, modulated by novel integrin-binding protein, 147:1391
Muscle fiber
dystrophin RNA in nuclei of, 144:617
myogenin and metabolism of, 145:633
Muscle proteins
in adult cardiac myocytes, dynamics of, 145:1483
novel, alternate forms of, localized to heart and skeletal muscle, 146:465
Muscle structure, cardiac, sarcomere maintenance and, 145:1483
Muscular dystrophy
resulting from laminin mutations, 145:619
resulting from loss of A-type lamin expression, 147:913
sarcolemmar fragility in, reorganization of myofiber membrane skeleton in, absence of β-spectrin in, 144:1259
sarcospan expression in, 145:153
MuSK (muscle-specific receptor tyrosine kinase), ectodomains of, and induction/localization of acetylcholine receptor–containing complex, 146:1133
Myelin, sheet formation regulated by Fyn tyrosine kinase, 145:1209
Myelin sheaths, in brain, claudin-11/OSP–based tight junctions of, 145:579
Myelin-associated glycoprotein, normal myelination in absence of, 146:1173
Myelination, in optic nerve, retinal ganglion cell axons essential for, 146:1365
Myoblast transplantation, myogenic stem cells in, in mdx mice, 144:1113
Myoblasts
fusion of, roles of CD9 and CD81 in, 146:893
proliferation/differentiation of, regulated by integrin and focal adhesion signaling, 144:1295
*MyoD*, function during satellite cell activation, 144:631
Myofibers, membrane skeleton of, dystrophin deficiency affects organization of, 144:1259
Myofibrils, actin integrates into, ADF/cofilin and assembly of, 145:491
Myogenesis
skeletal, from embryonic vasculature, 147:695, 869
smooth muscle, laminin α2 chain and, 147:1341
Myogenic cells, *MyoD*-mutant, differentiation deficit in, 144:631
Myogenic differentiation, modulated by novel muscle-specific β1 integrin binding protein, 147:1391
Myogenin, and muscle metabolism, 145:633
Myo2p, COOH-terminal domain of, and secretory vesicle targeting, 147:791
Myosin
cingulin interacts with, 147:1569
and cytoplasmic execution of apoptosis, 146:703
interaction with actin during cytokinesis, 144:305
Myosin head interactions, in inhibited state, 147:1385
Myosin heavy chain, genetic suppressors of troponin I point mutation in, interaction between troponin I and, 144:989
Myosin II
folding into bent monomer, and thick filament assembly control, 147:1039
PAKa as major regulator of, chemotaxis and, 147:559
phosphorylation of regulatory light chain, influence of $p34^{cdc2}$ on cytokinetic activity of, timing of cytokinesis independent of, 146:981
Myosin light chain, phosphorylation of, affected by p21-activated kinase, 145:837
Myosin light chain kinase, and cell migration promoted by urokinase-type plasminogen activator, 146:149
Myosin light chain phosphorylation, involved in receptor-induced platelet shape change, 144:745
Myosin motors, assembly during cell migration, 146:1107
Myosin phosphatase
mitosis-specific phosphorylation of, 144:735
phosphorylation of myosin-binding subunit of, 147:1023
Myosin V
and regulation of melanosome movement, 146:1265
and secretory vesicle targeting, 147:791
Myosin Va, dynamics of, role in axonal transport of organelles, 146:1045
Myosin-binding subunit, of myosin phosphatase, phosphorylated by Rho-kinase, 147:1023
Myotubes
extracellular matrix assembly on, α-dystroglycan and, 145:1325
maintenance of, roles of CD9 and CD81 in, 146:893
Myristoylation, of calcium-binding protein calmyrin, 145:1277
$Na^+/H^+$ exchanger activity, chloroquine uptake independent of, 145:363
$Na^+/H^+$ exchanger regulatory factor, association with YAP65, 147:879
N-Cadherin
complexed with protein tyrosine phosphatase μ, promotes neurite outgrowth of retinal ganglion cells, 144:1323
promotes motility in breast cancer cells, 147:631
N-CAM (neural cell adhesion molecule), regulates pancreatic islet cell sorting, 144:325
Nectin (poliovirus receptor–related protein), recruitment to cadherin-based adherens junctions, 145:539
Negative feedback, on intracellular $Ca^{2+}$ wave propagation in astrocytes, exerted by mitochondria, 145:795
NEP-B78, and nuclear envelope assembly, 144:225
Nerve growth factor
sympathetic neurons recover from deprivation of, 144:883
synergy with depolarization, and regulation of neuronal survival, 146:955
Nestin, expressed in response to central nervous system injury, and absence of glial fibrillary acidic protein and vimentin, 145:503
Neural crest, role of c-Jun in function of, 145:1049
Neural development, δ-catenin and, 144:519
Neural signal transduction, contactin and, 147:707
Neurite outgrowth
during neuronal differentiation, regulated by protein kinase Cε, 145:713
and localization of β-actin mRNA within growth cones, 147:59
promoted by neurotractin, 145:865
protein tyrosine phosphatase μ and, 144:1323
Neurites
growing, neurotransmitter secretion along, 144:507
vaults colocalize with filamentous actin in tips of, 144:1163
Neuroblastoma cells, protein kinase Cε induces neurite-like processes in, 145:713
Neurodegeneration, and presenilin mutations linked to Alzheimer's disease, 146:1351
Neurofilament proteins
axonal transport of, 144:447
deficiency in, and age-related axonal atrophy, 146:181
Neurofilament triplet proteins, bullous pemphigoid antigen 1 fails to associate with, 144:435

Neurofilaments, peripherin assembles with (and formation of intermediate filament network), 147:531
Neurogenesis, kinesin superfamily protein KIF3A and, 145:825
Neurolin, immunoglobulin domains of, and axon guidance, and fasciculation, 144:339
Neuromuscular junction
acetylcholinesterase clustering at, 145:911
collagen Q–dependent acetylcholinesterase concentration at, 144:1349
MuSK-triggered formation of, 146:1133
Neuron, katanin severs microtubules in, 145:305
Neuron killing, triggered by Fas, caspases and, 147:1049
Neuron transport, within sensory cilia, dynein CHE-3 and, 147:519
Neuronal cytoskeleton, structural maintenance of, neurofilament subunits and, 146:181
Neuronal differentiation, protein kinase Cε and neurite outgrowth during, 145:713
Neuronal guidance, regulation of, and angiogenesis regulation, 146:233
Neurons
axonal transport of neurofilament protein in, 144:447
intracellular kinesin targeting mechanism in, 145:469
peripherin–bullous pemphigoid antigen 1 interaction in, 144:435
subset of, kinesin-II and axonal transport of choline acetyltransferase in, 147:507
Neuropilin-1, mediates inhibition of endothelial cell/axon motility, 146:233
Neurotoxins, clostridial, and synaptic vesicle trafficking, 147:1249
Neurotractin, promotes neurite outgrowth, interacts with CEPU-1 and LAMP, 145:865
Neurotransmitter exocytosis, aczonin and orchestration of, 147:151
Neurotransmitter secretion, along growing neurites, synaptic vesicles involved in, 144:507
Neurotrophin, and localization of β-actin mRNA within growth cones, 147:59
Neurotrophins, synergy with depolarization, and regulation of neuronal survival, 146:955
Neutrophils
integrin α9β1 critical for migration of, integrins α9β1 and α4 contribute to chemotaxis of, integrin α9β1/VCAM-1 interactions and extravasation of, 145:413
migrate through fimbrin, regulation of, 144:1047
NF-AT (nuclear factor of activated T cell), calreticulin and nuclear import of, 144:857
N-Glycans, mediate apical sorting of GPI-anchored proteins, 146:313
Nicotinic receptors, of α-bungarotoxin, contain α7 subunits in two different conformations, 146:203
Nid1p, and spindle pole body duplication, 145:809
Nitric oxide, arginase II decreases production of, 144:427
Nodal processing, enhancement of, 144:139
Nonmuscle myosin II regulatory light chain, function in *Caenorhabditis elegans* embryogenesis, 146:439
Normal rat kidney cell, view of Golgi complex portion in, 144:1135
Notch signaling
and blockage of presenilin-induced apoptosis, 146:1351
in dental epithelial stem cells, regulated by fibroblast growth factor signalling, 147:105
NSF, as pentameric cis-SNARE complex subunit, and homotypic vacuole fusion, 145:1435
Nuclear architecture, and chromosome structure, 146:1211
Nuclear compartmentalization, of chromosomes 18 and 19, and distribution of genomic sequences, 145:1119
Nuclear compartments, higher order, built up by polar chromosome territories, 146:1211
Nuclear domain 10, assembly of, protein recruitment to, 147:221
Nuclear envelope
A-type lamin and integrity of, 147:913
LAP2 proteins and formation of, 144:1083
proteins targeted to, nurim identified as new protein targeted to, 146:29
Nuclear envelope assembly, NEP-B78 and, lamin B receptor protein and, p65 and, 144:225
Nuclear envelope–associated proteins, nonnucleoporin, 144:839
Nuclear export, and subcellular localization of Cdc25C, 146:573
Nuclear factor-κB, activation inhibited by zinc finger protein A20, 145:1471
Nuclear import
of Cdk/cyclin complexes, 144:213
phytochrome-regulated, of common plant regulatory factor 2, 144:201
of proteins, novel karyopherin-mediated pathway, 145:1407
of transcription factor IIA by Kap122p, 147:235
Nuclear import receptor, for SR proteins, transportin-SR as, 145:1145
Nuclear interior, connection between nuclear pore complex and, 144:839
Nuclear localization signal, for SR proteins, RS domain functions as, 145:1145
Nuclear matrix
and 60S ribosome subunit metabolism, $p27^{BBP/eIF-6}$ and, 144:823
transcription sites extracted from, three-dimensional visualization of, 146:543
Nuclear matrix proteins, and chromosome territory organization, 146:531
Nuclear mitotic apparatus protein, protein 4.1R isoform interacts with, 145:29
Nuclear organization
of heterochromatin domains, 147:1153
of transcription sites in chromosome territories, 147:13
Nuclear pore, hepatitis B virus core particles bind to, 145:45
Nuclear pore complex
components involved in ribosomal transport, 144:389
composition and function of, proteolytic cleavage and assembly of, Nup98 and Nup96 targeted to, 144:1097
connection with nuclear interior, 144:839
dissociation of nuclear export complexes from, 145:645
and nuclear export of snurportin 1, 145:255
RAE binds to NUP98 motif at, 145:237
Nuclear positioning, role of Kar9p in, 144:963
Nuclear protein import, recycling of Ran and, 144:645
Nuclear proteins
and nuclear domain 10 assembly, 147:221
proteasomal degradation of, 146:113
Nuclear speckles, association of transcription sites with, concentration of splicing factors in, 146:543
Nuclear structure
nuclear domain 10, protein–protein interaction and, 147:221
reorganization during differentiation, and histone accumulation on inactive X chromosome, and random X chromosome inactivation, 147:1399
Nuclear targeting, of phytochrome B-GFP, 145:437
Nuclear transport
of CRM1, RanBP1 and, RanBP2 and, 145:645
of snurportin 1 (compared to importin), 145:255
Nuclear transport factor, Ran-GTP as a determinant of spindle assembly, 146:1205
Nucleation, of microtubules
novel γ-tubulin–associated protein involved in, 147:857
and γ-tubulin complexes, 144:721
Nucleation sites (actin), relationship between Arp2/3 complex and, generation of, 145:331
Nucleobindin, binds $Ca^{2+}$ in the Golgi, effects of overexpression, EF-hands of, 145:279
Nucleocaspid, interaction with host cell membrane, 147:671
Nucleocytoplasmic export, of ribosomes, 144:389
Nucleocytoplasmic transport
EH and, 147:1379
and small ribonucleoprotein biogenesis, 147:715
Nucleoid (mitochondrial), Mgm101p as novel component of, 145:291
Nucleolus
protein subunit of ribonuclease P localized in, 146:559
in yeasts with mutant 5S RNA, altered structure of, 145:1369
Nucleoplasm
link between nuclear pore complex and, 144:839
Werner DNA helicases localized to, 144:1
Nucleoporins
identification/purification of, conserved biogenesis pathway for, characterization of Nup96, 144:1097
and nuclear export of ribosomes, 144:389
Nucleoskeleton, repetitive DNA sequences interact with, 147:1409
Nucleotide exchange factor, ECT2, involvement in cytokinesis, 147:921
Nucleus
detection of pre-mRNA in, 144:617
growth factors transported into, 145:421
Ran–importin-β complex exported from, 144:645
SR proteins imported/targeted into, 145:447
targeting of adenovirus to, 144:657
UNC-97 detected in, 144:45
Nuf2, and chromosome segregation, 145:1381
NUP98, RAE1 shuttles and binds to, 145:237
Nurim, identified as new nuclear envelope membrane protein, localized to nuclear envelope by novel mechanism, 146:29
N-WASP, activated by IcsA protein, and actin polymerization, 146:1319
Occludin
expressed in endothelial cells, 147:185
localization in tight junction fibrils, 146:683
O-Glycosylation, required for axial budding, increases Axl2/Bud10p activity in daughter cells, 145:1177
Oligodendrocyte development, axonal control of, 147:1123
Oligodendrocyte progenitor cells, migration and proliferation in absence of axons, 146:1365
Oligodendrocytes
differentiation requires Fyn, 145:1209
tight junctions in myelin sheaths of, 145:579
Oligodendrocyte-specific protein, expression/subcellular distribution of, as member of claudin family, specific component of tight junction strands, 145:579
Oligomerization, of aerolysin, promoted by cholesterol-sphingolipid-rich microdomains, 147:175

Oligosaccharides, sialyl Lewis X, interaction with specific C-type lectin, critical role in cell–cell interaction, 147:467
Oncogene, β-catenin functions as, 146:855
Oncogenic transformation, by *v-src*, and role of focal adhesion kinase in, 147:611
Oncoprotein18/stathmin, tubulin/microtubule-directed activities of, 146:1289
Oocytes
in *Mlh1* mutant mice, formation of first meiotic spindle in, 145:1395
mouse, meiotic spindle formation in, progression of first meiotic M phase in, 146:1
Oogenesis, *Drosophila*
apical spectrin and epithelial morphogenesis during, 146:1075
cadherin-mediated intercellular motility during, 144:533
Optic nerve, control vs. transected, oligodendrocyte production and myelination in, 146:1365
Organelle inheritance, in yeast, protein ubiquitination and, 145:1199
Organelle transport, novel plus-end–directed kinesin motor for, 147:493
Organelles
ciliary and flagellar, cytoplasmic dynein 1b/kinesin-II and assembly/maintenance of, 147:463
myosin Va and axonal transport of, 146:1045
Organogenesis, N-CAM required for cell sorting during, 144:325
Oriented cell growth, in yeast, in response to pheromone gradient, 144:1187
Ossification, endochondral/intramembranous, during limb development, blocked by matrix GLA protein, 147:1097
Osteoclasts
mature, activated by osteoprotegerin ligand, effect of osteoprotegerin on, 145:527
regulated by CD38/ADP-ribosyl cyclase, 146:1161
Osteoporosis, CD38/ADP-ribosyl cyclase and osteoclast regulation, 146:1161
Osteoprotegerin, effect on mature osteoclasts, 145:527
Osteoprotegerin ligand, activates mature osteoclasts, effect on actin ring formation and bone resorption, effects mediated by RANK, 145:527
Overgrowth, developmental, caused by glypican-3 deficiency, 146:255
Oviduct, laminin γ3 chain in, 145:605
Oxidative damage (to mitochondrial DNA), Mgm101p and repair of, 145:291
Oxygen stress, regulates apoptosis in yeast, 145:757
$\alpha_2$p24, and formation of vesicular tubular clusters, and generation of endoplasmic reticulum exit sites, 146:285
p27$^{BBP/eIF6}$, β4 integrin interactor, as essential nuclear matrix protein, and 60S ribosomal subunit assembly, and epithelial adhesion, 144:823
p34$^{cdc2}$, and myosin II activity during cytokinesis, and timing of cytokinesis, 146:981
p53
inhibits integrin-associated survival signaling pathways, 147:1063
regulation and effector functions of, comparative analysis between p73 and, 147:823
p56$^{lck}$, newly synthesized, association with CD4, travels to plasma membrane via exocytic pathway, 145:457
p65, and nuclear envelope assembly, 144:225
p73, regulation and effector functions of, comparative analysis between p53 and, 147:823
p115, and vesicular tubular cluster delivery to Golgi stack, 147:1205
p120$^{ctn}$, regulates cadherin function in colon carcinoma, 145:551
P granules, localization of, nonmuscle myosin II regulatory light chain gene and, 146:439
p38 MAPK, p38α isoform, activated by integrin α2β1, 147:401
p24 proteins, and quality control of endoplasmic reticulum–Golgi transport, 145:1165
p21-activated kinase
regulates motility in fibroblasts, 145:837
role in endothelial migration, 147:831
Pair rule genes (*ten-m/odz*), structure/function of, 145:563
PAK family kinases, regulate cell and actin polarization, 147:845
PAKa, regulates myosin II assembly, controls chemotaxis, 147:559
Palmitoylation, and caveolin-to-Golgi association, 145:1443
PAM (peptidylglycine α-amidating monooxygenase), alters actin cytoskeleton organization, induction in AtT-20 cells, reverse tetracycline repressor system and study of, alters storage/trafficking of proopiomelanocortin and prohormone convertase 1, 144:459
Pancreatic islets, N-CAM regulates cell sorting within, 144:325
Paranodin, localization regulated by axo-glial interactions, 147:1145
Parathyroid hormone–related peptide, and transforming growth factor β in skeletal development, 145:783
Paxillin
caplain-mediated cleavage of (and focal adhesion disassembly), 147:619
integrin signaling and, and myoblast cell cycle withdrawal, 144:1295
mediates cytoskeletal remodeling, LD motifs function as protein-binding sites, 145:851
mitosis-specific phosphorylation of, 144:315
PC12 cells
major vault protein targeted to, 144:1163
triorganellar distribution of P-selectin in, 145:1419
p50/dynamitin, inhibits aggresome formation, 146:1239
PDZ domain
of junction-associated protein AF-6, 144:361
of novel active zone–specific protein (aczonin), homology to presynaptic active zone protein, 147:151
Pericentrin, binds cytoplasmic dynein light intermediate chain, and mitotic spindle organization, 147:481
Pericentriolar material-1, as first component of centriolar satellites, 147:969
Peripherin
interaction with neural isoform of bullous pemphigoid antigen 1, 144:435
motor neuron death caused by, 147:531
Perlecan
and acetylcholinesterase clustering at neuromuscular junction, 145:911
expression during embryogenesis, stimulates/maintains chondrogenesis, 145:1103
maintains integrity of cartilage and basement membranes, 147:1109
structure/function of, and cartilage development, and endochondral ossification, severe brain/skeletal defects in absence of, 147:909
Permeability transition pore, and apoptosis signaling, 147:1493
Peroxins, characterization of Pex22p (novel peroxin), Pex22p and peroxisome biogenesis, role of Pex4p and Pex22p in peroxisomal matrix protein import, 146:99
Peroxisomal matrix protein import, PEX12 participates in, 147:761
Peroxisomal membrane proteins, inability to import in Zellweger syndrome, 144:255
Peroxisome, role of *Pichia pastoris* Pex22p in biogenesis of, 146:99
Peroxisome biogenesis, role of PEX12 in, 147:761
Peroxisome synthesis, in absence of preexisting peroxisomes, PEX16 and, 144:255
Peroxisomes, Pex13p function in biogenesis of, 144:1151
PEX5, PEX12 interacts with, and peroxisomal matrix protein import, 147:761
PEX10, PEX12 interacts with, and peroxisomal matrix protein import, 147:761
PEX16, and peroxisome synthesis, 144:255
Pex13p, function in peroxisome biogenesis, required for peroxisomal association of Pex14p, interacts with peroxisomal signal targeting 2 receptor, 144:1151
Pex14p, Pex13p and peroxisomal association of, 144:1151
pH, fluctuations in pollen tube growth, ratiometric ion imaging of, 144:483
Pheromone gradient, oriented cell growth in response to, 144:1187
Phosphatidylinositides, DdLIMP as transporter of, 145:167
Phosphatidylinositol 4, 5-bisphosphate, compartmentalization of, and regulation of pollen tube growth, 145:317
Phosphatidylinositol 3-kinase, intracellular movement of, 146:869
Phosphoinositide, interaction with AP-2 adaptor protein, and formation of/adaptor incorporation into plasma membrane clathrin-coated pits, 146:755
Phosphoinositide 3-kinase, selectively regulates apical membrane proteins, 145:1089
Phosphoinositide 3-kinase/protein kinase B, balance between ERK/p38MAPK pathway and, and determination of smooth muscle cell phenotypes, 145:727
Phosphoinositide 3-OH, interaction with H-Ras, and relocalization/stabilization of β-catenin, and formation/stabilization of E-cadherin/catenin complexes, 146:967
Phospholipase $A_2$, cytosolic, regulation of, 145:1219
Phosphorylation, 147:1385
of adducin by Rho-kinase, 145:347
of Cdc20 and Cdh1, and regulation of anaphase-promoting complex activity, 146:791
and control of myosin II thick filament assembly, 147:1039
and cytosolic phospholipase $A_2$ regulation, 145:1219
of ECT2 during G2/M phases (required for exchange activities), 147:921
of eIF-2α, and stress granule assembly, 147:1431
of hepatitis B virus core protein, and nuclear import of viral genomes, 145:45
and histone H3 N-tail rearrangement, 145:225
of histone H2AX, and formation of γ-H2AX foci, at sites of DNA double-strand breaks, 146:905
of mitogen-activated kinase, channel gating and, 144:1033
mitosis-specific, activation of myosin phosphatase targeting by, 144:735
mitosis-specific, of FAK, 144:315
of myosin II regulatory light chain, and determination of cytokinesis timing, 146:981
of myosin light chain, affected by p21-activated kinase, 145:837
of myosin-binding subunit of myosin phosphatase (by Rho-kinase), 147:1023
tyrosine, in oligodendrocytes, 145:1209

Phosphotyrosine binding domain, of adaptor protein Shc, regulates haptotaxis, 147:1561
Photoactivation, and study of actin dynamics in filopodia, 146:1097
Photobleaching, and study of actin dynamics in filopodia, 146:1097
Photolysis, filopodial protrusion triggered by, 145:1265
Photomorphogenesis, and phytochrome B, in *Arabidopsis*, 145:437
Photoreceptor cells, potassium-dependent sodium/calcium channel exchanger expressed in, 147:659
Phototaxis, role of 1α dynein heavy chain in, 146:801
Phytochrome, and nuclear import of common plant regulatory factor 2, 144:201
Phytochrome B-GFP, nuclear localization of, 145:437
*Pichia pastoris*, discrete transitional endoplasmic reticulum sites in, and generation of coherent Golgi stacks, 145:69
PKCθ, novel integrin β5–modulating protein dependent on, and regulation of angiogenesis, 147:1073
PKC1, and repolarization of actin cytoskeleton, 147:163
Plakin, novel, microtubule actin cross-linking protein 7 as, 147:1275
Plasma membrane
  complexed and independent molecules coexist in, 146:673
  $p56^{lck}$ travels to, 145:457
Plasma membrane structure, maintained by cholesterol, role in FcεRI signaling, 145:877
Plasmalemmal vesicles, novel protein related to (PV-1), isolation/cloning/localization of, 145:1189
*Plasmodium falciparum*, chloroquine uptake in, 145:363
Platelet extracts, actin-based motility of *Listeria monocytogenes* in, function of Ena/VASP protein family in, 144:1245
Platelets
  $G_{12}/G_{13}$–mediated shape change, 144:745
  glycoprotein Ib-Ix–mediated integrin activation in, 147:1085
  protein synthesis in, integrins and, 144:175
Plectin, binding of integrin α6β4 to, role in formation of hemidesmosomes, interaction with cytoskeleton, 147:417
*PMT4*, effect on axial budding patterns, 145:1177
Polar chromosome territories, build up higher order compartments, 146:1211
Polarity
  AE1 anion exchangers and, 147:1237
  cytoskeletal, cell and actin, regulated by PAK family kinases, 147:845
  *PMT4* and, 145:1177
  of pollen tube growth, Rac and, PtdIns 4, 5-$P_2$ and, 145:317
Polarized cells
  apical endocytosis in, phosphoinositide 3-kinase and, 145:1089
  γ-tubulin–intermediate filament attachment in, 146:645
Polarized secretion, in yeast, Myo2p tail and, 147:791
Poliovirus receptor–related protein (nectin), recruited to cadherin-based adherens junctions, localized at zonula adherens (in epithelial cells) and cell–cell adherens junctions (in nonepithelial cells), 145:539
Pollen tubes
  pH and proton fluxes in growth of, constitutive alkaline band in clear zone, growth-dependent acidic tip in, 144:483
  Rac and PtdIns 4, 5-$P_2$ regulate growth of, 145:317
Poly(ADP-ribose) polymerase, vault-associated activity of, 193-kD vault protein as, 146:917
Poly(ADP-ribosylation), in vaults, 146:917
Polyamines, and chromosome condensation, 145:225
Polymerization, of tubulin, microtubule end-targeting of CLIP-170 linked to, 144:99
Polymorphonuclear leukocyte chemotaxis, regulated by $\beta_1$ integrins, 144:1047
Ponsin, purification/characterization/localization of, binds l-afadin and vinculin, 144:1001
Pore formation, and hemolysis, and study of bacterial protein–host membrane interaction, 147:683
Porin, 30-kD voltage-dependent anion-selective channel in mitochondrial outer membrane, import of, 145:973
Postsynaptic clustering, of Eph receptor tyrosine kinases, meidated by AF-6, 144:361
Postsynaptic densities, dystrobrevin highly enriched in, 147:645
Potassium channels, distribution of galactolipids and, 147:1145
$pp125^{FAK}$ cleavage, mediated by caplain, and focal adhesion disassembly, 147:619
Prefoldin, targets nascent actin and tubulin chains, 145:265
Prefoldin–nascent chain complexes, assembly of, 145:265
Preimplantation development, regulation of DNA methylation during, 147:25
Pre-mRNA splicing, active form of U2 small nuclear ribonucleoprotein particle binds to, 145:1355
Pre-mRNA, detection in nucleus, processing in association with SC-35 domains, 144:617
Prereplication complexes, formation during early G1 phase, role for Mcm proteins in, 146:709
Pre-rRNA, processing pathway, 5S ribosomal RNA assembly required during, 145:1369
Presenilin, Alzheimer's disease–linked mutations in, apoptotic activities of, 146:1351
Presenilin 1, and γ-secretase processing of amyloid precursor protein, 147:277
Presenilin-1, suppresses c-Jun homodimers, 147:121
Presenilin 2, calmyrin 2 interacts with, 145:1277
Pro domains, regulate bone morphogenetic protein, 144:139
Procaspase-3 (membrane-associated), Bcl-2 regulates activation of, activation by cytochrome c, and control of apoptosis, 144:915
Procollagen type IIA, $NH_2$-propeptide of, binds to transforming growth factor-β1 and bone morphogenetic protein-2, role in chondrogenesis, 144:1069
Profilin
  novel active zone–specific protein binds, 147:151
  regulatory events upstream of, 145:167
Profilin-minus phenotype, of *Dictyostelium*, suppressor mutants of, 145:167
Programmed cell death
  altered cytochrome c display before, 144:701
  controlled by procaspase-3, 144:915
  of motorneurons, triggered by Fas, 147:1049
  in multicellular prokaryote (*Streptomyces antibioticus*), 145:515
  of oligodendrocytes in control and transected optic nerves, 146:1365
Prohormone convertase 1, PAM alters storage/trafficking of, 144:459
Prokaryotes
  bacteriophage φ6 entry mechanism into, 147:671
  programmed cell death in, 145:515
Proliferating precursor cells, axonal control of, 147:1123
Proliferation
  of intestinal epithelium, and protein kinase C $\beta_{II}$ overexpression, 145:699
  of myoblasts, regulated by integrin and focal adhesion signaling, 144:1295
  of *MyoD*-deficient cells, 144:631
Promyelotic leukemia protein, interaction with adapter protein Daxx, and ND10 formation, 147:221
Proopiomelanocortin, PAM alters storage/trafficking of, 144:459
Prophase, cyclin A required for, 147:295
Proprotein convertases, regulate bone morphogenetic protein, 144:139
Proteasomal degradation, of nuclear proteins, of viral antigens, intracellular localization of, 146:113
Proteasome
  and aggresome formation, 146:1239
  centrosome-associated, 145:481
Protein degradation, ATP- and metal-dependent, 147:33
Protein disulfide isomerase, in misfolded secretory protein degradation, 147:1443
Protein folding
  in endoplasmic reticulum, BiP and, 144:21
  prefoldin–nascent chain complexes in, 145:265
  of α7 subunits, into two different conformations, 146:203
Protein import
  peroxisomal matrix, role of Pex4p and Pex22p in, 146:99
  into peroxisomes, Pex13p and, 144:1151
Protein insertion, of Tom40 into outer mitochondrial membrane, 146:321
Protein interaction, promyelotic leukemia protein–adapter protein Daxx, and ND10 formation, 147:221
Protein kinase, Prk1, regulates actin cytoskeleton organization, 144:71
Protein kinase A
  formation of signaling complex with AKAP95, 147:1167
  and MAP kinases activation and nuclear translocation, 147:1129
Protein kinase B, cellular localization of, FcγRIIb inhibits stimulation of, regulation during B lymphocyte activation, 145:1511
Protein kinase C
  atypical, and Ras-meidated reorganization of actin cytoskeleton, 144:413
  downstream effector of, 144:1173
  and mobilization of α6β4 integrin from hemidesmosomes, 146:1147
  role in R-Ras–induced migration, 145:1077
Protein kinase C $\beta_{II}$, overexpression of, and colonic hyperproliferation, and colon carcinogenesis, 145:699
Protein kinase Cε, role in neurite outgrowth regulation, 145:713
Protein kinase C ζ, novel protein interacting with, 144:403
Protein kinases
  Ark1p and Prk1p, associate with/regulate cortical actin cytoskeleton, 144:1203
  Ipl1, essential for proper chromosome segregation, 145:1381
Protein misfolding, centrosome and increase in, 145:481
Protein 4.1R (nonerythroid isoform of), interaction with nuclear mitotic apparatus protein, role in cell division, 145:29

Protein sorting, novel dendritic pathway, 145:469
Protein synthesis, prefoldin–nascent chain complexes in, 145:265
Protein targeting
of major vault protein to PC12 cells, 144:1163
to nuclear envelope, 146:29
relationship to cell–cell adhesion, 144:687
Protein traffic, distinct roles of Sec7d family members in, 146:71
Protein translocation
across mitochondrial outer membrane, TOM complex and, 147:959
J-related segment of Tim44 and, Tim44–Hsp70 interaction and, 145:961
Protein transport
fusogenic Golgi domains and, 145:673
Sec-independent, in chloroplasts, maize *tha4* gene functions in, 147:267
Protein tyrosine kinase, and integrin-mediated lymphoid adhesion, 144:777
Protein tyrosine phosphatase α, forms neuronal receptor complex with contactin, 147:707
Protein tyrosine phosphatase μ, promotes neurite outgrowth of retinal ganglion cells, and regulation of N-cadherin function, 144:1323
Protein tyrosine phosphatase-PEST, regulates focal adhesion disassembly/migration/cytokinesis, 144:1019
Protein tyrosine phosphatase-SL, and MAP kinases activation and nuclear translocation, 147:1129
Protein–protein interactions, flow cytometry and analysis of, 144:903
Proteolipid, MAL, and transport/sorting of hemagglutinin, 145:141
Proteolytic cleavage, and generation of Nup98 and Nup96, and regulation of nuclear pore complex assembly, 144:1097
Proton-ATPase (plasma membrane), selective export from endoplasmic reticulum, *LST1* and, 145:659
Protons, distribution/activity in pollen tube growth, 144:483
P-Selectin, multiple targeting signals of, 145:1419
PST2 (peroxisomal signal targeting 2) receptor, Pex13p interacts with, 144:1151
PTEN, and modulation of cell motility/directionality, 146:389
PTS1 receptor, PEX12 interacts with, and peroxisomal matrix protein import, 147:761
Q-FISH (quantitative fluorescence in situ hybridization), and analysis of telomere length, 144:589
QM-Jun-interacting factor-1, binds to presenilin-1, and c-*jun*–mediated transcription and apoptosis, 147:121
Quality control, in endoplasmic reticulum, protein disulfide isomerase and, 147:1443
Quality control process, destruction of misfolded endoplasmic reticulum proteins in, degradation of MHC class I heavy chains in, 147:45
Rab6 protein, coordinates novel Golgi–endoplasmic reticulum pathway, 147:743
Rac
essential for protrusion of lamellipodia, 144:1235
p21-associated kinase–regulated cytoskeletal organization downstream of, 147:831
and regulation of pollen tube growth, 145:317
RAD51, colocalization with DMC1 on mouse chromosomes, 147:207
Rad51 protein, sequestration into micronuclei, association with damaged DNA, 144:11
RAE1, as shuttling transport factor, and nuclear export of mRNAs, anchors to NUP98 motif at nuclear pore complex, 145:237
Ral GTPase (*Drosophila*), regulates developmental cell shape changes, and Jun $NH_2$-terminal kinase pathway, 146:361
Ran
recycling of, and nuclear import, monoclonal antibody against, interaction with importin-β, 144:645
and vectorality of nuclear export, 145:645
Ran GTP dissociation, of Toa1p/Toa2p/Kap122p complex, 147:235
RanBP1, 2, and release of CRM1 from nuclear pore complex, 145:645
Ran-cycle, and nuclear export of ribosomes, 144:389
Ran-GTP, as a determinant of spindle assembly, 146:1205
RANK, mediates effects of osteoprotegerin ligand, 145:527
RANTES, signaling triggered by (compared to aminooxypentane-RANTES), 144:755
Rapamycin, induces TAT2 degradation and GAP1 stability, 146:1227
Ras
and neuronal survival, 146:955
regulates focal adhesion, and cell movement, 144:1235
Rat lung, PV-1 localizes to endothelial caveolae of, 145:1189
Ratiometric ion imaging, and intracellular pH imaging, and analysis of proton distribution/activity in pollen tube growth, 144:483
Reactive oxygen species, and induction of apoptotic phenotype, 145:757
Receptor dimerization, inflammation and, HIV-1 infection and, 144:755
Receptor recycling, two distinct populations of early endosomes in, 145:123
Receptor tyrosine kinases, AF-6 interacts and clusters with, 144:361
Receptor tyrosine phosphatase, in *cis* configuration with another cell surface receptor, 147:707
Receptor tyrosine phosphatase CRYPα, promotes retinal axon growth, 147:375
Receptor-mediated endocytosis, ADP-ribosylation factor 6 and, 147:7
Refolding, stress-related endoplasmic reticulum protein 1 and, 147:1195
Regulated secretion, from hemopoietic cells, 147:1
Repetitive DNA sequences, intranuclear anchoring of, 147:1409
Replication, affected by LAP2 proteins, 144:1083
Replication protein A, recruitment to DNA replication domains, role in genome replication, 146:709
Replicative senescence, p73-induced growth arrest associated with, 147:823
Retina, protein tyrosine phosphatase μ promotes neurite outgrowth in, protein tyrosine phosphatase μ–cadherin N association in, 144:1323
Retinal axon, guidance of, neurolin immunoglobulin domain 2 and, 144:339
Retinal axon growth, promoted by receptor tyrosine phosphatase CRYPα, 147:375
Retinal pigment epithelium, ezrin promotes morphogenesis of, 147:1533
Retraction, cell body, correlation with major sperm protein depolymerization, 146:1087
Retrograde transport, brefeldin A–sensitive, to endoplasmic reticulum/Golgi intermediates, 147:1457
Reverse tetracycline repressor system, and study of PAM processing/trafficking/increased expression, 144:459
Rho
adducin phosphorylated by Rho-kinase downstream of, 145:347
cytokinesis regulated by, 144:305
receptor clustering regulated by, monocyte adhesion/spreading dependent on, 145:1293
RHO1, and mediation of polarized/depolarized cell growth, 147:163
Rho family GTPases, and regulation of actin cytoskeletal regorganization, 147:1519
Rho GTPases, cooperate to control cell movement, 144:1235
Rho-associated kinase, myosin-binding subunit of myosin phosphatase phosphorylated by, 147:1023
Rho-kinase
myosin light chain phosphorylation by, and receptor-induced platelet shape change, 144:745
phosphorylates adducin downstream of Rho, 145:347
Rho-like GTPases, functional relationship between β1 integrins and, β1 integrin–regulated cell scattering and, 147:1325
Ribonuclease P subunits, intranuclear localization of, 146:559
Ribonucleoprotein particle, in vaults, 146:917
Ribosomal export, soluble transport factors required for, 144:389
Ribosomal protein L25, tagged with green fluorescent protein, nuclear export of, 144:389
Ribosome receptor p180, and membrane proliferation in yeast, and secretory activity in yeast, 146:273
Ribosomal RNA, *minifly* and processing/pseudouridylation of, 144:1123
Ribosomes
location of 5S RNA in, 145:1369
*minifly* required for biogenesis of, 144:1123
$p27^{BBP/eIF6}$ function in biogenesis/assembly of, 144:823
regulate GTPase cycle of signal recognition particle receptor β-subunit, 146:723
Ring canals, filamin required for assembly of, 146:1061
RNA splicing, and chromosomal localization of double-stranded RNA adenosine deaminase, 144:603
RNA splicing domains, organization of, 144:617
RNA trafficking signal, enhances Cap-dependent translation, 147:247
RNA-binding proteins, link eIF-2α phosphorylation to stress granule assembly, 147:1431
RNA-mediated interference
and identification of nonmuscle myosin II regulatory light chain gene, 146:439
and study of cytoplasmic dynein in MTOC positioning, 147:135
RNAse mitochondrial RNA processing, intranuclear localization of, 146:559
Rolling adhesion, novel mechanism for stabilization of, 144:185
R-Ras, signals through integrin α subunits, promotes cell migration/invasion, 145:1077
RS (arginine/serine) domains, protein–protein interactions mediated by, importance of phosphorylation in, 145:447
Rud3p, and vesicle tethering, 147:729
Ryanodine, and $Ca^{2+}$ release, 144:241
Ryanodine receptor
cytosolic $Ca^{2+}$ signal triggered by activation of, 146:1161
imperatoxin A–binding site on, 146:493
type 3, localization in skeletal muscle, coexpression with type 1 ryanodine receptor, accessory function in skeletal muscle excitation–contraction coupling, 146:621

5S ribosomal RNA, assembly of, required during pre-rRNA processing, 145:1369
*Saccharomyces cerevisiae*
actin filament disassembly in, 145:1251
CBF3 and kinetochore formation in, 145:933
cell cycle progression and polarization in, Rho1 protein required for, 146:373
chitin synthesis in, novel mechanism for, 145:1153
chromosome segregation in, Ipl1–Sli15 complex and, 145:1381
Cik1p-homologous protein in, 144:1219
delocalized transitional endoplasmic reticulum in, and generation of dispersed Golgi, 145:69
endoplasmic reticulum–Golgi protein transport in, specialized form of COPII coat subunit and, 145:659
formation process of autophagosome in, 147:435
lipid molecular species composition of, 146:741
*mdm17*-mutant, mitochondrial inheritance/morphology in, 144:711
microtubule dynamics in, regulated by Bim1p, 145:993
microtubule dynamics in mating, 144:977
mitotic spindle positioning in, 144:947
novel centromere-associated gene product from, 146:415
novel kinetochore protein in, 145:15
nuclear import of TATA-binding protein in, mediated by karyopherin Kap114p, 145:1407
oriented cell growth in, 144:1187
oxygen stress regulates apoptosis in, 145:757
$p27^{BBP/eIF6}$ function in, 144:823
polarized secretion in, 147:791
protein kinases associate with/regulate cortical actin cytoskeleton in, 144:1203
reconstitution of Vps33p-dependent transport to vacuole/lysosome of, 146:85
response to cell wall stress in, 147:163
spindle pole body duplication in, 145:809
and study of intranuclear trafficking, 144:839
SUMO conjugation pathway in, 147:981
ubiquitination and mitochondrial inheritance in, 145:1199
Sarcoglycan subcomplex, association of sarcospan with, 145:153
Sarcolemma (of *mdx* mice), β-spectrin absent from, fragility in, 144:1259
Sarcomere, physiological length range of, titin stretches reversibly to, 146:631
Sarcomere maintenance, in adult cardiac myocytes, thin filament protein dynamics and, 145:1483
Sarcomeres, novel skeletal muscle protein localized to, 146:465
Sarcoplasmic reticulum
structure regularity, mitsugumin29 and, 147:1473
targeting of $Ca^{2+}$ homeostasis proteins within (ankyrin-B and), 147:995
Sarcospan, association with sarcoglycan subcomplex, expression in muscular dystrophy, homology with tetraspans, 145:153
Satellite cells
function of *MyoD* during activation of, 144:631
subset derived from embryonic dorsal aorta, myogenic/endothelial markers expressed in, 147:695, 869
Scaffolding protein ($Na^+/H^+$ exchanger regulatory factor), YAP65 associated with, 147:879
*Schizosaccharomyces pombe*, Sid2p kinase regulates onset of cytokinesis in, 146:777
Sea urchin, study of spatial/temporal cytokinesis regulation in, 146:981
Sec7 domain, novel Golgi-associated protein containing, 146:71
Sec1 protein (yeast), binds to SNARE complexes, localizes at sites of secretion, interaction with syntaxin protein homologues, 146:333
Sec-independent protein transport, in chloroplasts, maize *tha4* gene functions in, 147:267
Sec34p, interaction with Sec35p, and vesicle tethering, 147:729
Sec35p, interaction with Sec34p, and vesicle tethering, 147:729
γ-Secretase, amyloid precursor protein processing by, presenilin 1 controls activity of, 147:277
Secretion
fusogenic Golgi domains and, 145:673
insulin-stimulated, in adipocytes, of monosaccharide transport proteins, 146:609
intra-Golgi, between Golgi and endoplasmic reticulum, ERG30 functions in, 146:301
of neurotransmitters, along growing neurites, 144:507
regulated, from hemopoietic cells, 147:1
role of inositol triphosphate receptor in, 146:405
in yeast, induced by ribosome receptor p180, 146:273
yeast Sec1 protein localizes to sites of, 146:333
Secretory pathway, of *Saccharomyces cerevisiae*, Sec34p and, 147:729
Secretory vesicles, targeting of, COOH-terminal domain of Myo2p and, 147:791
SecY, used by Sec pathway, 146:45
SEL-9, and quality control of LIN-12 and GLP-1 trafficking, 145:1165
Selectins, bond with ligands during leukocyte rolling, 144:185
Seminiferous tubules, endothelin-converting enzyme-1 and contraction of, 145:1027
Septins, SUMO conjugation to, 147:981
SERCA, and constitution of Golgi $Ca^{2+}$ store, 145:279
Sertoli cells, in testis, claudin-11/OSP–based tight junctions of, 145:579
Sf9 cells, cytosolic phospholipase $A_2$ translocation in, arachidonic acid release in, 145:1219
SH3 domains, in vinexin, and actin cytoskeletal organization, 144:59
Shc
differentially activates cell migration and proliferation, 147:1561
and regulation of cell motility/directionality, 146:389
*Shigella flexneri*, actin-based motility in, 146:1319
*Shigella* lipopolysaccharide, trafficking in polarized epithelial cells, 145:689
Sialyl Lewis X oligosaccharides, interaction with specific C-type lectin, critical role in cell–cell interaction, 147:467
*Siamois*, β-catenin induces expression of, 147:367
Sid2p kinase, regulates onset of cytokinesis, 146:777
Signal recognition particle, and protein targeting, 147:257
Signal recognition particle receptor, GTPase cycle of β-subunit of, 146:723
Signal sequence information, integration with transmembrane sequence information, 147:257
Signal transduction
affected by cholesterol depletion, 145:877
calcium homeostasis during, potassium-dependent sodium/calcium channel exchange and, 147:659
for excitation-contraction coupling in skeletal muscle, mitsugumin29 and, 147:1473
growth factor– and adhesion-mediated, paxillin and integration of, 145:851
inositol-1,4,5-triphosphate and, 147:929
lipid rafts and, 147:447
in migratory cells, and cell contraction, and membrane ruffling, 146:1107
neural, contactin and, 147:707
pathway associated with heterotrimeric protein $G_{q}$, 145:1063
of phytochrome B, in *Arabidopsis*, 145:437
protein kinase A and, 147:1129
through insulin growth factor I receptor pathway, TIMP-1 and reduction of, 146:881
Signaling
β-catenin, cell-free assay system for, 147:367
of integrin αIIbβ3, megakaryocytes and characterization of, 147:1419
integrin-mediated, role of tetraspanins in, 146:477
microtubule-dependent, and control of cell polarity, 146:1033
phosphoinositide 3-kinase–dependent, and invasive migration of cancer cells, 146:1375
of R-Ras, through integrin α cytoplasmic domains, 145:1077
Signaling pathways, growth factor–independent, use of epidermal growth factor in, 146:697
Signaling receptors, endocytic sorting of, 144:31
Simpson-Golabi-Behmel syndrome, glypican-3 deficiency and, similarity to Beckwith-Wiedemann syndrome (molecular basis of), 146:255
Skeletal development, parathyroid hormone–related peptide in, transforming growth factor β in, 145:783
Skeletal morphogenesis, CDMP-1 and, 144:161
Skeletal muscle
colocalization of types 1 and 3 ryanodine receptor in, 146:621
novel protein from, 146:465
Skeletal muscle cells, excitation-contraction coupling in, mitsugumin29 and, 147:1473
Skeletal muscle fibers, precursor subpopulations with stem cell–like properties, 144:1113
Skeletal myogenic cells, derived from embryonic vasculature, 147:695, 869
Sli15, association with Ipl1, and chromosome segregation, 145:1381
Slow axonal transport, of neurofilament proteins, 144:447
Small nuclear RNA, *minifly* and, 144:1123
Small ribonucleoprotein, Cajal body and biogenesis of, 147:715
Smooth muscle cells, signals regulating phenotype of, 145:727
Smooth muscle myogenesis, laminin α2 chain and, 147:1341
Smooth muscle myosin, inhibited state of, visualization of head–head interactions in, 147:1385
α-SNAP, as pentameric cis-SNARE complex subunit, and homotypic vacuole fusion, 145:1435
SNARE, function regulated by yeast tomosyn homologues, 146:125
SNARE complex
required for vacuole–vacuole fusion, 145:1435
synaptotagmin III interaction with (and $Ca^{+2}$-dependent membrane fusion), 147:589
yeast Sec1 protein bind to, 146:333
SNARE protein
dynamics of, trafficking pathways mediated by, 144:869

VAMP-7, and endosome–lysosome transport, 146:765
Snurportin 1, CRM1-mediated nuclear export of, 145:255
Sodium channels, distribution of galactolipids and, 147:1145
Sodium/calcium exchanger, potassium-dependent, in *Drosophila*, and maintenance of calcium homeostasis, 147:659
Sonic hedgehog, opposes epithelial cell cycle arrest, 147:71
Sorting
endosomal, and receptor recycling, 145:123
of GPI-anchored proteins, mediated by N-glycans, 146:313
of hemagglutinin, 145:141
Sorting signals, tyrosine-based, molecular bases for recognition of, 145:923
Spc29p, and spindle pole body duplication, 145:809
Spc42p, and spindle pole body duplication, 145:809
β-Spectrin, absent from sarcolemma of dystrophic mice, 144:1259
Spectrin (apical), essential for epithelial morphogenesis, 146:1075
Spermatogenesis, differential expression of endothelin-converting enzyme-1 in testis during, 145:1027
Sphingomyelin synthesis, in Chinese hamster ovary cells, endoplasmic reticulum–Golgi ceramide trafficking for, 144:673
Sphingosine kinase, increases intracellular sphingosine-1-phosphatase, 147:545
Sphingosine-1-phosphatase, intracellular, increased by sphingosine kinase, as second messenger in cell growth/survival, 147:545
Spinal atrophy disease gene product (SMN), and small ribonucleoprotein biogenesis, 147:715
Spinal muscular atrophy, Gemin3 deficiency in, 147:1181
Spindle
actin and orientation of, 146:1019
Bni1P regulates position of, 144:947
Spindle, mitotic
mitotic, *mini spindles* gene and integrity of, 146:1005
stabilization by centromeric protein, 146:415
Spindle assembly
Kar9p and positioning of, 144:963
in maize mitosis and meiosis, MAD2 and, 145:425
Ran-GTP as a determinant of, 146:1205
Spindle assembly checkpoint
and normal cell division, mutational analysis of components of, 146:13
and progression of first meiotic M phase in mouse oocytes, 146:1
Spindle checkpoint, maize homologue of MAD2 and, 145:425
Spindle formation, meiotic, chromosomal influence on, 145:1395
Spindle pole bodies, Bub2 localizes at throughout cell cycle, 145:979
Spindle pole body, role of core components during duplication, 145:809
Spindle pole body kinase, Sid2p, regulates onset of cytokinesis, 146:777
Spindle positioning, microtubule–cortex interactions during, 144:809
Spliceosome, U2 small nuclear ribonucleoprotein particle and assembly of, 145:1355
Splicing factors
association with heat shock gene transcription sites (independent of introns), 145:1133
concentration in nuclear speckles, 146:543
position within U2 small nuclear ribonucleoprotein particle, 145:1355
targeting of, kinase-dependent, 145:447
SR proteins
interaction with one another, phosphorylation-dependent steps for, nuclear import/targeting of, 145:447
nuclear import pathway for, transport mediated by transportin-SR, 145:1145
Src homology 2 domain, of adaptor protein Shc, regulates proliferation, 147:1561
Src homology domains, phosphotyrosine interaction with, 145:377
src transformation, role of focal adhesion kinase in, 147:611
SRPKs, phosphorylation mediated by (and RS domain–containing protein interactions), and nuclear import/targeting of SR proteins, 145:447
Stack formation, of reassembling Golgi cisternae, p115 as prerequisite for, 146:57
Stat5, activation during lactation, ErbB4 and, 147:77
Staurosporine
conformational changes in Bak protein induced by, and apoptosis, 144:903
mitotic cells treated with, and histone H3 dephosphorylation, and chromosome decondensation, 145:225
Stem cells
dental, association with Notch and fibroblast growth factor signalling, 147:105
in human ocular surface, 145:769
in myoblast transplantation, 144:1113
Strands (tight junction), multiple claudin species interact within/between, 147:891
*Streptomyces antibioticus*, hyphal death in, 145:515
Stress, stabilization of membrane proteins in response to, 147:1195
Stress fibers, LIM-kinase 2 and formation of, 147:1519
Stress granules, eIF-2α phosphorylation linked to assembly of, 147:1431
Stress signalling, and control of cell growth, 147:163
Striated muscle, $Ca^{2+}$ homeostasis proteins in (ankyrin-B and intracellular localization of), 147:995
Stromal processing peptidase, binds transit peptides, and turnover of transit peptides, protein degradative activity distinguishable from, as part of metallopeptidase family, 147:33
Subapical compartment, does not function as an apical endosome, 145:1089
Subcellular fractions, of *Saccharomyces cerevisiae* organellar membranes, lipid molecular species composition of, 146:741
Subcellular localization, of cAMP-dependent protein kinase, dictated by A-kinase–anchoring protein splice variants, 145:951
α7 Subunits, two disulfide-bonded conformations of, diversity required for functional homomeric receptors, 146:203
Sulfotransferases, and generation of L-selectin ligands, 145:899
SUMO, attachment to yeast septins, 147:981
Suppressor screen, of *Dictyostelium* myosin II null cells, reveals tail region critical for phosphorylation control, 147:1039
Survival of motor neurons complex, novel DEAD box protein interacts with, 147:1181
Survival signals, integrin-associated, inhibited by p53, 147:1063
Sympathetic neurons
apoptosis induced by nerve growth factor deprivation, recovery from trophic factor deprivation, 144:883
survival mediated by nerve growth factor–depolarization synergy, 146:955
Synapse
composition/location of, controlled by MuSK, 146:1133
dystrophin and function/architecture of, 147:645
Synapsin I, deficiency impairs inhibitory synaptic transmission, and anchoring of synaptic vesicles, 145:1039
Synaptic active zones, novel scaffolding protein (aczonin) involved in organization of, 147:151
Synaptic transmission, inhibitory, in mice lacking synapsin I, 145:1039
Synaptic vesicle exocytosis, blocked by botulinum neurotoxin A, 147:1249
Synaptic vesicles
anchoring of, synapsin I contributes to, 145:1039
involved in neurotransmitter release, 144:507
Synaptic-like microvesicles, P-selectin targeting to, 145:1419
Synaptonemal complex, and formation of recombination complexes, and meiotic homologous recombination, 147:207
Synaptophysin family, novel member of, and excitation-contraction coupling in skeletal muscle, 147:1473
Synaptotagmin III, crystal structure of, 147:589
Syncytial blastoderm, organization of, dynein function and centrosome positioning, 146:597
Syndecan-2, induces spine maturation, 144:575
Syntaxin proteins, homologues of, Sec1 proteins interact with, 146:333
Syntrophin, interaction between utrophin and, polarized localization of (visualized with green fluorescent protein), 145:391
T cell antigen receptor signaling, role of lipid rafts in, 147:447
T cell receptor ζ, interaction with Fyn, membrane localization of, 145:377
T cells, laminin 5 controls proliferation of, 144:563
Talin, caplain-mediated cleavage of (and focal adhesion disassembly), 147:619
TAP20, interaction with integrin β5, enhances cell adhesion/migration/tube formation, 147:1073
Targeting
caveolin to Golgi, 145:1443
$p56^{lck}$ to plasma membrane, 145:457
TAT2 (tryptophan permease), TOR proteins control regulated sorting of, regulated inversely to GAP1, vacuolar targeting and degradation of, 146:1227
TATA-binding protein, karyopherin-mediated nuclear import of, 145:1407
Telomere clustering, and homologous chromosome pairing, and efficient meiotic recombination, 145:1233
Telomeres
length dynamics in telomerase null mice, deficiency and tumor growth, 144:589
uncapping and deregulation of, 145:203
Ten-m1, dimerization of, ability to make homophilic interactions, 145:563
Ten-m/Odz, as new family of transmembrane proteins, function of related proteins in mammals, 145:563
Terminal differentiation, epithelial, induced by hensin, 144:1057
Testis, laminin γ3 chain in, 145:605
Tethering, of Golgi cisternae, as prerequisite for stacking, facilitated by p115, 146:57
Tetraspanin
complexed with integrin, function in tumor cell migration, role in matrix metalloproteinase production, 146:1375
modulates integrin signaling, 146:477
Tetraspans, sarcospan's homology with, 145:153

Tha4, as component of Delta pH pathway, 146:45
Thick filament assembly, myosin II, phosphorylation control of, 147:1039
Thin filament, I-band titin and stability of, 146:631
Three-dimensional image reconstruction
  of TOM complex, 147:959
  of TOM translocase, 147:905
Three-dimensional reconstruction, of imperatoxin A–binding site on ryanodine receptor, 146:493
Thrombopoiesis, proplatelet branching and, 147:1299
Thylakoid membrane (chloroplast), Sec-independent protein translocation across, 147:267
Thylakoid protein transport, components of, 146:45
Thymus
  $Ca^{2+}$ homeostasis proteins in (ankyrin-B and intracellular localization of), 147:995
  laminin 5 distribution in, 144:563
Tiam, activation of Rac by, induces cadherin-based adhesions, inhibits fibroblast migration, 147:1009
Tight junction strands
  claudin-5/TMVCF as endothelial cell–specific component of, 147:185
  structure/function of, multiple claudin species interact within/between, 147:891
Tight junctions
  associated MAGUKs bind with claudins, new molecular architecture model for, 147:1351
  barrier functions of, direct involvement of claudins in, 147:195
  claudin-11/OSP–based, of Sertoli cells and myelin sheaths, 145:579
  occludin localized in, 146:683
  role of cingulin in, submembrane domain linked to actomyosin cytoskeleton, 147:1569
Tim44, J-related segment of, essential for cell viability, necessary for interaction with mitochondrial Hsp70, 145:961
TIMP-1, tumor suppression mediated by, 146:881
Titin, cardiac, length isoforms in I-band region, elastic elements of, and thin filament stability, stretches reversibly to long physiological sarcomere lengths, 146:631
Tobacco mosaic virus, replication of, 147:945
Tom20, and voltage-dependent anion-selective channel membrane insertion, 145:973
Tom40, biogenesis of, membrane insertion of, assembly into TOM complex, 146:321
TOM complex, assembly of Tom40 into, 146:321
TOM core complex, three-dimensional image reconstruction of, Tom40 as key structural element of, and protein translocation across mitochondrial outer membrane, 147:959
TOM translocase, three-dimensional view of, 147:905
Tomography, electron microscopic, of cryofixed Golgi complex portions, 144:1135
Tomosyn, yeast homologues of, function in exocytosis, and regulation of SNARE function, 146:125
TOR, controls amino acid permeases, 146:1227
Touch neuron, UNC-97 and mechanosensory functions of, 144:45
Traction force, dorsal and ventral, generated by keratinocytes, myosin density and level of, 147:1313
Traction stresses, in locomoting keratocytes, separation of, 145:589
Trafficking
  endoplasmic reticulum–Golgi, of ceramide, 144:673
  of lipopolysaccharide in polarized epithelial cells, 145:689
Transactivation, glucocorticoid receptor–mediated, inhibited by eurkaryotic chaperone, 146:929
Transcription
  and chromosome architecture, 145:1119
  and remodeling of large-scale chromatin structure, 145:1341
  sites of, association with splicing factors (independent of introns), 145:1133
Transcription factor IIA, nuclear import of, 147:235
Transcription factors
  regulation of nuclear import, in light signal transduction, 144:201
  role in integrin $\alpha IIb\beta 3$ signaling, 147:1419
Transcription sites, spatial relationship between chromosome territories and, 147:13
Transcriptional pathways, in cardiac development, calreticulin involved in, 144:857
Transcytosis, of lipopolysaccharide, endocytic compartments involved in, 145:689
Transformation, activated by R-Ras, 145:1077
Transforming growth factor β, acts upstream of parathyroid hormone–related peptide, parathyroid hormone–related peptide–dependent and –independent effects of, regulates hypertrophic differentiation, and skeletal development, 145:783
Transforming growth factor-β1, $NH_2$-propeptide of type IIA procollagen binds to, 144:1069
Transgenic mice
  ErbB4 signalling inactivated in, mammary gland development in, 147:77
  expressing mutant form of superoxide dismutase linked to ALS, formation of peripherin inclusions in, 147:531
  expressing recombinant CDMP-1, 144:161
  overexpressing myogenin, altered enzymatic activity in muscle of, 145:633
  overexpressing protein kinase C $\beta_{II}$, susceptibility to colon carcinogenesis, 145:699
  study of keratin expression/function in, 146:1185
*trans*-Golgi network
  clathrin-coated vesicle formation in, proteins involved in, 146:993
  endosomal transport to, two distinct pathways for, 146:345
Transient adhesion, in cadherin-7–expressing cells, and control of cell motility, 146:501
Transit peptides, binding and turnover of, 147:33
Transitional endoplasmic reticulum, formation of, 146:285
Translation, controlled by integrins, and regulation of gene expression, 144:175
Translation enhancer function, of RNA trafficking signal, 147:247
Translational control, assembly/disassembly of stress granules and, 147:1431
Translocation, and GTPase cycle of signal recognition particle receptor β-subunit, 146:723
Translocation chromosomes, in the nucleus, orientation of, 145:1119
Translocon, and stabilization of membrane proteins in response to stress, stress-related endoplasmic reticulum protein 1 interacts with subunits of, 147:1195
Transmembrane proteins, ten-m/Odz as new family of, 145:563
Transmembrane 4 superfamily proteins, CD9 and CD81, roles in myogenesis, 146:893
Transmission, inhibitory synaptic, in mice lacking synapsin I, 145:1039
Transport
  endoplasmic reticulum–Golgi, p24 proteins and quality control of, 145:1165
  endosomal, *trans*-Golgi network to plasma membrane, two distinct pathways for, 146:345
  of vault particles, 144:1163
Transport intermediates, ERG30 localized to, 146:301
Transport vesicles
  specialized form of COPII coat subunit of, 145:659
  and transport to/through Golgi apparatus, 147:1457
Transportin-SR, mediates transport of SR proteins, binds to RS domains of SR proteins, 145:1145
Transverse tubule, in skeletal muscle, mitsugumin29 and, 147:1473
TRAP (thrombospondin-related anonymous protein), involvement in sporozite gliding and cell invasion, cytoplasmic tail of micronemal protein 2 interchangeable with that of, 147:937
Treadmilling, of actin filament array in lamellipodia, Arp2/3 complex and, actin depolymerizing factor/cofilin and, 145:1009
Triad junction, in skeletal muscle, excitation-contraction coupling in, mitsugumin29 and, 147:1473
tRNA, ribonuclease P and processing of, 146:559
Tropomyosin, transfer into cardiac myocytes, incorporation into sarcomere, 145:1483
Troponin, transfer into cardiac myocytes, incorporation into sarcomere, 145:1483
Troponin C gene (*pat-10*), of *Caenorhabditis elegans*, and muscle development, 146:193
Troponin I
  genetic suppressors of point mutation, interaction with myosin heavy chain, 144:989
  troponin C gene *pat-10* and binding to, 146:193
Truncus arteriosus persistens, similar malformation in *c-jun−/−* fetuses, 145:1049
Tubulin
  maturation pathway of, 145:265
  oncoprotein18/stathmin and regulation of, 146:1289
  polymerization of, microtubule end-targeting of CLIP-170 linked to, 144:99
α-Tubulin, Alf1p associated with, recognized by CLIP-170 protein, 144:113
γ-Tubulin
  cell cycle dynamics of, mitosis-specific recruitment to centrosome, 146:585
  complexes in *Drosophila*, and microtubule nucleation, binds preferentially to GDP, 144:721
  insoluble, anchored to intermediate filaments, 146:645
  and microtubule organization in centrosomes, 147:321
  novel centrosomal protein associated with, 147:857
α-Tubulin 67C, and chromosome segregation, 147:1137
Tumor dormancy, induced by urokinase receptor, integrin and MAPK signalling involved in, 147:89
Tumor growth, and telomere deficiency, 144:589
Tumor necrosis factor, A20 interferes with pathway induced by (and inhibits nuclear factor-κB activation), 145:1471
Tumor necrosis factor-α, DAP-kinase involved in, apoptosis induced by, 146:141
Tumor necrosis factor receptor–associated factor, A20 interferes with pathway mediated by (and inhibits nuclear factor-κB activation), 145:1471

Tumor promotion, abolished by glucocorticoid receptor downmodulation of AP-1, 147: 1365
Tumor suppression
*lethal giant larvae*, yeast homologues of (function in exocytosis, association with plasma membrane SNARE), 146:125
mediated by TIMP-1, 146:881
by p53 (compared to that by p73), 147:823
Two-dimensional crystalline arrays, 147:1385
Type III secretion, membrane protein insertion mediated by, 147:683
Tyrosine phosphatases, and regulation of MAP kinase functions, 147:1129
Tyrosine phosphorylation, in oligodendrocytes, 145:1209
Tyrosine-based sorting signals, molecular bases for recognition of, 145:923
U2 small nuclear ribonucleoprotein particle, architecture of, 145:1355
Ubiquitin
intermediates of, and US11-dependent degradation pathway, 147:45
and removal of GAP1 from plasma membrane, 146:1227
Ubiquitination, role in mitochondrial inheritance, 145:1199
Ultraviolet laser cross-linking, and visualization of H3 N-tail in mitotic cells, 145:225
UNC-97, localization to adherens junctions, in nucleus, and mechanosensory function of touch neurons, 144:45
UNC-76 protein, homologue involved in axonal outgrowth, 144:403
UNC-60B, and integration of actin into myofibrils, 145:491
Urokinase plasminogen activator receptor, tumor dormancy induced by, 147:89
Urokinase receptor, and integrin-mediated adhesion/signaling, 144:1285
Urokinase-type plasminogen activator, cell migration promoted by, myosin light chain in, 146:149
US11, and degradation of MHC class I heavy chains, 147:45
Utrophin, interaction between syntrophin and, 145:391
Vaccinia virus proteins, disulfide bonding of, 144:267
Vacuole
sequestration of cytoplasmic components to, and autophagosome formation, 147:435
yeast, reconstitution of Vps33p-dependent transport to, 146:85
Vacuoles, SNARE complex required for homotypic fusion of, 145:1435
VAMP-7, mediates endosome–lysosome transport, 146:765
Vascular cell adhesion molecule-1
distribution in endothelial cells regulated by Rho, 145:1293
integrin $\alpha 9\beta 1$ mediates cell adhesion to, 145: 413
Vascular endothelial growth factor-165, functional competition between collapsin-1 and, 146:233
Vascular–endothelial cadherin, in skeletal myogenic progenitors, 147:695, 869
Vaults
movement through cytoplasm, poly(ADP-ribosylation) activity in, identification/characterization of 193-kD protein in (p193), 146:917
transport of, colocalization with cytoskeletal elements, 144:1163
Vesicle, mHip1R as novel component of, 147: 1503
Vesicle tethering, to yeast Golgi apparatus, Sec34p/Sec35p complex and, 147:729
Vesicle trafficking, SNAREs and, 144:869
Vesicle-tethering protein p115, role in stacking of reassembling Golgi cisternae, 146:57
Vesicular transport
COPI-mediated, ERG30 participates in, 146: 301
endosome–lysosome, mediated by VAMP-7, 146:765
fusogenic Golgi domains and, 145:673
paxillin LD motifs and, 145:851
Vesicular tubular clusters
delivery to Golgi stack, p115 and, 147:1205
formation of, role of $\alpha_2$p24 and COPI, 146: 285
Vibrating probe, and analysis of proton distribution/activity in pollen tube growth, 144: 483
Video microscopy, and visualization of cell division processes, 144:927
Villin, role in actin microfilament budding and severing, and control of $Ca^{2+}$-dependent actin fragmentation, required for survival in experimental colitis, 146:819
Vimentin
forms complex with fimbrin, and integration of actin and vimentin cytoskeletons, 146: 831
lack of, central nervous system injury resulting from, 145:503
Vinculin
α-catenin domain interacts with, 144:1311
interaction with vinexin, 144:59
ponsin binds to l-afadin and, 144:1001
Vinexin, as novel vinculin-binding protein, and actin cytoskeletal organization, SH3 domains in, 144:59
Viral antigens, proteasomal degradation of, 146: 113
Viral assembly, disulfide bonding and, 144:267
Viral envelope protein, early assembly step of, 145:57
Viral genomes, nuclear import of, 145:45
Virus entry
into host membrane, mechanism of, 147:671
microtubule-dependent, of adenovirus, 144: 657
Virus movement protein, role in intracellular distribution of viral RNA, 147:945
Virus replication, on endoplasmic reticulum, cytoskeleton/virus movement protein and, 147:945
Visual screen, new nuclear envelope membrane protein identified in, 146:29
Vitronectin
cell migration on, promoted by urokinase-type plasminogen activator, 146:149
$\alpha v\beta 3$-integrin–mediated adhesion to, integrin-associated protein and, 146:673
Vitronectin receptor (and associated CD47 molecule), interaction with soluble CD23, mediates proinflammatory cytokine synthesis, 144:767
Voltage-dependent anion-selective channel, membrane insertion of, 145:973
von Willebrand factor, interaction with different integrins, and glycoprotein Ib-IX–mediated integrin activation, 147:1085
VP16, acidic activation domain of, and large-scale chromatin organization changes, 145:1341
v-*src*, and gap junction closure, connexin 43 gating mediated by, 144:1033
*warthog*, developmental role of, encodes *Drosophila* homologue of rab6, 146:731
WD repeats, in *Dictyostelium discoideum* homologue of actin-interacting protein-1, 146:453
WD-40 repeats, and dendritic kinesin sorting, 145:469
Werner's syndrome, DNA helicase responsible for, 144:1
*wing blister* (*Drosophila*), essential for embryonic viability, involvement in cell migration/adhesion, encoded by laminin α1, 2, 145:191
Wingless signaling, in *Drosophila*, regulated by adenomatous polyposis coli, 146:1303
Wound healing, Rho GTPases contribute to, 144:1235
Wound repair, in bronchial epithelium, role of matrix metalloproteinase-9 in, 146:517
WSC1, and depolarization of actin cytoskeleton, 147:163
X chromosome inactivation, histone relocates to inactive X chromosome after, histone accumulation on inactive X chromosome not necessary for, 147:1399
*Xenopus*
C-cadherin regulation/activation in, 144:351
establishment of dorsal–ventral axis in, stabilization of β-catenin in, 146:427
nuclear envelope assembly in, 144:225
*Xenopus laevis*, LAP2 proteins inhibit nuclear assembly in, 144:1083
*Xenopus laevis* embryos, cleavage-blocked, cell-free assay system utilizes cytoplasm and nuclei from, 147:367
*Xenopus* oocytes
localization of double-stranded RNA adenosine deaminase in, 144:603
mutagenesis of connexin 43 in, 144:1033
Xist RNA, histone colocalization with (after X inactivation), 147:1399
YAP65 (Yes-associated protein 65), association with EDP50, 147:879
Yeast
actin–microtubule cytoskeleton link in, 144:83
cell cycle progression and polarization in, Rho1 protein required for, 146:373
Golgi–transitional endoplasmic reticulum system in, 145:69
mating, microtubule dynamics in, 144:977
*mdm17*-mutant, mitochondrial inheritance/morphology in, 144:711
*MGM101* and mitochondrial DNA maintenance in, 145:291
misfolded secretory protein degradation in, protein disulfide isomerase and, 147:1443
novel centromere-associated gene product from, 146:415
nuclear import of TATA-binding protein in, mediated by karyopherin Kap114p, 145: 1407
nuclear import of transcription factor IIA in, 147:235
$p27^{BBP/eIF6}$ function in, 144:823
peroxisomal matrix protein import in, role of Pex4p and Pex22p in, 146:99
protein kinase associate with/regulate cortical actin cytoskeleton in, 144:1203
reconstitution of Vps33p-dependent transport to vacuole/lysosome of, 146:85
ribosome receptor p180 induces membrane proliferation/secretion in, 146:273
Sec1 proteins in, bind to SNARE complexes, localize at sites of secretion, 146:333
telomere regulation in, 145:203
ubiquitination and mitochondrial inheritance in, 145:1199
Yeast, *Saccharomyces cerevisiae*
microtubule dynamics in, regulated by Bim1p, 145:993
polarized secretion in, 147:791
response to cell wall stress in, 147:163
SUMO conjugation pathway in, 147:981
Yeast orientation, during mating, protein complex required for, 144:1187
Yeasts, with mutant 5S RNA, altered nucleolar structure in, 145:1369
Z line, actin filament attachment to, actin capping protein β1 and, 147:1287

Zellweger syndrome
defective peroxisomal matrix protein import in, 147:761
inability to import peroxisomal membrane proteins in, 144:255
Zinc finger, of novel active zone–specific protein (aczonin), homology to presynaptic active zone protein, 147:151
Zinc finger protein A20, inhibitory effects on nuclear factor-κB activation, 145:1471
ZO-1, α-catenin domain interacts with, 144:1311
ZO-1–3
binding affinities to COOH termini of claudins, 147:1351
cingulin interacts with, 147:1569
Zona adherens, of epithelial cells, ponsin localized at, 144:1001
Zona occludens, and localization of occludin to tight junction fibrils, 146:683
Zona occludens-1, ectodermal distribution of, afadin and, 146:1117
Zonula adherens
apical spectrin and integrity of, 146:1075
poliovirus receptor–related protein (nectin) localized to, 145:539
Zyxin, function in cell motility, α-actin binding site on, 147:1549